



**NEW  
ITEMS  
2020**

A  
 **SureWerx**<sup>™</sup>  
Brand  
[surewerx.com](http://surewerx.com)

NOVEMBER 2020

## Hi-Viz FR-Tech® 88/12 FR Vests 7 oz.

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- Meets ASTM F1506-2018, NFPA 70E and CSA Z462-18
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- 7729/ 7730 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 7728 – CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- Cell phone pocket
- Non-conductive concealed snaps
- D ring access slot

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540050	7728	Hi-Viz Orange	S-4XL
V2540070	7729	Black	S-4XL
V2540080	7730	Royal Blue	S-4XL



## Hi-Viz FR-Tech® 88/12 FR/ARC Rated Surveyor's Safety Vest

- Flame resistance and comfort combined
- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL - must be worn with an FR/arc rated sleeved garment
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ANSI/ISEA 107-20 Class 1 Type O
- Meets ASTM F1506-18, NFPA 70E and CSA Z462-18
- StarTech® FR reflective tape, with Aramid backing
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Flame resistance guaranteed for the life of the garment
- Metal snap front, radiophone clip strap and pocket
- Multiple front pockets including cell phone pockets, 4 inner pockets, big back pouch with zipper opening
- D-ring access slot and hanger loop
- Reinforced shoulder seam, herringbone contrast binding
- Complements models orange 7732 and blue 7733



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540740	7731	Red	S-4XL



## Hi-Viz Surveyor's Safety Vest - 150D Woven Twill Poly

- 150 denier woven twill polyester
- CSA Z96-15 Class 1 Level 2
- ANSI/ISEA 107-20 Class 1 Type O
- StarTech® reflective tape
- Brass snap front
- Radiophone pocket on chest
- 2 radiophone clip straps
- Cooling underarm mesh vents
- Back ruler slot
- Large back pack pouch with zipper access
- 4 front pockets with brass surveyor tape dispenser grommets
- 5 pen pockets
- 7 other all-purpose storage pockets
- D ring access slot
- Complements models orange 6692, yellow/green 6693, and blue 6692N



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1010130	6683	Red	S-4XL

## Hi-Viz Safety Mesh Vest with 2" Tape

- Polyester mesh
- CSA Z96-15 Class 2 level 2
- ANSI/ISEA 107-20 Class 2 Type P and R
- Startech reflective tape
- 5 point tear-away
- Cell phone pocket with flap
- Two lower pockets
- Adjustable a size up at front
- Complements yellow/green model 6923



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1030950	6963	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL

## Hi-Viz Safety Vest with 2" Tape

- Tricot polyester interlock
- CSA Z96-15 Class 2 level 2
- ANSI/ISEA 107-20 Class 2 Type P and R
- Startech reflective tape
- Cell phone pocket with flap
- Two lower pockets
- Full zipper front closure
- Complements model yellow/green 6922



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1030850	6962	Hi-Viz Orange	S-4XL

## Hi-Viz All Purpose Vests

- Polyester mesh
- CSA Z96-02 Class 1 level 2
- StarTech® reflective tape
- 5-point tear away
- 4 storage pockets
- D-ring access slot
- Transparent ID pocket
- Radio phone straps
- Drop shoulder
- Complements models orange 6926 and yellow/green 6927



PROD. NO.	MOD. NO.	COLOUR	SIZE
V1020770	6927BK	Black	O/S
V1020780	6927RB	Royal Blue	O/S

## 100% Cotton Safety Vests

- Superior comfort and fit
- Durable contrast binding along edges
- CSA Z95-15 Class 2 level 2
- ANSI/ISEA 107-20 Class 2 Type P and R
- 2" StarTech® reflective flexible heat applied tape
- Chest pocket with three pen slots
- Two radio clip straps
- Two front pockets with flaps
- One inner tablet pocket
- 7 pockets in total



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1010750	4411	Hi-Viz Orange	S-5XL
V1010760	4412	Hi-Viz Yellow/Green	S-5XL

## Hi-Viz 1200D High Denier Surveyor's Vests

- 1200 Denier oxford polyester PU reinforced durable material
- Meets CSA Z96-15 class 2 level 2
- ANSI 107-20 class 2 type P & R
- Startech reflective tape
- Comfortable padded collar
- Tough binding on all edges
- #8 heavy duty front zipper
- Dual layer pocket on the front with pen slot and straps
- Large lower pockets with grommets and flaps
- Can holder pockets with drawstring
- Radiophone pocket with strap on chest
- Large cross back pocket with zipper closure
- One ruler pockets on the back
- Two large inner pockets with load bearing straps
- 13 pockets
- Two durable mic tabs



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1011150	6676	Hi-Viz Orange	S-5XL
V1011160	6677	Hi-Viz Yellow	S-5XL

## Mesh-Back Surveyor Vest

Arrives FEB 2021

- 300D oxford front panel, durable and breathable
- 120G polyester mesh back panel for high breathability
- Comply to CSA-Z96-15 class 1 level 2
- ANSI/ISEA 107-20 Class 1 Type O
- Full-front opening with durable zipper
- Chest radio phone straps
- 3D pocket with transparent window
- Chest pocket with pen slots
- D-ring access
- Lower pockets with flaps and grommets
- Full mesh back panel with double-layer bottom pouch
- 2 Inner lower pockets with load-bearing strap
- 20 pcs per case
- Complements models orange 6672 and yellow/green 6673



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1010270	6671	Black	S-4XL

## 100% Cotton FR Interlock 7 oz. Henley Shirts

- 100% FR treated preshrunk cotton interlock knit, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Meets ASTM F1506-2018, NFPA 70E-15 and CSA Z462-15
- ATPV 12 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Thermal Protective Performance (TPP): 15.2 cal/cm<sup>2</sup>
- Sewn with inherently FR thread
- Left chest pocket
- Self fabric crew neck collar
- Henley placket neck opening with 3 buttons
- Comfort self-fabric cuffs



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2580230	331	Beige	S-5XL
V2580270	332	Black	S-5XL



## Cotton Long-Sleeved Safety Shirt

- 100% cotton jersey knit
- Self fabric crew neck
- CSA Z96-15 Class 1 Level 2
- ANSI/ISEA 107-20 Class 1 Type O
- StarTech® reflective tape
- Radiophone clip strap
- Chest pocket with hook and loop closure
- Complements models orange 6981 and yellow/green 6982



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1050870	6983	Black	S-4XL

## Women's Birdseye Safety T-Shirts

- Soft premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-20 Class 2 Type P and R
- StarTech® reflective tape
- Rib crew neck
- Chest pocket with hook and loop closure
- Radiophone clip strap
- Tailored for women's fit



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1051850	6948	Hi-Viz Orange	XS-4XL
V1051860	6949	Hi-Viz Yellow	XS-4XL

## Short-Sleeved Quebec Traffic Shirt

Arrives  
FEB 2021

- Soft moisture wicking birdseye fabric
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- ANSI/ISEA 107-20 Class 3 Type P and R
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech® reflective tape with orange tricot trim in between bands
- Full front zipper
- Chest pocket with hook and loop closure
- Radiophone straps on chest
- two roomy pockets on bottom with hook and loop closure



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1190960	6019	Hi-Viz Yellow	XS-4XL

## Birdseye Safety T-shirt with Tape on Sleeves

Arrives  
FEB 2021

- Soft premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-20 Class 3 Type P and R
- Upgrade to CSA class 3 with reflective leg band without using an armband
- StarTech® reflective tape
- Rib crew neck
- Chest pocket with hook and loop closure
- Radiophone clip strap



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1052750	6970	Hi-Viz Orange	XS-5XL
V1052760	6971	Hi-Viz Yellow	XS-5XL

## Button Work Shirt Poly/Cotton with Reflective Tape

- 65% Polyester 35% Cotton 195 GSM woven twill
- StarTech® reflective tape
- CSA Z95-15 Class 1 level 2
- Button center front opening
- Comfort fit
- Classic button-down collar
- Drop back for better integration with pants
- Two chest pockets with flaps
- Complements non-safety model 4404



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2080680	4414	Navy	S-4XL

## Hi-Viz Birdseye Safety Hoodie Shirts

Arrives  
DEC 2020

- Breathable and moisture wicking birdseye fabric
- Cool and breathable zebra style heat pressed reflective tape
- CSA Z96-15 Class 2 level 2
- ANSI/ISEA 107-20 Class 3 Type P and R
- Drawstring on hood
- Kangaroo pocket
- S-4XL



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1052650	6964	Hi-Viz Orange	S-4XL
V1052660	6965	Hi-Viz Yellow	S-4XL

## Quilted Hooded Polar Fleece Shirt

- Boa-lined hooded shirt
- Button-fooler front with zipper closure underneath
- 2 chest pockets with button closure
- Fleece-lined drawstring hood
- 12 pc/case
- Complements the other patterns in the line: 415SS royal/black, 4415BG blue/grey, 4415RG red/black



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3080490	415CM	Camouflage Plaid	XS-4XL

## Hi-Viz Quebec Winter Insulated Traffic Control Jacket

- 300 denier PU coated oxford polyester 5 mm 100% waterproof
- CSA Z96-15 Class 2 Level 2 becomes Class 3 when worn with hi-viz pants featuring reflective leg bands
- ANSI/ISEA 107-20 Class 3 Type P and R
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech® reflective tape with orange trim in between bands
- Taped and heat sealed seams
- 180G polyester insulation diamond quilted
- Full front zipper with hook and loop placket
- Collar in contrasting colour
- Black cuffs with inner rib storm cuff
- Two large lower pockets with flaps
- One chest patch pocket
- Two inner pockets
- Chest radiophone clip strap on each side
- Transparent ID pocket on right chest
- Snaps on collar compatible with hood model 6037H
- 5 pcs per case



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1190760	6040	Hi-Viz Yellow	XS-4XL

## Hi-Viz Quebec Winter Insulated Traffic Control Pants

- 300 denier PU coated oxford polyester 5 mm 100% waterproof
- CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands
- ANSI/ISEA 107-20 Class E Supplemental Type
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech® reflective tape across knees with orange trim in between bands
- Taped and heat-sealed seams
- 180G polyester insulation diamond quilted
- Belt loops
- Hook and loop fly opening and hook closure on waistband
- 2 cargo pockets on each side
- 2 back pockets with flaps
- 2 slash pockets
- Boot access zippers with placket
- 5 pcs per case



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1190860	6041	Hi-Viz Yellow	XS-4XL

## Hi-Viz PVC/Polyester/PVC FR Rain Jacket

- Hi-Viz FR PVC/poly/PVC 0.35mm durable waterproof material
- Meets CGSB 155.20.2000 Type 3
- StarTech® 2" reflective tape
- Meets CSA Z95-15 class 2 level 2 and ANSI 107-2015
- Detachable hood with drawcord
- Double placket and snaps center front
- Snaps on cuff
- Corduroy collar



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510860	576J	Hi-Viz Orange	S-4XL

FLAME-GARD®

## Hi-Viz PVC/Polyester/PVC FR Rain Bib Pants

- Hi-Viz FR PVC/Poly/PVC 0.35 mm durable 100% waterproof radio welded seams
- Meets CGSB 155.20.2000 Type 3
- StarTech® 2" reflective tape
- Meets ANSI 107-2015 and CSA Z95-15 class 3 level 2 with jacket PVC/Polyester/PVC FR Rain Jacket with reflective tape (576J)
- Snap closure fly access
- Elastic suspender with adjusters
- Snap adjustment on the back of waist and hem



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510960	576P	Hi-Viz Orange	S-4XL

FLAME-GARD®

## "The Rock" 300D Oxford Polyester Jacket with PU coating

Arrives  
NOV 30, 2020

- 100% waterproof 300D oxford polyester with PU coating
- CSA Z96-15 Class 1 Level 2
- ANSI/ISEA 107-20 Class 1 Type O
- StarTech® reflective tape
- Taped and heat-sealed seams
- Superior tear- and abrasion-resistant fabric
- Liberal fit and full back vent for working comfort
- 2 lower flap pockets
- Half mesh lined vented back
- Full front zipper
- Hood folds into collar
- Complements models orange 5626 and yellow/green 5628



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1081370	5628BK	Black	S-5XL

## "The Rock" 300D Oxford Polyester Bib Pants with PU coating

Arrives  
NOV 30, 2020

- 100% waterproof 300D oxford polyester with PU coating
- CSA Z96-15 Class 3 Level 2 when worn with Class 2 Level 2 top featuring reflective arm bands
- ANSI/ISEA 107-20 Class E Supplemental Type
- StarTech® reflective tape
- Taped and heat-sealed seams
- Superior tear- and abrasion-resistant fabric
- Liberal fit for working comfort
- Elastic suspenders
- High-quality plastic buckles
- 2 snap adjustment on leg hems to fit snug to boots
- 2-sided waist adjustment for better fit around waist
- Complements orange model 5627 and yellow/green model 5629



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1082370	5629BK	Black	S-5XL

## Heated Insulated Safety Jackets

- 4 levels of heat settings
- Multi-panel Carbon Nanotube Technology (CNT) heating elements
- LED switch for ON/OFF and heat levels
- 300 denier Oxford polyester, PU coated shell fabric
- 180 GSM insulated with taffeta lining
- 100% waterproof and windproof
- Machine washable 25 times
- Double-stitched and heat-sealed seams
- CSA Z96-15 Class 2 Level 2 (class 1 for black)
- ANSI/ISEA 107-20 Class 3 Type P and R (class 1 for black)
- StarTech® reflective tape
- 2 lower zip pockets, 1 lower inside zip pockets, laser chest zip pocket
- Full front 2-way zipper with snap placket
- 3-pc insulated detachable hood with adjustments
- Fleece-lined collar with chin guard
- 2 radiophone clip straps
- Elastic wrists with hook and loop closure
- Drawcord tightening lower hem
- Comes with USB port to connect to rechargeable power bank (Power bank not included - must be purchased separately)

**NANO StormMaster®**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1210150	5407	Hi-Viz Orange	S-4XL
V1210160	5408	Hi-Viz Yellow	S-4XL
V1210170	5409	Black	S-4XL



### Temperature Control

There are 4 heat settings, 38, 43, 48, and 53°C, indicated by coloured LED's. Select your heat setting by pressing the main switch button. This jacket is compatible with various power banks, refer to the chart below for heating capacity and how many hours of warmth this jacket will provide.

POWER BANK CAPACITY (mAh)	HOURS OF KEEPING WARM			
	SETTINGS			
	COMFORT 38°C	COZY 43°C	WARM 48°C	HOT 53°C
5,000	6	5	4	3
10,000	9	8	7	6
15,000	12	11	10	9
20,000	15	14	13	12
25,000	18	17	16	15

### New 3<sup>RD</sup> Generation CNT Heating Elements

The heating elements are extremely thin (5 micron), and made from Carbon Nanotube Technology. CNT elements are soft to hand touch, flexible with no wire or metal feeling and is wash friendly.

The heat sensor is strategically located to give an accurate measurement of the temperature, to prevent over or under heating.

\*Based on 25,000 mAh Power Bank



4 HEAT LEVELS



CARBON NANOTUBE TECHNOLOGY (CNT)



MULTI-HEATING ZONES



CONNECTS TO USB POWER BANK



UP TO 18 HOURS\*



WATERPROOF & WINDPROOF



MACHINE WASHABLE

CONTROL BUTTON

Arrives  
NOV 30, 2020

## Hi-Viz Softshell Waterproof/Breathable Premium Safety Jackets

- Premium soft stretch comfort fabric
- Waterproof/ breathable TPU membrane 10000/5000
- Shell fabric: 92% polyester 8% spandex
- Lining: 100% polyester mesh
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- ANSI/ISEA 107-20 Class 3 Type P and R
- StarTech® New 4" segmented heat-transfer reflective tape
- Taped and heat-sealed seams
- Centre front waterproof zipper
- Embroidery access zipper
- 2 lower pockets with waterproof zipper closure
- Chest pocket with waterproof zipper closure
- Detachable, adjustable drawstring hood, folds into collar
- 2 radiophone clip straps
- Adjustable drawstring with toggle hem
- Adjustable cuff with hook and loop
- Black bottom to minimize appearance of soiling



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V1130450	5220	Hi-Viz Orange	S-4XL
V1130460	5221	Hi-Viz Yellow	S-4XL

## Flame Resistant Modacrylic Cotton Fleece Hoodies

- Flame resistance and comfort combined
- Modacrylic cotton blend fleece material meets CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- CSA Z96-15 Class 2 level 2
- ATPV TBD cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 3 Arc Rating Category
- StarTech® FR reflective tape
- FR metal zipper front with placket
- Removable snap on/off drawstring hood
- 2 pockets
- Rib cuffs and hem
- Sewn with inherently FR thread



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2590450	484	Hi-Viz Orange	S-4XL
V2590460	485	Hi-Viz Yellow	S-4XL



## FR/PU Waterproof Safety Jacket with Pockets

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-20 Class 3 Type P and R
- Passes ASTM D6413-13 flame resistance test
- Oil and chemical resistant
- 100% waterproof and windproof
- 2 front patch pockets and flap closure with snaps
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat-welded seams
- Extra-large detachable hood
- Full front zipper with snap storm placket



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3520550	5892PKT	Hi-Viz Orange	XS-7XL



## Hi-Viz Quilted Freezer/Work Safety Jacket

- Woven diamond quilted polyester with 3.5 oz (120 GSM) insulation
- Double-stitched StarTech® reflective tape
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-20 Class 3 Type P and R
- Rib-knit gusseted action back for working comfort
- Rib-knit cuffs
- 2 front slash pockets
- 3 inside storage pockets: 2 lower, 1 chest cell phone
- Black micro fleece comfort collar
- Complements models orange with black bottom 5015, yellow/green 5016, and black 5017



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V117015A	5015A	Hi-Viz Orange	S-4XL

## FR/ARC Cotton Anti-static Shop Coat

Arrives  
FEB 15, 2021

- 98% cotton, 2% anti-static fiber, FR treated, 6.5 oz (220 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Meets ASTM F1506-2018, NFPA 70E-18 and CSA Z462-18
- ATPV 9.1 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Thermal Protective Performance (TPP) value: 8.1 cal/cm<sup>2</sup>
- Sewn with inherently FR thread
- Concealed brass snap center-front opening
- Action back
- 2 large front pockets
- Chest pocket with pen slot
- Bar-tacked pockets
- Pleat opening at bottom on back for extra comfort



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2521150	3512	Navy	S-5XL





# NEW ITEMS 2020

PIONEER/RANPRO

## Petro-Gard® FR/ARC Rated Safety Jacket - Neoprene Coated Nomex®

- 14 oz/yd<sup>2</sup> low smoke Neoprene on Dupont™ Nomex®
- Provides superior heavy duty 100% waterproof, abrasion, puncture, tear, ARC and flame-resistant protection
- Meets FR ASTM F1891-19 Standard Specifications for ARC and Flame-Resistant Rainwear
- ARC 3 rating: ATPV 28 cal/cm<sup>2</sup>, EBTAS 45 cal/cm<sup>2</sup>, HAF 90%
- NFPA 70E-18 and CSA Z462-18
- Meets CGSB 155.20-2017 Workwear for Protection Against Hydrocarbon Flash Fire – FR Rainwear Standard
- TPP: 21.4 cal/cm<sup>2</sup>
- Meets ASTM F2733-17 Standard Specification for Flame Resistant Rainwear for Protection Against Flame Hazards
- Meets CSA Z96-15 Class 2 Level 2 and Class 3 Level 2 when worn with hi-vis pant with reflective stripes on legs
- Heat applied StarTech® FR reflective tape
- All seams vulcanized
- Inner and outer storm flaps/zipper closure
- Hard hat sized hood rolls up in collar (sold separately)
- Angled collar under the chin with FR hook and loop closure
- Two front pockets with flaps and FR hook and loop closure
- Tab style hook and loop cuff adjustments
- Dolman sleeve design
- Inner elastic cuffs

FLAME-GARD® ARC 3



PROD. NO.	MOD. NO.	COLOUR	SIZE-RANGE
V2246450A	J160 400A	Hi-Viz Orange	S-4XL

## Petro-Gard® FR/ARC Rated Bib Pants - Neoprene Coated Nomex®

NEW & IMPROVED

Arrives JAN 30, 2021

- 14 oz/yd<sup>2</sup> low smoke Neoprene on Dupont™ Nomex®
- Provides superior heavy duty 100% waterproof, abrasion, puncture, tear, ARC and flame-resistant protection
- Meets FR ASTM F1891-19 Standard Specifications for ARC and Flame-Resistant Rainwear
- ARC 3 rating: ATPV 28 cal/cm<sup>2</sup>, EBTAS 45 cal/cm<sup>2</sup>, HAF 90%
- NFPA 70E-18 and CSA Z462-18
- Meets CGSB 155.20-2017 Workwear for Protection Against Hydrocarbon Flash Fire – FR Rainwear Standard
- TPP: 21.4 cal/cm<sup>2</sup>
- Meets ASTM F2733-17 Standard Specification for Flame Resistant Rainwear for Protection Against Flame Hazards
- Meets CSA Z96-15 Class 3 Level 2 when worn with Class 2 Level 2 Jacket
- Heat applied StarTech® FR reflective tape
- All seams vulcanized
- Single bib design
- Adjustable FR hook and loop closure leg cuff
- Adjustable arc resistant fabric suspenders and spreader bar with elastic back and Kwik-Lok connectors
- Adjustable spreader bar at back
- Durable reinforced waist ties for snug fit

PROD. NO.	MOD. NO.	COLOUR	SIZE-RANGE
V2246750A	P160 041A	Hi-Viz Orange	S-4XL



## Petro-Gard® FR/ARC Rated Hood

- 14 oz/yd<sup>2</sup> low smoke Neoprene on Dupont™ Nomex®
- Provides superior heavy duty 100% waterproof, abrasion, puncture, tear, ARC and flame-resistant protection
- Meets FR ASTM F1891-19 Standard Specifications for ARC and Flame-Resistant Rainwear
- ARC 3 rating: ATPV 28 cal/cm<sup>2</sup>, EBTAS 45 cal/cm<sup>2</sup>, HAF 90%
- NFPA 70E-18 and CSA Z462-18
- Meets CGSB 155.20-2017 Workwear for Protection Against Hydrocarbon Flash Fire – FR Rainwear Standard
- TPP: 21.4 cal/cm<sup>2</sup>
- Meets ASTM F2733-17 Standard Specification for Flame Resistant Rainwear for Protection Against Flame Hazards
- Heat applied StarTech® FR reflective tape
- All seams vulcanized
- Drawstring and toggle, hook and loop connection to jacket



PROD. NO.	MOD. NO.	COLOUR	SIZE-RANGE
V2246120A	H160 501A	Hi-Viz Orange	O/S



Arrives  
NOV 15, 2020

## Hi-Viz FR ARC PU/Cotton Rain Jackets

- FR and ARC Flash PU on FR and ARC flash Cotton
- Meets CGSB 155.20-2017 Rainwear Standard
- Meets ASTM F1891-19 for Arc Flash tested as per ASTM F1959/1959M-14
- APTV 10 cal/cm<sup>2</sup> and EBT 24 cal/cm<sup>2</sup>
- Average Thermal Protective Performance (TPP) value: 8.9 cal/cm<sup>2</sup>
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-20 Class 3 Type P and R
- Oil and chemical resistant
- 100% waterproof and windproof
- Heavy-duty and tough 4-way stretch PU
- StarTech® FR reflective tape
- Radio frequency heat welded seams
- Extra-large detachable 3-piece hood with reflective stripe and visor flap.
- Drawcord for adjusting shape of hood.
- Full front FR zipper with hook and loop closure storm placket
- Two lower pockets on front with flap and snap closure
- Sleeve with inner elastic cuff
- One inside cellphone pocket
- Double vent holes underarm



FLASH GARD  
FLAME-GARD® ARC 2

PROD. NO.	MOD. NO.	COLOUR	SIZE-RANGE
V3520650	5880	Hi-Viz Orange	XS-5XL
V3520660	5881	Hi-Viz Yellow	XS-4XL

Arrives  
NOV 15, 2020

## Hi-Viz FR ARC PU/Cotton Rain Bib Pants

- FR and ARC Flash PU on FR and ARC flash Cotton
- Meets CGSB 155.20-2017 Rainwear Standard
- Average Thermal Protective Performance (TPP) value: 8.9 cal/cm<sup>2</sup>
- Meets ASTM F1891-19 for Arc Flash tested as per ASTM F1959/1959M-14
- APTV 10 cal/cm<sup>2</sup> and EBT 24 cal/cm<sup>2</sup>
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-20 Class 3 Type P and R
- Oil and chemical resistant
- 100% waterproof and windproof
- Heavy-duty and tough 4-way stretch PU
- StarTech® FR reflective tape
- Radio frequency heat welded seams
- Snap adjustment to snug to boot.
- One side adjustment on waist for superior fit.
- Storage pocket behind bib
- Superior FR suspender elastic with adjustment buckle and spreader bar.



FLASH GARD  
FLAME-GARD® ARC 2

PROD. NO.	MOD. NO.	COLOUR	SIZE-RANGE
V3520750	5882	Hi-Viz Orange	XS-5XL
V3520760	5883	Hi-Viz Yellow	XS-4XL

## FR-Tech® 88/12 FR Coveralls 7 oz. without Stripe

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- Meets ASTM F1506-2018, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back
- Elastic on the back on either side of waistband
- Complements models orange safety 7702/7702T and royal blue safety 7704 7704T



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540410	7779	Royal Blue	36-60
V254041T	7779T	Royal Blue	40-60



## “The Rock” FR-Tech® 88/12 FR/ARC 7 oz. Coveralls with 2" Reflective Tape

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Double-stitched StarTech®™ FR 2" silver reflective tape
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Adjustable wrists with snap adjustment
- Elastic on the back on either side of waistband



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540950	7708	Hi-Viz Orange	36-66
V254095T	7708T	Hi-Viz Orange	40-66



## Poly/Cotton Safety Overall 7 oz. with Leg Zippers

- 7 oz (230 GSM) poly/cotton
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with CSA Class 2 Level 2 top featuring reflective arm bands)
- StarTech® reflective tape
- 2-way heavy-duty brass zipper
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- 18" covered leg zippers
- All pockets and key stress points bar-tacked for strength
- Hammer loop
- Complements models 6617 regular without leg zipper and blue 6615 without leg zipper



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2030210	6617Z	Hi-Viz Orange	36-60

Arrives  
NOV 15, 2020

## 98% Cotton/2% Anti-static Flame-Gard Coveralls 6.5 oz.

- 98% cotton, 2% anti-static fiber, FR treated, 6.5 oz (220 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- 5552/ 5552T - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E and CSA Z462-15
- ATPV 9.1 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Thermal Protective Performance (TPP) value: 8.1 cal/cm<sup>2</sup>
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- Radiophone clip strap
- 2-way FR brass non-locking zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool, 2 pass-through pockets
- Adjustable wrists and ankles
- Action back
- Elastic on the back on either side of waistband



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2520010	5552	Royal Blue	36-60
V252001T	5552T	Royal Blue	40-60
V2520050	5551	Hi-Viz Orange	36-60
V252005T	5551T	Hi-Viz Orange	40-60



## FR-Tech® 88/12 - ARC Rated 7 oz. Safety Coveralls

Arrives  
FEB 15, 2021

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- 7702/7702T - CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- 7704/ 7702BK/7704T/ 7702BKT - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back
- Elastic on the back on either side of waistband
- Complements models orange 7702/7702T and royal blue 7704/7704T



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540470	7702BK	Black	36-60
V254047T	7702BKT	Black	40-60



## Goatskin Driver Gloves

- Soft and supple goat skin palm
- Great abrasion resistant and dexterity
- Split leather back
- Inside elastic
- Unlined
- 10dz per case



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V5022700	5356	Beige	S-XL

## Disposable Beard masks

- Light weight breathable PP material 14g
- Elastic opening and strap to the back
- Great for food processing, lab or pharmaceutical applications
- One size fits most
- 100pc per pack, sold by pack



PROD. NO.	MOD. NO.	COLOUR	SIZE
V7012450	2024	White	O/S

## Hi-Viz Adjustable Safety Sashes

- Premium 1.5" elastic
- Adjustable elastic waist band and chest straps
- StarTech® reflective tape
- Quick release buckles and adjusters
- One size fits all
- Complements models orange 5496 and yellow/green 5497



PROD. NO.	MOD. NO.	COLOUR	SIZE
V1041040	5498	Pink	O/S

## Flame Resistant Aramid Anti-static Face Mask

- 6 oz. Inherently FR Aramid Anti-Static Face Mask
- 93% Meta-Aramid/ 5% Para-Aramid/ 2% Antistatic
- Double layer twill weave
- Meets NFPA 2112-2018 and CGSB 155.20-2017 FR standards
- Meets ASTM F1506-2018 FR/ARC Standard
- ARC rating (ARC 1) and ATPV (6.9 cal/cm2)
- Ergonomically designed to fit over nose and mouth
- Concealed metal wire to shape over nose for snug fit
- Two FR elastic bands to for comfortable fit
- Washable and reusable
- One size fit most



PROD. NO.	MOD. NO.	COLOUR	SIZE
V2510180	3350	Navy	O/S

FLAME-GARD® ARC 1

## Traffic "Stop/Slow" Paddle

- Lightweight and durable aluminum octagonal bat
- Hi-luminance type III reflective
- Meets MB provincial requirements
- 12" handle with comfortable foam grip
- Stainless steel bolts



PROD. NO.	MOD. NO.	COLOUR	DIMENSIONS
V6020660	4561	Red/Yellow	18" x 18"

## Barricade Warning Tape "ATTENTION"

- Visual barricade tape to block off designated areas
- For indoor and outdoor use



PROD. NO.	MOD. NO.	COLOUR	LENGTH
V6310660	387PQ	Yellow	1000'

## "OVERSIZE LOAD/WIDE LOAD" Reversible Truck Banner

- Reversible banner "OVERSIZE LOAD" on one side "WIDE LOAD" the other side
- Durable and strong material made of vinyl laminated polyester
- Bold 11.5" black letters on yellow background
- Heavy 18" bungee on each end
- 6 brass grommets for ease of attachment
- Strong stitched double thick borders
- Double sewn extra tough end reinforcements
- Strong water, weather, mildew and tear resistant material



PROD. NO.	MOD. NO.	COLOUR	DIMENSIONS
V6301560	463	Hi-Viz Yellow	18" x 84"

## FR Cotton Sweatband for Hard Hat

- 100% FR cotton fleecy outer layer
- Innovative air-cushioned foam inner layer for maximum sweat absorption
- Hook and loop for universal fit on most hard hats
- Reusable and washable
- Flame-resistant outer layer tested to EN ISO11611



FLAME-GARD®

PROD. NO.	MOD. NO.	COLOUR	DIMENSIONS
V2051370	277	Orange	O/S