



PROTECTIVE INDUSTRIAL PRODUCTS

30-6795 Specification Sheet

CANE MESH SLEEVES

PRODUCT DESCRIPTION:

Nylon cane mesh sleeve, double ply, velcro closure, 9-inch length.

- Light weight and breathable.
- Shrink resistant.
- Offers cut resistance for light duty applications.
- Exceptional comfort.

Applications:

Ideal for applications where arm cut protection is needed, such as assembly, plastic molding, metal fabrication, automotive.

TECHNICAL DATA:

Material: Nylon

Color: Black or White

Cuff Style: Hook and loop closure

Available Sizes: 9"

Packaging: 1 pair per bag, 12 pairs per dozen, 12 dozen per case

Case Weight: 11.5 lbs / 5.2 kg

Country of Origin/Harmonization Code: USA/6116.93.8800

PERFORMANCE PROPERTIES:


- Melting Point of 225 deg. F.
- Method ASTM F 1790-04
- 1800 +/- 50 grams
- ANSI/ISEA 105-2000 Level 4 Cut Resistance
- EN Cut Level 4



DIMENSIONS:

<u>Size Available</u>	<u>One size</u>
Over Length (cm) – A (in)	22.9 9.0
Wrist Width (cm) – B (in)	25.4 10.0
Forearm Width (cm) – B (in)	38.1 15.0
Binding Color	Green
Tensile Strength (Warp)	106 pounds approx.
Thickness	0.057"

<u>BARCODE #</u>	<u>DOZEN</u>	<u>CASE</u>
30-6795B	01616314117212	02616314117211
30-6795W	01616314117229	02616314117228



This document is the property of PIP and the information contained herein is proprietary to PIP.