



**PROTECTIVE INDUSTRIAL PRODUCTS**

# 57-8675 Specification Sheet

## COATED SUPPORTED GLOVES

### PRODUCT DESCRIPTION:

Neoprene coated gloves, smooth, brushed interlock lined, 31-inch gauntlet.

- Neoprene gloves provide superior protection from a wide range of chemicals such as acids, caustics, solvents and oils.
- Etched rough finish styles have excellent non-slip grip and cut resistance.
- Multi-dip process provides fully liquid proof protection.
- Black color hides dirt.

### Applications:

Ideal for refining, galvanizing, degreasing, plating, petrochemical industries and kitchen cleaning & maintenance.

### TECHNICAL DATA:

**Material:** Neoprene

**Construction:** Neoprene over cotton

**Color:** Black

**Cuff Style:** Continuous

**Available Sizes:** Men's one size

**Packaging:** 12 pairs per case

**Case Dimensions (cm)** 50 x 35 x 35 (in) 19.7 x 13.8 x 13.8

**Case Weight:** 28.7 lbs / 13.0 kg

**Manufacturer Certifications:** ISO9001:2000 certified

**Country of Origin/Harmonization Code:** Sri Lanka/6116.10.6500

### Laundering Instructions:

It is strongly advised not to wash and re-use these gloves when they are used to protect against chemical products.




### DIMENSIONS:

| Size Available               | Men's one size               |
|------------------------------|------------------------------|
| Over Length (cm) – A<br>(in) | 82.0<br>32.3                 |
| Palm Width (cm) – B<br>(in)  | 12.0<br>3.8                  |
| Tolerance                    | +/- 0.5 cm                   |
| Thickness                    | 0.65 - 0.75 mm (+/- 0.225mm) |

### CUT RESISTANCE PROPERTIES:

EN388: 3121

|          |   |   |   |   |   |   |
|----------|---|---|---|---|---|---|
| Abrasion | 0 | 1 | 2 | 3 | 4 |   |
| Cut      | 0 | 1 | 2 | 3 | 4 | 5 |
| Tear     | 0 | 1 | 2 | 3 | 4 |   |
| Puncture | 0 | 1 | 2 | 3 | 4 |   |



| BARCODE # | DOZEN          | CASE           |
|-----------|----------------|----------------|
| 57-8675   | 01616314002564 | 02616314002564 |

This document is the property of PIP and the information contained herein is proprietary to PIP.