



PROTECTIVE INDUSTRIAL PRODUCTS

MaxiFlex<sup>®</sup>



Sanitized<sup>®</sup>

Patent No. EP 1 608 808  
www.atg-glovesolutions.com

CE  
EN 388  
4131  
Ultimate<sup>™</sup>  
34-874  
4(L)  
COTI

INTELLIGENT

GLOVE

SOLUTIONS

[www.pipusa.com](http://www.pipusa.com)





# FOCUSED ON INNOVA

**MaxiCut**<sup>®</sup>  
ULTRA™  
44-3745  
9(L)



Showcasing the latest innovations in hand protection from the recognized world-class leader in hand protection, ATG®.

ATG® designs, develops, and manufactures gloves that enhance the performance of the most sophisticated work tool, the hand.

## A Fully Integrated Approach

Focused on innovation and quality, ATG® is a fully integrated manufacturer with control of all elements of the manufacturing process, from covering and twisting of yarns, knitting liners, coating, to finishing and packing. ATG® operates according to ISO 9001 manufacturing standards, applying a fully integrated approach to transition products from a laboratory concept to full production quickly and efficiently. Not a single element of any product is outsourced.

All ATG® gloves are dermatologically accredited by the Skin Health Alliance and are post washed prior to packaging enabling us to guarantee them "fresh out of the pack" as certified by Oeko-Tex®. All ingredients used in the production of our gloves are manufactured and subject to authorization under the REACH Regulation.

# PROTECTION & QUALITY

| BRAND     | HANDLING CONDITIONS                                 | LINER TECHNOLOGY         | PROTECTION     |                 |                   | GRIP |     |      | PAGE |
|-----------|---|--------------------------|----------------|-----------------|-------------------|------|-----|------|------|
|           |   |                          | CUT RESISTANCE | GENERAL PURPOSE | LIQUID & CHEMICAL | WET  | DRY | OILY |      |
| MaxiCut®  | Assured protection for dry and oily environments    | MaxiCut®                 | ●              |                 |                   | ●    |     | ●    | 2    |
|           |   | MaxiCut® Dry             | ●              |                 |                   |      | ●   |      | 2    |
|           |   | MaxiCut® Ultra/Ultra DT™ | ●              |                 |                   |      | ●   |      | 2    |
|           |   | MaxiCut® Oil™            | ●              |                 |                   |      | ●   |      | 2    |
| MaxiFlex® | Precision handling in dry environments              | MaxiFlex® Cut™           | ●              |                 |                   |      | ●   |      | 4    |
|           |   | MaxiFlex® Ultimate™      |                | ●               |                   |      | ●   |      | 5    |
|           |   | MaxiFlex® Endurance™     |                | ●               |                   |      | ●   |      | 5    |
|           |   | MaxiFlex® Elite™         |                | ●               |                   |      | ●   |      | 6    |
|           |   | MaxiFlex® Active™        |                | ●               |                   |      | ●   |      | 6    |
|           |   | MaxiFlex® Comfort™       |                | ●               |                   |      | ●   |      | 6    |
| MaxiFoam® | Good dry grip, compatibility with light oils        | MaxiFoam®                |                | ●               |                   |      | ●   |      | 6    |
| MaxiDry®  | Controlled performance in wet and oily environments | MaxiDry®                 |                | ●               |                   | ●    |     | ●    | 7    |
|           |   | MaxiDry® Zero™           |                | ●               |                   | ●    |     | ●    | 7    |
|           |   | MaxiDry® Plus™           |                | ●               |                   | ●    |     | ●    | 7    |
| MaxiChem® | Secure safety for chemical environments             | MaxiChem®                |                |                 | ●                 | ●    |     | ●    | 8    |
|           |   | MaxiChem® Cut™           | ●              | ●               | ●                 | ●    |     | ●    | 8    |

### ATG® TECHNOLOGIES

#### CUTtech®

- > Innovated fibers – unique engineered high-performance yarns and fibers that offer cut protection while maintaining comfort
- > Reinforced in high wear areas between the thumb and forefinger

#### AIRtech®

- > 360° breathability patented Micro-Foam nitrile coating. The most breathable glove on the market.

#### DURAtech®

- > 25% thinner than most nitrile coated gloves on the market, provides twice the mechanical performance for maximum hand dexterity

#### ERGOtech®

- > Form, fit and feel mimics the "hand at rest" reducing hand fatigue
- > Consistent liner penetration with smooth rounded fingertips, improves fingertip sensitivity

#### GRIPtech®

- > Controlled grip with patented micro-cup coating finish, maximized grip for a variety of environments

#### LIQUtech®

- > Increased resistance to oils, liquids and chemicals through advanced layering technology

#### ad-apt

- > A natural cooling agent activated by the movement of the hands, keeping hands cool, dry and productive. Designed to last for the duration of the glove even after repeated laundering

# MaxiCut®

GOOD GRIP, DURABLE COATING,  
PREMIUM PERFORMANCE

---

- > Handling, assembly and sorting of small to medium parts
  - > Finishing and parts inspection
  - > Mechanical equipment maintenance and repair
- 

ATG® TECHNOLOGIES



## MAXICUT® & MAXICUT® DRY



▲ 19-D470

▲ 19-D475

ANSI  
A4

- Excellent dry grip
- Good dexterity and tactility
- Patented Micro-Foam nitrile coating offers 360° breathability

## MAXICUT® ULTRA™ & ULTRA DT™



▲ 44-3745

▲ 44-3445

ANSI  
A3

- Secure dry and light oily grip
- Thumb reinforcement for added durability
- Patented Micro-Foam nitrile coating offers 360° breathability

## MAXICUT® OIL™



▲ 44-504

▲ 44-505

ANSI  
A3

- Secure wet and oily grip
- Reinforced thumb for added durability
- Good puncture resistance



▲ 44-304

▲ 44-305

ANSI  
A2

- Secure wet and oily grip
- Lightweight and durable
- Reinforced thumb for added durability

## MAXICUT®



▲ 18-570

▲ 18-575

ANSI  
A2

- Secure dry grip
- Good dexterity and tactility
- Thumb reinforcement for added durability
- Good puncture resistance



# Breathable cut resistance and premium performance

### MaxiCut® & MaxiCut® Dry

| STYLE   | ANSI CUT | EN388  | COATING            | COATING COVERAGE         | COATING COLOR | LINER        | LINER COLOR | GAUGE | SIZES  |
|---------|----------|--------|--------------------|--------------------------|---------------|--------------|-------------|-------|--------|
| 18-570  | A2       | 4331BX | Nitrile Micro-Foam | Palm & Fingers           | Gray          | MaxiCut®     | Green       | 15    | XS-3XL |
| 18-575  | A2       | 4331BX | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Gray          | MaxiCut®     | Green       | 15    | XS-2XL |
| 19-D470 | A4       | 4443DX | Nitrile Micro-Foam | Palm & Fingers           | Gray          | MaxiCut®     | Gray        | 13    | XS-2XL |
| 19-D475 | A4       | 4443DX | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Gray          | MaxiCut® Dry | Gray        | 13    | XS-2XL |

### MaxiCut® Ultra™ & MaxiCut® Ultra DT™

|            |    |        |                                  |                |       |                    |            |    |        |
|------------|----|--------|----------------------------------|----------------|-------|--------------------|------------|----|--------|
| 44-3445    | A3 | 4542CX | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers | Black | MaxiCut® Ultra DT™ | Blue       | 15 | XS-2XL |
| 44-3455    | A3 | 4542CX | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers | Black | MaxiCut® Ultra DT™ | Blue       | 15 | XS-2XL |
| 44-3745    | A3 | 4542CX | Nitrile Micro-Foam               | Palm & Fingers | Black | MaxiCut® Ultra™    | Blue       | 15 | XS-3XL |
| 44-3745V*  | A3 | 4542CX | Nitrile Micro-Foam               | Palm & Fingers | Black | MaxiCut® Ultra™    | Blue       | 15 | XS-2XL |
| 44-3745T** | A3 | 4542CX | Nitrile Micro-Foam               | Palm & Fingers | Black | MaxiCut® Ultra™    | Blue       | 15 | M-XL   |
| 44-3755    | A3 | 4542CX | Nitrile Micro-Foam               | Palm & Fingers | Black | MaxiCut® Ultra™    | Blue       | 15 | XS-3XL |
| 44-6745    | A3 | 4X43CX | Nitrile Micro-Foam               | Palm & Fingers | Black | MaxiCut® Ultra™    | Light Blue | 15 | S-2XL  |

### MaxiCut® Oil™

|        |    |        |                    |                          |       |               |       |    |        |
|--------|----|--------|--------------------|--------------------------|-------|---------------|-------|----|--------|
| 44-504 | A3 | 4442CX | Nitrile Micro-Foam | Palm & Fingers           | Black | MaxiCut® Oil™ | Blue  | 15 | XS-2XL |
| 44-505 | A3 | 4442CX | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Black | MaxiCut® Oil™ | Blue  | 15 | XS-2XL |
| 44-304 | A2 | 4341BX | Nitrile Micro-Foam | Palm & Fingers           | Black | MaxiCut® Oil™ | Green | 15 | XS-2XL |
| 44-305 | A2 | 4341BX | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Black | MaxiCut® Oil™ | Green | 15 | XS-2XL |

\* Vend version available

\*\* Tagged version available

# MaxiFlex® Cut™

MAXIMUM DEXTERITY, BREATHABILITY,  
COMFORT AND DURABILITY

ATG® TECHNOLOGIES



- > Handling, assembly and sorting
- > General industrial with cut risk hazards
- > Precision construction applications



## MAXIFLEX® CUT™



ANSI  
**A4**

With DuPont™ Kelvar®

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability

▲ 34-1743



▲ 34-8743



HI-VISIBILITY

▲ 34-8743FY



ENHANCED PROTECTION

▲ 34-8753



ANSI  
**A2**

With Dyneema®  
Diamond Technology

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability

▲ 34-6743



▲ 34-8443



ENHANCED PROTECTION

▲ 34-8453

ANSI  
**A2**

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

### MaxiFlex® Cut™

| STYLE      | ANSI CUT | EN388  | COATING                          | COATING COVERAGE         | COATING COLOR | LINER          | LINER COLOR   | GAUGE | SIZES  |
|------------|----------|--------|----------------------------------|--------------------------|---------------|----------------|---------------|-------|--------|
| 34-1743    | A4       | 4331DX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Black         | 15    | XS-2XL |
| 34-6743    | A2       | 4X32BX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | S-2XL  |
| 34-8443    | A2       | 4331BX | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-2XL |
| 34-8443V*  | A2       | 4331BX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-2XL |
| 34-8443T** | A2       | 4331BX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-2XL |
| 34-8453    | A2       | 4331BX | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-2XL |
| 34-8743    | A2       | 4331BX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-3XL |
| 34-8743FY  | A2       | 4331BX | Nitrile Micro-Foam               | Palm & Fingers           | Hi-Vis Yellow | MaxiFlex® Cut™ | Hi-Vis Yellow | 15    | XS-2XL |
| 34-8743V*  | A2       | 4331BX | Nitrile Micro-Foam               | Palm & Fingers           | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-3XL |
| 34-8753    | A2       | 4331BX | Nitrile Micro-Foam               | Palm, Fingers & Knuckles | Black         | MaxiFlex® Cut™ | Green         | 15    | XS-3XL |

\* Vend version available

\*\* Tagged version available

# MaxiFlex®

MAXIMUM BREATHABILITY,  
COMFORT AND DURABILITY

ATG® TECHNOLOGIES



- > Handling, assembly and sorting of small parts and materials
- > Finishing parts and inspection
- > Light maintenance and repair



## MAXIFLEX® ULTIMATE™



▲ 34-874

▲ 34-874FY

The benchmark for precision handling in dry environments

- High tactile sensitivity and dexterity
- Designed and developed with 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Silicone-free



▲ 34-875

▲ 34-876

## MAXIFLEX® ENDURANCE™



▲ 34-844

▲ 34-845

Raised micro-dots for more durability

- High tactile sensitivity and dexterity
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199



▲ 34-846

▲ 34-8745



34-874T  
Tagged version



34-874V  
Vend version

### MaxiFlex® Ultimate™

| STYLE     | EN388 | 21 CFR | CFIA | COATING            | COATING COVERAGE         | COATING COLOR | LINER MATERIAL  | LINER COLOR   | CONSTRUCTION         | GAUGE | SIZES   |
|-----------|-------|--------|------|--------------------|--------------------------|---------------|-----------------|---------------|----------------------|-------|---------|
| 34-8014   | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Hi-Vis Orange | Coated Seamless Knit | 15    | S-2XL   |
| 34-874    | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XXS-3XL |
| 34-874FY  | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Hi-Vis Yellow | Nylon / Spandex | Hi-Vis Yellow | Coated Seamless Knit | 15    | S-2XL   |
| 34-874T*  | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XS-2XL  |
| 34-874V** | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XXS-3XL |
| 34-875    | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XXS-XL  |
| 34-875V   | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XXS-XL  |
| 34-876    | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Full Hand                | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XXS-2XL |
| 34-846T*  | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Full Hand                | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | M-2XL   |
| 42-874    | 4131  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Gray          | Coated Seamless Knit | 15    | XS-2XL  |

### MaxiFlex® Endurance™

|          |      |     |     |                                  |                          |       |                 |       |                      |    |         |
|----------|------|-----|-----|----------------------------------|--------------------------|-------|-----------------|-------|----------------------|----|---------|
| 34-844   | 4131 | Yes | Yes | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers           | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | XXS-XL  |
| 34-845   | 4131 | Yes | Yes | Nitrile Micro-Foam w/ Micro Dots | Palm, Fingers & Knuckles | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | XXS-2XL |
| 34-846   | 4131 | Yes | Yes | Nitrile Micro-Foam w/ Micro Dots | Full Hand                | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | XXS-2XL |
| 34-846T* | 4131 | Yes | Yes | Nitrile Micro-Foam w/ Micro Dots | Full Hand                | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | M-2XL   |
| 34-8745  | 4131 | Yes | Yes | Nitrile Micro-Foam w/ Micro Dots | Full Hand                | Black | Nylon / Spandex | Black | Coated Seamless Knit | 15 | S-2XL   |

\* Vend version available

\*\* Tagged version available

Call Customer Service Direct: (855) 284-6800 / 5

## MAXIFLEX® ELITE™



▲ 34-244

▲ 34-274

- Maximum dexterity and tactility
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- 360° breathability
- Silicone-free



▲ 34-774B

Anti-static, complies with EN 16350-2014 for electrostatic protective gloves

- Ultra-lightweight at 14 grams per pair
- High dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

## MAXIFLEX® ACTIVE™



▲ 34-8264

- High tactile sensitivity and dexterity
- 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils

## MAXIFLEX® COMFORT™



▲ 34-9025

- 100% Silicone-free
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

## MAXIFOAM®



▲ 34-800

- High dexterity and tactility
- Tough foam nitrile coating for improved grip and durability
- Silicone-free

### MaxiFlex® Elite™

| STYLE   | EN388 | 21 CFR | CFIA | COATING                          | COATING COVERAGE | COATING COLOR | LINER MATERIAL  | LINER COLOR | CONSTRUCTION         | GAUGE | SIZES  |
|---------|-------|--------|------|----------------------------------|------------------|---------------|-----------------|-------------|----------------------|-------|--------|
| 34-244  | 4121  | Yes    | Yes  | Nitrile Micro-Foam w/ Micro Dots | Palm & Fingers   | Blue          | Nylon / Spandex | Blue        | Coated Seamless Knit | 18    | XS-XL  |
| 34-274  | 4121  | Yes    | Yes  | Nitrile Micro-Foam               | Palm & Fingers   | Blue          | Nylon / Spandex | Blue        | Coated Seamless Knit | 18    | XS-2XL |
| 34-774B | 4121  | Yes    | Yes  | Nitrile Micro-Foam               | Palm & Fingers   | Black         | Nylon / Spandex | Gray        | Coated Seamless Knit | 18    | XS-2XL |

### MaxiFlex® Active

|         |      |     |     |                    |                |            |                 |            |                      |    |        |
|---------|------|-----|-----|--------------------|----------------|------------|-----------------|------------|----------------------|----|--------|
| 34-824  | 4131 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Light Blue | Nylon / Spandex | Light Blue | Coated Seamless Knit | 15 | XS-XL  |
| 34-8264 | 4131 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Pink       | Nylon / Spandex | Pink       | Coated Seamless Knit | 15 | XXS-XL |

### MaxiFlex® Comfort™

|         |      |     |     |                    |                          |      |                          |      |                      |    |      |
|---------|------|-----|-----|--------------------|--------------------------|------|--------------------------|------|----------------------|----|------|
| 34-9025 | 3141 | Yes | Yes | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Blue | Nylon / Cotton / Spandex | Gray | Coated Seamless Knit | 15 | S-XL |
|---------|------|-----|-----|--------------------|--------------------------|------|--------------------------|------|----------------------|----|------|

### MaxiFoam®

|          |      |     |     |                    |                |       |                 |       |                      |    |         |
|----------|------|-----|-----|--------------------|----------------|-------|-----------------|-------|----------------------|----|---------|
| 34-900   | 3121 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | XS-2XL  |
| 34-900V* | 3121 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Black | Nylon / Spandex | Gray  | Coated Seamless Knit | 15 | XS-2XL  |
| 34-800   | 4131 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Gray  | Nylon / Spandex | White | Coated Seamless Knit | 15 | XXS-2XL |
| 34-800V* | 4131 | Yes | Yes | Nitrile Micro-Foam | Palm & Fingers | Gray  | Nylon / Spandex | White | Coated Seamless Knit | 15 | XXS-2XL |

\* Vend version available

Unparalleled dexterity  
and tactile sensitivity





# MaxiDry®

TOUGH WEARING, OIL RESISTANT GRIP

ATG® TECHNOLOGIES



LIQItech®



ERGOtech®



GRIPtech®

- > Handling, assembly and sorting of medium to heavy parts and materials
- > General maintenance and repair
- > Indirect food handling and cold storage applications



▲ 56-424



▲ 56-425



▲ 56-426

## MAXIDRY®

Superior grip in oily and wet applications

- Maximum dexterity and comfort
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Dark liner and coating hides dirt

### MaxiDry®

| STYLE  | EN388 | 21 CFR | CFIA | COATING            | COATING COVERAGE         | COATING COLOR | LINER MATERIAL  | LINER COLOR | CONSTRUCTION         | GAUGE | SIZES  |
|--------|-------|--------|------|--------------------|--------------------------|---------------|-----------------|-------------|----------------------|-------|--------|
| 56-424 | 4121  | Yes    | Yes  | Nitrile Micro-Foam | Palm & Fingers           | Black         | Nylon / Spandex | Purple      | Coated Seamless Knit | 15    | XS-2XL |
| 56-425 | 4121  | Yes    | Yes  | Nitrile Micro-Foam | Palm, Fingers & Knuckles | Black         | Nylon / Spandex | Purple      | Coated Seamless Knit | 15    | XS-2XL |
| 56-426 | 4111  | Yes    | Yes  | Nitrile Micro-Foam | Full Hand                | Black         | Nylon / Spandex | Purple      | Coated Seamless Knit | 15    | S-2XL  |

# MaxiChem®

CHEMICAL RESISTANCE WITH  
EXCELLENT COMFORT, SENSITIVITY,  
FIT AND DEXTERITY

ATG® TECHNOLOGIES



LIQUTechnology®



ERGOTechnology®



GRIPtechnology®

- > Handling chemicals; EN374-1
- > Wet and oily parts handling
- > Heavy-duty cleaning and disinfecting
- > Facility maintenance



▲ 56-630



▲ 56-633



▲ 56-635

## MAXICHEM®

Designed and developed for those working with chemicals who require higher levels of protection

- Lightweight design provides high dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

### MaxiChem®

| STYLE NUMBER | EN 374 | EN 388 | CFIA | POLYMER | POLYMER COLOR | GRIP COLOR | COATING COVERAGE | CUFF     | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING          | SIZES |
|--------------|--------|--------|------|---------|---------------|------------|------------------|----------|--------|--------------|--------------|-----------------|-------|
| 56-630       | AKL    | 4121   | Yes  | Nitrile | Green         | Black      | Full             | Gauntlet | 12"    | Supported    | Non-Slip     | Nylon           | S-2XL |
| 56-633       | AKL    | 4342   | No   | Nitrile | Green         | Black      | Full             | Gauntlet | 12"    | Supported    | Non-Slip     | Engineered Yarn | S-2XL |
| 56-635       | AKL    | 4121   | Yes  | Nitrile | Green         | Black      | Full             | Gauntlet | 14"    | Supported    | Non-Slip     | Nylon           | S-2XL |



**Place Your Order**

Call us at (855) 284-6800



**PROTECTIVE INDUSTRIAL PRODUCTS, INC.**

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com