3M Personal Safety Division

Protective Solutions for Communicating in Noise





Hearing Loss Impacts Health and Productivity

3M™ PELTOR™ Brings You Hearing Protection and Communication Solutions for Noisy Environments

Hearing loss is the most commonly recorded occupational illness in manufacturing, accounting for one out of every nine recordable illnesses. Since 2004, the Bureau of Labor Statistics (BLS) has reported that nearly 125,000 workers have suffered significant, permanent hearing loss. In 2009 alone, BLS reported more than 21,000 hearing loss cases.**

This is a problem for both employers and their workers since hearing loss can impact the employee's quality of life and their work productivity.

3M PELTOR has been providing hearing protection and in-noise communication solutions for more than 40 years. When choosing a communication solution for use in noisy environments requiring hearing protection, choose 3M PELTOR, a respected and trusted leader in the safety products industry.









^{**(}osha.gov/SLTC/noisehearingconservation/index.html)



Table of Contents

Lite-Com Two-Way Radio Headsets	4
Two-Way Portable Radio Headsets	7
Push-to-Talk Radio Adapters	10
In-Ear Portable Radio Devices	11
WS Series Bluetooth Headset	13
TEP-100 In-Ear Tactical Earplug	15
Shooting Range/Impact Noise Headsets	16
Entertainment Devices	18
Airport/Ground Mechanic Headsets	20
Military/Law Enforcement Communication Headsets	22

Function Symbols

To help you understand the functionality of the products you will find below on each product.



Hearing protection with built-in AM/FM radio



Hearing protection for communicating with external two-way radio



Hearing protection with built in two-way radio



Hearing protection with level-dependent function for environmental listening limited to max 82 dB



Hearing protection with external audio input



Bluetooth wireless technology


3M™ PELTOR™ Lite-Com **BRS Headsets**

Communication Simplicity, All-in-One Productivity

Enhance employee safety and communication in noisy environments with a 3M PELTOR Lite-Com Two-Way Headsets. It features UHF two-way radio technology integrated into the headset for an all-in-one design simplifying communications between workgroup members. An efficient alternative to conventional portable radios.

Features and Benefits

- 8 pre-programmed BRS channels and 38 CTCSS sub-channel settings
- · Ghost voice menu prompts for easy mode selections
- Operates with 2 AA batteries (Rechargeable battery pack sold separately)
- Push-to-Talk (PTT) or hands-free Voice-Activated (VOX) transmit functions
- Federal Communications Commission (FCC) Narrow band mandate compliant
- Operates on communications frequencies that are subject to FCC and/or Industry Canada (IC) Rules & Regulations.*





3M PELTOR Lite-Com Accessory



Rechargeable **Battery Pack**


General Description	Case Qty
S Headband Model (NRR 25 dB)	1 EA
S Neckband Model (NRR 26 dB)	1 EA
S Hard Hat Mount Model (NRR 25 dB)	1 EA
Battery Pack (Optional)	1 EA
	1 KIT

Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT53H7A4600-NA	XH001680566	Lite-Com BRS Headband Model (NRR 25 dB)	1 EA
MT53H7B4600-NA	XH001680574	Lite-Com BRS Neckband Model (NRR 26 dB)	1 EA
MT53H7P3E4600-NA	XH001680582	Lite-Com BRS Hard Hat Mount Model (NRR 25 dB)	1 EA
ACK053	XH001680608	Rechargeable Battery Pack (Optional)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

^{*}These regulations may require operators to obtain a license prior to using certain radio frequencies. Contact your local government agency for licensing applicability and requirements.

3M™ PELTOR™ Lite-Com Plus Headsets

- 30 pre-programmed channels and 121 sub-channel settings
- Ghost voice menu prompts for easy mode selections
- Operates on Lithium Ion rechargeable battery pack
- Push-to-Talk (PTT) or hands-free Voice-Activated (VOX) transmit functions
- FCC Narrow band mandate compliant
- Includes earcup microphone level-dependent function for environmental listening
- Environmental microphones on each earcup offer level-dependent function for situational awareness
- Environmental microphone amplification limited to 82 dB












Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT7H7A4610-NA	XH001680634	Lite-Com Plus Headset Headband Model (NRR 25 dB)	1 EA
MT7H7B4610-NA	XH001680640	Lite-Com Plus Headset Neckband Model (NRR 24 dB)	1 EA
MT7H7P3E4310-EU	XH001680657	LiteCom Plus, LPD 433, Helmet Attachment (NRR 33 dB)	1 EA
ACK081	XH001680541	Rechargeable Battery Pack	! EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

3M™ PELTOR™ Lite-Com **Pro II Headsets**

Intrinsically Safe and Programmable

The 3M PELTOR Lite-Com Pro II UHF radio headset offers an intrinsically safe and convenient way to help your team communicate in noisy environments. It features software programmability in order to tailor settings to your specific workplace needs.

- Factory Mutual (FM) Approvals certified intrinsically safe*
- Ghost voice menu prompts for easy mode selections
- Up to 30 programmable channels in the 403-470 MHz band
- 22 pre-programmed FRS/GMRS channels, 8 pre-programmed BRS channels and 38 CTCSS sub-channel settings
- Push-to-Talk (PTT) or hands-free Voice-Activated (VOX) transmit functions
- · Rechargeable lithium-ion battery included
- FCC Narrow band mandate compliant
- Environmental microphones on each earcup offer level-dependent function for situational awareness
- Environmental microphone amplification limited to 82 dB

















Throat Microphone

Rechargeable Lithium-ion Battery







Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT7H7F4010-NA-50	XH001679303	Lite-Com Pro II Headband Model (NRR 25 dB)	1 EA
MT7H7B4010-NA-50	XH001679311	Lite-Com Pro II Neckband Model (NRR 26 dB)	1 EA
MT7H7P3E4010-NA-50	XH001679329	Lite-Com Pro II Hard Hat Mount Model (NRR 25 dB)	1 EA
MT90-02	XH001644068	Throat Microphone	1 EA
ACK08-50	XH001680186	Rechargeable Lithium-ion Battery	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR




3M™ PELTOR™ HT Series Listen-Only Headsets

High-Performance Protection for Noisy Environments

The 3M PELTOR HT Series Listen-Only Headset offers clear sound reproduction and communication in noisy environments. Its durable design provides comfortable, long-term use under tough conditions. A wide selection of connectors enables it to be used with speaker microphones, VHF/UHF radios or personal entertainment devices.

- · Wide, padded headband for all-day comfort
- Deep earcup design for increased ear room
- Earcups with liquid and foam-filled comfort cushions
- Standard 3.5MM plug connects to a variety of devices including shoulder mics and MP3 players







Product Number	3M Part Number	Abbreviated General Description	Case Qty
HTM79A	XH001651112	HT Series Listen-Only Headset Headband Model (mono); 3.5mm plug (NRR 25 dB)	1 EA
HTM79B	XH001652391	HT Series Listen-Only Headset Neckband Model (mono); 3.5mm plug (NRR 24 dB)	1 EA
HTM79P3E	XH001651468	HT Series Listen-Only Hard Hat Mount Model (mono); 3.5mm plug (NRR 23 dB)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

^{*}Cables sold separately, refer to accessories page for list of listen-only cable options

3M™ PELTOR™ MT Series **Two-Way Headsets**

An Ideal Choice for Clear, Crisp Two-Way Communication in **Noisy Areas**

Designed for industrial users working in noisy environments, 3M PELTOR MT Series Two-Way Headsets offer versatility along with hearing protection, durability and comfort.

- Soft foam earcushions
- Noise-canceling boom microphone
- Deep earcup design for extended wear comfort
- FL5000 Series Push-to-Talk (PTT) radio adaptor sold separately
- · Direct radio plug in models are available with cup mounted Push-to-Talk (PTT) button

Environmental Listening	
Neckband	✓
Folding Headband	
Hard Hat Attached	1
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	1





Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT7H79A	70071615259	MT Series Headset Headband Model (NRR 25 dB)	1 EA
MT7H79B	70071615242	MT Series Headset Neckband Model (NRR 24 dB)	1 EA
MT7H79P3E	70071615226	MT Series Headset Hard Hat Mount Model (NRR 21 dB)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR



3M™ PELTOR™ TacticalPRO Electronic Headsets

Headsets with Environmental Microphones Built Into Earcups for Situational Awareness

When ambient sounds and face-to-face communications are required in your noisy environment, rely on the 3M PELTOR TacticalPRO Headset. Designed with environmental microphones to help amplify signals, voices and warning sirens while at the same time electronically suppressing amplified sounds to max 82 dB.

- Noise-canceling boom microphone
- Operates with 2 AA batteries. Rechargeable battery pack sold separately, product number 88009-00000
- FL5000 Series Push-to-Talk (PTT) radio adaptor sold separately

Environmental Listening	1
Neckband	1
Folding Headband	
Hard Hat Attached	1
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	1





Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT15H7A-07 SV	70071559077	TacticalPRO Two-Way Headset (NRR 26 dB)	1 EA
MT15H7B-07 SV	70071523396	TacticalPRO Two-Way Headset Neckband (NRR 25 dB)	1 EA
MT15H7P3E-07 SV	70071536174	TacticalPRO Two-Way Headset Hard Hat Mount (NRR 22 dB)	1 EA
88009-00000	70071524600	Rechargeable Battery Pack	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

3M[™] PELTOR[™] Push-to-Talk Adaptors

3M[™] PELTOR[™] FL5000 Series Push-to-Talk (PTT) Radio Adaptors

Radio Specific PTT Radio Adaptors

Designed for use with 3M PELTOR MT Series Headsets, these adaptors allow the headsets to be used in combination with a variety of industrial two-way portable radios.

Features and Benefits

- . Designed to be used with right or left hand
- Clip on backside can be turned 360 degrees
- Belt or shoulder mounted
- Curly cable downlead with radio specific connector



3M PELTOR Communication Headsets connect to many premium radio brands, including Motorola Solutions and Kenwood products.

Other 3M PELTOR FL5000 Series Push-to-Talk (PTT) Radio Adaptors













Motorola HT750

Motorola HT1000/XTS

Motorola CP200

Motorola MotoTRBO

Kenwood TK 2-Prong

Kenwood TK Multi-Pin

Product Number	3M Part Number	Abbreviated General Description	Case Qty
FL5030	XH001651005	Motorola HT750 Series Radios	1 EA
FL5018	XH001651914	Motorola HT1000/XTS Connector Series Radios	1 EA
FL5014	70071544517	Motorola CP200 Connector Series Radios	1 EA
FL5063	XH001654314	Motorola TRBO Connector Series Radios	1 EA
FL5035	XH001651021	Kenwood TK 2-Prong Connector Series Radios	1 EA
FL5078	70071523784	Kenwood TK Multi-Pin Connector Series Radios	1 EA




3M™ PELTOR™ Ora-Tac™

Intelligent Hearing Protection for Improved Situational Awareness

3M PELTOR Ora-Tac is the ideal solution for users that need to maintain their ability to hear while wearing an in-ear hearing protection headset. Environmental microphones are powered by level-dependent technology that electronically reproduces sounds and conversations so users don't need to remove the earbuds to communicate. An in-ear microphone transmits voice commands back over the radio when the Push-to-Talk (PTT) button on the ORA-BASE is activated.

Features and Benefits

- Lightweight, compact design can be worn with eyewear, respirators, hard hats, welding helmets and other PPE
- Soft and comfortable communication eartips available
- 2 radio Push-to-Talk (PTT) buttons and level-dependent volume control
- Communicate without compromised hearing protection





ntrol

3M PELTOR Ora-Tac Radio Connector Assemblies and Accessories









Radio Connectors

Replacement Tips

Remote Big Button

Remote Finger PTT

		,	
Product Number	3M Part Number	Abbreviated General Description	Case Qty
ORA BASE BB2	70071674322	3M™ PELTOR™ Ora-Tac In-Ear Communications Headset	
FLX-001	70071674330	3M™ PELTOR™ Flex 1 Motorola GP900 Radio Accessory Cable	
FL6U-107	70071674348	3M™ PELTOR™ Flex 2 Kenwood NX200/NX300 Radio Accessory Cable	
FL6U-63	XH001680350	3M™ PELTOR™ Flex 3 Motorola MotoTurbo Radio Accessory Cable	
FL6U-32	XH001564900	3M™ PELTOR™ Flex 4 Motorola GP640, 680, 1280, 320, 340, 360, 380 Radio Accessory Cable	
FL6U-21	XH001654850	3M™ PELTOR™ Flex 5 Motorola GP300, CP040 Radio Accessory Cable	
FL6U-36	XH001654926	3M [™] PELTOR [™] Flex 6 Kenwood 260/270, 360/370 LPD, TH22E PMR, vb. Radio Accessory Cable	
CON-SDBB	70071615671	Remote Big Button Push-to-Talk (PTT)	
370-1019-10	70071615275	Replacement Tips, Gray Skull Screws Tips (NRR 29 dB)	
420-2097-50	70071612918	Replacement Tips, Yellow Classics Tips (NRR 31 dB)	
420-2096-25A	70071612181	Replacement Tips, Gray UltraFit Tips (NRR 20 dB)	
TK56	70071524451	Remote Finger Push-to-Talk (PTT)	

^{*}Includes 1 pr. ORA-LOOPS, 3 pr. Gray UltraFit Tips, 3 pr. Yellow Classics, 2 AAA batteries and input jack for CON-SDBB. Radio connector assembly sold separately.


3M™ PELTOR™ HearPlugs™ Listen-Only Earpiece

Virtually weightless design. Powerful protection.

3M PELTOR HearPlugs Listen-Only Earpieces are designed for two-way radio users who must have clear reception of incoming transmissions while working in noisy areas. The earpieces are compact, easy to use and will plug into your two-way radio lapel speaker microphone with an audio accessory jack option.

Features and Benefits


- Easy-to-insert communications eartip allows radio transmissions to pass through, while helping protect hearing
- Soft, acoustic tube comfortably wraps around behind the ear for a snug fit
- Coil allows for head movement and placement
- All HearPlug models come with 1 pair Classic communication eartips and 1 pair UltraFit Communication eartips





Other 3M PELTOR HearPlugs Products and Accessories







Disposable Earplugs



Reusable Earplugs

Product Number	3M Part Number	Abbreviated General Description	Case Qty
HTM06	70071522554	HearPlugs Listen-Only Earpiece (mono); 3.5mm plug, 25" straight cable	1 EA
HTM06-02	70071524618	HearPlugs Listen-Only Earpiece (mono); 3.5mm plug, 8" curly cable	1 EA
HTM07	70071522562	HearPlugs Listen-Only Earpiece (mono); 2.5mm plug, 25" straight cable	1 EA
HTM07-02	70071524626	HearPlugs Listen-Only Earpiece (mono); 2.5mm plug, 8" curly cable	1 EA
HTM08	70071522570	HearPlugs Listen-Only Earpiece; 3.5mm threaded stereo plug, 25" straight cable	1 EA
HTM07	70071522562	HearPlugs Listen-Only Earpiece (mono); 2.5mm plug, 25" straight cable	1 EA
PELTIP2	70071522612	3M E-A-R Classic Disposable Communication Earplugs (NRR 29 dB)	100/PR
PELTIP1	70071522604	3M E-A-R UltraFit Reusable Communication Earplugs (NRR 21 dB)	25/PR



Electronic Wireless Workplace Headsets



3M™ PELTOR™ WS™ 100 Electronic Headsets

The 3M PELTOR WS Wireless Solutions headsets combine hearing protection with the latest in Bluetooth® wireless technology. Designed with level dependent functionality for environmental listening, this headset offers unencumbered flexibility in a variety of listening environments.

- Noise-canceling electret boom microphone included
- · Voice microphone built into front of right earcup
- Level-dependent function for environmental listening limited to 82 dB
- 2 AAA rechargeable batteries and charger included
- Wireless Bluetooth

1
1
1
1
1









Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT16H21FWS5UM580	XH001678040	WS 100 Communications Headset, Headband (NRR 20 dB)	1 EA
MT16H21P3EWS5UM580	XH001680244	WS 100 Communications Headset, Hard Hat Attached (NRR 20 dB)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

^{*} The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.

3M™ PELTOR™ WS™ Tactical Sport Electronic Headsets

Connect to you communication system and help protect hearing with the 3M PELTOR WS Tactical Sport headset featuring Bluetooth technology. Convenient and easy to use, it allows for a connection that easily syncs up to your existing system and links wirelessly even after cycling on and off during non-use.

- · Wireless Bluetooth up to 32 feet
- Compatible with mobile phones and other standard bluetooth devices
- Interchangeable shells help improve safety by making the wearer more visible
- Voice microphone built into front of right earcup
- Level dependent function for environmental listening, limited to 82 dB
- Operates with 2 AAA batteries or rechargeable Ni-MH battery pack
- NRR 20 dB*

Environmental Listening	1
Neckband	
Folding Headband	1
Hard Hat Attached	
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	1















Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT16H21FWS5UM580	XH001678040	WS 100 Communications Headset, Headband	1 EA
MT16H21P3EWS5UM580	XH001680244	WS 100 Communications Headset, Hard Hat Attached	1 EA
MT16H21FWS5U-584	XH001679121	WS Tactical Sport Headband Headset	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR


^{*} The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.



3M[™] PELTOR[™] Tactical Earplug TEP-100

The 3M PELTOR Tactical Earplug helps protect your hearing, improve situational awareness, communications and safety in challenging environments. Integrated with state-of-the-art level dependent technology the TEP-100 helps provide hearing protection in elevated sound pressure level applications and situational awareness in quiet environments.

- Charging contacts recharge the unit while in the case and provide 16 hours of continuous operation
- Intuitive one button operation turns unit on, off, and selects between two volume settings
- Replaceable communications eartip helps provide hearing protection in noisy environments
- Microphone port is covered and flush to help minimize wind noise disturbances
- Level dependent function for environmental listening, limited to 82 dB





Product Number	3M Part Number	Abbreviated General Description	Case Qty
TEP-100	70071656287	Tactical Earplug Kit - Includes 2 Ear Buds, Ear tips, Charging Case, Batteries, and Retension Cord	1 EA
TEP-CORD	70071673795	Tactical Earplug - Replacement Retention Cords	5 EA/BOX
TEP-100E	70071650256	Tactical Earplug - Replacement Bud	1 EA
TEP-100C	70071650264	Tactical Earplug - Replacement Charging Case	1 EA
370-TEPL-25	70071673746	Tri-Flange Ultrafit™ Communication Ear Tips - LARGE (NRR 23 dB)	25 PR
370-TEPM-25	70071673738	Tri-Flange Ultrafit™ Communication Ear Tips - MEDIUM (NRR 23 dB)	25 PR
370-TEPS-25	70071673720	Tri-Flange Ultrafit™ Communication Ear Tips - SMALL (NRR 23 dB)	25 PR
370-1019-10	70071615275	Skull Screw™ Ear Tips (NRR 30 dB)	25 PR



3M™ PELTOR™ TacticalPRO Electronic Headsets

Face-to-face Communication and Hearing Protection for the Workplace

The 3M PELTOR TacticalPRO Electronic Headset features earcup microphone with level-dependent technology for enhanced situational awareness and face-to-face communication in noisy environments. The environmental microphones and integrated circuitry are designed to amplify surrounding sounds while helping protect hearing from hazardous noise.

Features and Benefits

- Power saving feature
- Ergonomic 3-button touchpad configuration
- Rechargeable battery pack sold separately, product number 88009
- Low battery power indicator tones
- Level dependent function for environmental listening, limited to 82 dB

Environmental Listening	1
Neckband	1
Folding Headband	1
Hard Hat Attached	1
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	1







3M PELTOR TacticalPRO Accessories



Rechargeable Battery Pack

Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT15H7F SV	70071523404	TacticalPRO Folding Headband (NRR 26 dB)	1 EA
MT15H7B SV	70071523388	TacticalPRO Headset Neckband Model (NRR 25 dB)	1 EA
MT15H7P3E SV	70071523412	TacticalPRO Headset Hard Hat Mount Model (NRR 22 dB)	1 EA
88009-00000	70071524600	Rechargeable Battery Pack*	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

^{*}Sold separately, not included with original headset purchase.



3M™ PELTOR™ Tactical Sport™ Headsets

Tactical Sport headsets provide a natural, realistic sound, giving users the fastest shut-off and recovery time of any shooter earmuff we've ever made. Our sound amplification boosts your ability to hear low level environmental sounds, while still instantly limiting dangerous noises, like gunfire, to lower listening levels.

• Contoured cups for better stock-weld and sight picture

· Automatic shut-off (2 hour) to conserve battery life

• Extra set of orange cups (on the 479 version)

• Amplifies low level environmental sounds

• Digital Sound Suppression technology

• Level dependent function for environmental listening, limited to 82 dB

Environmental Listening	1
Neckband	✓
Folding Headband	1
Hard Hat Attached	
In-Ear	
Liquid/Foam-Filled Cushions	/
Hygiene Kit	1







Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT16H210F-479-SV	07318640 04528 6	Tactical Sport Electronic Headset (NRR 20 dB) (Orange Cups also included)	1 EA
MT16H210F-SV	10093045 93407 9	Tactical Sport Military Communications Headset (NRR 20 dB)	1 EA

3M™ PELTOR™ Tactical™ 6-S/SoundTrap™ Headsets

The Tactical 6-S and SoundTrap headsets helps provide comfortable hearing protection for users working in high-noise environments while providing environmental listening. Slim earcups are designed for extended-wear comfort and have separate microphone, receiver, amplifier and volume controls for true stereophonic sound. The small, durable and compact design folds for easy storage.

- Helps reduce exposure to hazardous sounds
- Slimline earcup design compatible with many military and law enforcement helmets
- · Small, compact and foldable for easy storage
- Level dependent function for environmental listening, limited to 82 dB

Environmental Listening	✓
Neckband	1
Folding Headband	1
Hard Hat Attached	
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	1




Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT15H67FB	10093045 93347 8	Tactical 6-S Headset, Neckband (NRR 17 dB)	1 EA
MT15H67FB-01	07318640 00253 1	Tactical 6-S Headset, Headband (NRR 19 dB)	1 EA
MT15H67BB	07318640 00240 1	SoundTrap Headset, Headband (NRR 21 dB)	1 EA

3M™ PELTOR™ Communication Headsets

3M™ PELTOR™ WorkTunes™ 26 Digital Radio Hearing Protector

Tune out noise and tune in your favorite music with the 3M PELTOR WorkTunes 26 Digital Radio Hearing Protector. It's lightweight and designed for comfortable, extended daily use.

- AM/FM Radio audio limiting technology limiting sounds to 82 dB (SPL)
- · Digital display screen with low battery indicator
- Channel SEEK/SCAN
- Preset/memory buttons for up to 10 stations
- Wide cushions for low pressure, effective sealing and all-day comfort
- . Noise Reduction Rating of 26 dB
- 3.5mm audio jack for external inputs, 3.5mm patch cord included
- Operates with 2 AA batteries







Product Number	3M Part Number	Abbreviated General Description	Case Qty
WTD2600	70071524469	WorkTunes 26	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR




3M™ PELTOR™ E-A-R buds™ Headphones

Combining hearing protection with clear sound reception, 3M PELTOR E-A-R buds allows users to lister to a wide variety of audio devices while reducing potentially harmful external noise. When employees have their favorite sounds at their fingertips, they'll tune into higher compliance.

Features and Benefits

- MP3 player compatible (devices with a 3.5mm stereo audio jack - smartphone, iPod®, iPad®, etc.)
- · Audio muting option lets you shut off the sound at a touch
- Durable lasting cable assemblies ensure long life for your investment
- Output audio limited to a maximum sound pressure level (SPL) of 82 dB





E-A-R buds Replacement Tips

Includes 2 noise-isolating ear tip options for greater comfort:







3M[™] PELTOR[™] Skull Screws[™] Replacement Tips, Gray, NRR 29 dB

Product Number	3M Part Number	Abbreviated General Description	Case Qty
EARbud2600N	70071614732	E-A-R buds Headphones	1 PR
370-1019-10	70071615275	Replacement Tips, Gray Skull Screws (NRR 29 dB)	10 PR
420-2096-25A	70071612181	Replacement Tips, Gray UltraFit (NRR 20 dB)	25 PR




Wireless Aircraft Pushback System

3M™ PELTOR™ Ground Mechanic WS™ Solutions

Pushback Operations Without the Restriction of Wires

The 3M PELTOR Ground Mechanic WS Solutions system is designed for use on airport tarmacs for pushback and ground mechanic service operations. The headset incorporates the latest in both Bluetooth® wireless technology and Digital Sound Processing (DSP) technology. The Bluetooth wireless technology offers untethered flexibility and convenience while the DSP technology enhances noise cancellation for clear communication in high-noise conditions or environments when talking into the boom microphone.

- Noise-canceling boom microphone with DSP
- · Earcup color for increased visibility in both day and night operations
- Operates with 2 AA batteries
- Voice Activated Transmit (VOX) functionality
- · Ghost voice menus in headset
- Cockpit voice prompt notification when connected
- · Ground crew confirmation when connected
- Remote volume control adjustment to the pilot
- Aircraft adaptor delivered with REMOVE BEFORE FLIGHT flag

















Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT7H7AWS5-01 GB	XH001679634	Ground Mechanic WS Headset XP (NRR 25 dB)	1 EA
FL6007-WS5 GB	XH001679725	Ground Mechanic WS Aircraft Adaptor (Neutrik)	1 EA
FL6007-WS5-01 GB	XH001679717	Ground Mechanic WS Aircraft Adaptor (Switchcraft)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

Wired Aircraft Pushback System



3M™ PELTOR™ MT Series Ground Mechanic Headset

Headsets with Tethered Pushback Connections

3M PELTOR MT Series Ground Mechanic Headsets are designed to help provide clear communications and comfortable hearing protection during high-noise pushback and ground support operations in many climate conditions.

- Folding, leather wrapped headband for compact storage
- Earcup color for visibility in day and night operations
- Military grade, kevlar-reinforced headset downlead cable 30" long
- Cup mounted Push-to-Talk (PTT) button
- Noise-canceling boom microphone
- Inter-operable with existing extension cables

Environmental Listening	
Neckband	
Folding Headband	1
Hard Hat Attached	
In-Ear	
Liquid/Foam-Filled Cushions	1
Hygiene Kit	/





Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT7H79F-01 GB	XH001652870	Ground Mechanic Headset (NRR 25 dB)	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

Military and Tactical Law Enforcement

3M™ PELTOR™ COMTAC/SWAT-TAC Tactical Communication Headset

Advanced Communication for Elite Operations

The 3M PELTOR COMTAC and SWAT-TAC Headsets help provide tactical communication and hearing protection for today's modern military and SWAT team operatives. These headsets have been designed for use with firearms and feature noise-attenuating earcups with environmental microphones for "talk-thru" capability and situational awareness. The COMTAC/SWAT-TAC headsets have been fielded and standardized by numerous DOD and Federal agencies including F.B.I. HRT, USSOCOM and U.S. Army PEO Soldier.

Features and Benefits

- Radio Push-to-Talk (PTT) adaptors with MOLLE clip-on attachment (sold separately)
- · Electronic talk-thru technology
- Fail safe Rx/Tx communication mode if batteries deplete during mission
- Interoperability with ACH, FAST and PASGT model helmets
- · Noise-canceling, flexible gooseneck boom microphone
- Dual radio Rx/Tx variants available
- Adjustable sizing to fit different users
- Level dependent function for environmental listening, limited to 82 dB









FL5000 Radio Push-to-Talk (PTT) Adaptors



Motorola HT1000/XTS Connector Series Radios



Motorola MotoTRB0



Motorola HT750 Connector Series Radios



Other 3M PELTOR COMTAC/SWAT-TAC Headset Variants and Accessories



COMTAC ACH, Olive Drab Green Earcups, Single Comm



COMTAC ACH, Olive Drab Green Earcups, Single Comm with FAST Helmet Mounting Attachment



COMTAC IV, Coyote Brown Cup Earcups, Single Comm



Microphone Harness Cable for use with Avon C50/FM53 Face Mask Voice Projection Unit (VPU) Accessory

		· ·	,
Product Number	3M Part Number	Abbreviated General Description	Case Qty
MT17H682FB-09 CY	70071647401	SWAT-TAC, Folding Headband (NRR 23 dB)	1 EA
MT17H682FB-47 GN	70071560638	COMTAC ACH, Olive Drab Green Earcups, Single Comm (NRR 23 dB)	1 EA
MT17H682P3AD-47 GN	70071577640	COMTAC ACH, Olive Drab Green Earcups, Single Comm (NRR 20 dB) with FAST Helmet Mounting Attachment	1 EA
MT16H044FB-47 CY	70071613247	COMTAC IV, Coyote Brown Cup Earcups, Single Comm COMTAC IV, Replacement Tips, UltraFit (NRR 18 dB) COMTAC IV, Replacement Tips, Gray Skull Screws (NRR 26 dB)	1 EA
88055-00000	70071612199	Microphone Harness Cable for use with Avon C50/FM53 Face Mask Voice Projection Unit (VPU) Accessory	1 EA
FL5018-02	70071557527	Motorola HT1000/XTS Connector Series Radios	1 EA
FL5063-02	70071562519	Motorola MotoTRBO	1 EA
FL5030-02	70071557535	Motorola HT750 Connector Series Radios	1 EA
HY79	XH001651047	Hygiene Kit	1 KIT
HY80	70071524139	Gel Ear Seals Only - Non Military	1 PR

Military and Tactical Law Enforcement



COMTAC™ Product Reference Selector

Use the options below to identify which COMTAC headset may be preferred for your application. Multiple communication management configurations are available; please contact 3M Technical Assistance at 800-665-2942 for help in customizing your mission.









5. IDENTIFY RADIO OR INTERCOM

- AN/PRC-148 MBITR
- AN/PRC-150, 152 Falcon Series
- Motorola XTS Series
- AN/VIC-3
- AN/PRC-117, 119
- AN/PRC-153

Note: For unlisted radios or intercoms, contact 3M Technical Assistance.





^{*} Available for COMTAC II ACH headset only

For More Information

In U.S.

Technical Assistance Customer Care Center 3M.com/PELTOR 800-665-2942 800-665-2942



Personal Safety Division 3M Center Building 235-2NW-70 St. Paul, MN 55144-1000

Please recycle. Printed in U.S.A. © 3M 2015. All rights reserved. 70-0715-7094-2

Sounds reproduced from the environmental microphones are limited to 82dB. Peripheral communications and entertainment devices connected to headsets are usually not limited. The user should exercise caution and limit the loudness using the peripheral devices volume control to prevent exposure to unsafe sound levels.

AWARNING

When shooting and exposed to impulsive sounds, the severity of exposure is influenced by the weapon, ammunition, number of rounds fired, and numerous other variables. Proper selection, fit and use of the hearing protector is very important. All of these factors make it difficult to predict the required and/or actual protection obtained. Regardless of the hearing protector being worn, the user should be alert to his or her own hearing. If during or after an exposure, tinnitus (ringing or buzzing in the ears) is heard or the user's hearing seems muffled or dulled, or for any other reason the user suspects a hearing problem, the fit, condition or adequacy of the protector should be carefully checked and/or a more protective device or combination of devices (such as earmuffs and earplugs together) should be worn. For those exposed to weapons fire on a regular basis, periodic hearing evaluations are advised.

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times when exposed to hazardous noise may result in hearing loss or injury. This product contains metallic components that may increase electrical hazards. For proper use, see supervisor, Fitting Instructions, or call 3M Technical Service (In U.S.A. call 1-800-243-4630. In Canada, call 1-800-267-4414)

Noise Reduction Rating (NRR):

* Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. It is recommended that the NRR be reduced by 50% to better estimate typical workplace protection.

The Bluetooth word mark is a registered trademark owned by Bluetooth SIG, Inc. iPod is a registered trademark of Apple Inc., registered in the U.S. and other countries. PELTOR is a trademark of 3M Svenska AB. 3M and all other trademarks used herein are trademarks of 3M Company, and The Power to Protect Your World is a service mark of 3M Company, used under license in Canada.