


2A

Jobber Drill



General Purpose



d1 R mm	d1 decimal Inch	l2 mm	l1 mm	e-code	USD
0.15	0.0059	1.5	19	2A.15	16.65
0.16	0.0063	1.5	19	2A.16	16.65
0.17	0.0067	1.5	19	2A.17	15.00
0.18	0.0071	1.5	19	2A.18	15.00
0.19	0.0075	1.5	19	2A.19	11.85
0.20	0.0079	2.5	19	2A.2	11.85
0.21	0.0083	2.5	19	2A.21	11.85
0.22	0.0087	2.5	19	2A.22	11.85
0.23	0.0091	2.5	19	2A.23	11.85
0.24	0.0094	2.5	19	2A.24	11.85
0.25	0.0098	3.0	19	2A.25	9.39
0.26	0.0102	3.0	19	2A.26	9.39
0.27	0.0106	3.0	19	2A.27	8.50
0.28	0.0110	3.0	19	2A.28	8.50
0.29	0.0114	3.0	19	2A.29	8.50
0.30	0.0118	3.0	19	2A.3	8.09
0.32	0.0126	4.0	19	2A.32	7.15
0.34	0.0134	4.0	19	2A.34	6.07
0.35	0.0138	4.0	19	2A.35	6.07
0.36	0.0142	4.0	19	2A.36	6.07
0.38	0.0150	4.0	19	2A.38	5.15
0.40	0.0157	5.0	20	2A.4	5.15
0.42	0.0165	5.0	20	2A.42	5.15
0.44	0.0173	5.0	20	2A.44	5.15
0.45	0.0177	5.0	20	2A.45	5.15

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
0.46	0.0181	5.0	20	2A.46	5.15
0.48	0.0189	5.0	20	2A.48	5.15
0.50	0.0197	6.0	22	2A.5	5.13
0.55	0.0217	7.0	24	2A.55	5.15
0.60	0.0236	7.0	24	2A.6	5.15
0.65	0.0256	8.0	26	2A.65	5.15
0.70	0.0276	9.0	28	2A.7	4.12
0.75	0.0295	9.0	28	2A.75	3.69
0.80	0.0315	10.0	30	2A.8	3.37
0.85	0.0335	10.0	30	2A.85	3.37
0.90	0.0354	11.0	32	2A.9	3.48
0.95	0.0374	11.0	32	2A.95	3.37
1.00	0.0394	12.0	34	2A1.00	3.06
1.10	0.0433	14.0	36	2A1.1	3.40
1.15	0.0453	14.0	36	2A1.15	3.42
1.20	0.0472	16.0	38	2A1.2	3.48
1.25	0.0492	16.0	38	2A1.25	3.50
1.30	0.0512	16.0	38	2A1.3	3.61
1.35	0.0531	18.0	40	2A1.35	3.65
1.40	0.0551	18.0	40	2A1.4	3.61
1.45	0.0571	18.0	40	2A1.45	3.65
1.50	0.0591	18.0	40	2A1.5	3.10
1.55	0.0610	20.0	43	2A1.55	3.65
1.60	0.0630	20.0	43	2A1.6	3.44
1.65	0.0650	20.0	43	2A1.65	3.48
1.70	0.0669	20.0	43	2A1.7	3.69
1.75	0.0689	22.0	46	2A1.75	3.65
1.80	0.0709	22.0	46	2A1.8	3.44
1.90	0.0748	22.0	46	2A1.9	3.44
1.95	0.0768	24.0	49	2A1.95	3.65
2.00	0.0787	24.0	49	2A2.0	2.99
2.10	0.0827	24.0	49	2A2.1	3.44
2.15	0.0846	27.0	53	2A2.15	3.48
2.20	0.0866	27.0	53	2A2.2	3.44
2.25	0.0886	27.0	53	2A2.25	3.48
2.30	0.0906	27.0	53	2A2.3	3.44
2.35	0.0925	27.0	53	2A2.35	3.65
2.40	0.0945	30.0	57	2A2.4	3.52
2.50	0.0984	30.0	57	2A2.5	3.12
2.60	0.1024	30.0	57	2A2.6	3.65
2.70	0.1063	33.0	61	2A2.7	3.65
2.75	0.1083	33.0	61	2A2.75	3.69
2.90	0.1142	33.0	61	2A2.9	3.69
3.00	0.1181	33.0	61	2A3.0	3.17
3.10	0.1220	36.0	65	2A3.1	3.56
3.20	0.1260	36.0	65	2A3.2	3.45

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
3.25	0.1280	36.0	65	2A3.25	3.79
3.30	0.1299	36.0	65	2A3.3	3.47
3.40	0.1339	39.0	70	2A3.4	3.86
3.50	0.1378	39.0	70	2A3.5	3.47
3.60	0.1417	39.0	70	2A3.6	4.11
3.70	0.1457	39.0	70	2A3.7	4.06
4.00	0.1575	43.0	75	2A4.0	3.79
4.10	0.1614	43.0	75	2A4.1	4.42
4.20	0.1654	43.0	75	2A4.2	3.92
4.30	0.1693	47.0	80	2A4.3	4.61
4.40	0.1732	47.0	80	2A4.4	5.06
4.50	0.1772	47.0	80	2A4.5	4.27
4.60	0.1811	47.0	80	2A4.6	5.15
4.80	0.1890	52.0	86	2A4.8	5.60
5.00	0.1969	52.0	86	2A5.0	4.62
5.10	0.2008	52.0	86	2A5.1	5.73
5.20	0.2047	52.0	86	2A5.2	6.02
5.30	0.2087	52.0	86	2A5.3	6.38
5.40	0.2126	57.0	93	2A5.4	6.33
5.50	0.2165	57.0	93	2A5.5	5.40
5.60	0.2205	57.0	93	2A5.6	6.91
5.70	0.2244	57.0	93	2A5.7	6.52
5.75	0.2264	57.0	93	2A5.75	6.86
5.80	0.2283	57.0	93	2A5.8	6.85
6.00	0.2362	57.0	93	2A6.0	6.37
6.10	0.2402	63.0	101	2A6.1	7.32
6.20	0.2441	63.0	101	2A6.2	6.72
6.30	0.2480	63.0	101	2A6.3	6.43
6.40	0.2520	63.0	101	2A6.4	7.63
6.50	0.2559	63.0	101	2A6.5	7.14
6.60	0.2598	63.0	101	2A6.6	8.77
6.70	0.2638	63.0	101	2A6.7	7.63
6.75	0.2657	69.0	109	2A6.75	8.98
6.80	0.2677	69.0	109	2A6.8	7.91
7.00	0.2756	69.0	109	2A7.0	7.80
7.20	0.2835	69.0	109	2A7.2	9.57
7.25	0.2854	69.0	109	2A7.25	10.40
7.30	0.2874	69.0	109	2A7.3	10.70
7.40	0.2913	69.0	109	2A7.4	10.45
7.50	0.2953	69.0	109	2A7.5	9.12
7.60	0.2992	75.0	117	2A7.6	11.70
7.80	0.3071	75.0	117	2A7.8	11.95
7.90	0.3110	75.0	117	2A7.9	11.95
8.00	0.3150	75.0	117	2A8.0	10.85
8.10	0.3189	75.0	117	2A8.1	13.30
8.20	0.3228	75.0	117	2A8.2	13.60

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
8.25	0.3248	75.0	117	2A8.25	12.80
8.40	0.3307	75.0	117	2A8.4	14.35
8.50	0.3346	75.0	117	2A8.5	12.20
8.60	0.3386	81.0	125	2A8.6	15.05
8.70	0.3425	81.0	125	2A8.7	14.80
8.75	0.3445	81.0	125	2A8.75	15.95
8.80	0.3465	81.0	125	2A8.8	15.85
8.90	0.3504	81.0	125	2A8.9	15.85
9.00	0.3543	81.0	125	2A9.0	13.75
9.30	0.3661	81.0	125	2A9.3	17.20
9.40	0.3701	81.0	125	2A9.4	17.60
9.50	0.3740	81.0	125	2A9.5	14.55
9.60	0.3780	87.0	133	2A9.6	18.45
9.70	0.3819	87.0	133	2A9.7	18.80
9.80	0.3858	87.0	133	2A9.8	19.50
9.90	0.3898	87.0	133	2A9.9	19.20
10.00	0.3937	87.0	133	2A10.0	16.50
10.20	0.4016	87.0	133	2A10.2	18.65
10.30	0.4055	87.0	133	2A10.3	22.55
10.50	0.4134	87.0	133	2A10.5	18.40
10.60	0.4173	87.0	133	2A10.6	22.25
10.80	0.4252	94.0	142	2A10.8	23.35
10.90	0.4291	94.0	142	2A10.9	23.35
11.00	0.4331	94.0	142	2A11.0	19.05
11.20	0.4409	94.0	142	2A11.2	25.00
11.30	0.4449	94.0	142	2A11.3	26.10
11.40	0.4488	94.0	142	2A11.4	26.10
11.50	0.4528	94.0	142	2A11.5	21.30
11.70	0.4606	94.0	142	2A11.7	27.90
11.80	0.4646	94.0	142	2A11.8	27.90
12.00	0.4724	101.0	151	2A12.0	23.80
12.10	0.4764	101.0	151	2A12.1	29.10
12.20	0.4803	101.0	151	2A12.2	29.10
12.50	0.4921	101.0	151	2A12.5	24.25
12.80	0.5039	101.0	151	2A12.8	49.75
13.00	0.5118	101.0	151	2A13.0	40.30
13.50	0.5315	108.0	160	2A13.5	53.80
14.00	0.5512	108.0	160	2A14.0	50.30
14.50	0.5709	114.0	169	2A14.5	55.50
15.00	0.5906	114.0	169	2A15.0	55.50