



R52

Taper Length Drill



General Purpose



d ₁ R Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code	USD
80	0.0135	5/16	1.1/2	R52N80	13.15
79	0.0145	5/16	1.1/2	R52N79	13.15
78	0.0160	5/16	1.1/2	R52N78	13.15
77	0.0180	5/16	1.1/2	R52N77	13.15
76	0.0200	5/16	1.1/2	R52N76	13.10
75	0.0210	5/16	1.1/2	R52N75	10.80
74	0.0225	5/16	1.1/2	R52N74	10.80
73	0.0240	5/16	1.1/2	R52N73	10.80
72	0.0250	5/16	1.1/2	R52N72	10.80
71	0.0260	3/4	2"	R52N71	10.80
70	0.0280	3/4	2"	R52N70	10.80
69	0.0292	3/4	2"	R52N69	9.89
68	0.0310	3/4	2"	R52N68	9.89
67	0.0320	3/4	2"	R52N67	9.89
66	0.0330	3/4	2"	R52N66	9.89
65	0.0350	3/4	2"	R52N65	8.16
64	0.0360	3/4	2"	R52N64	8.16
63	0.0370	3/4	2"	R52N63	8.16
62	0.0380	3/4	2"	R52N62	8.16
61	0.0390	1.1/8	2.1/4	R52N61	8.16
60	0.0400	1.1/8	2.1/4	R52N60	7.49
59	0.0410	1.1/8	2.1/4	R52N59	7.49
58	0.0420	1.1/8	2.1/4	R52N58	7.49
57	0.0430	1.1/8	2.1/4	R52N57	7.49
56	0.0465	1.1/8	2.1/4	R52N56	7.49
55	0.0520	1.3/4	3"	R52N55	7.49

d ₁ R Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code	USD
54	0.0550	1.3/4	3"	R52N54	7.49
53	0.0595	1.3/4	3"	R52N53	7.49
52	0.0635	2"	3.3/4	R52N52	7.45
51	0.0670	2"	3.3/4	R52N51	7.45
50	0.0700	2"	3.3/4	R52N50	7.45
49	0.0730	2"	3.3/4	R52N49	7.45
48	0.0760	2"	3.3/4	R52N48	7.45
47	0.0785	2.1/4	4.1/4	R52N47	9.50
46	0.0810	2.1/4	4.1/4	R52N46	9.50
45	0.0820	2.1/4	4.1/4	R52N45	9.50
44	0.0860	2.1/4	4.1/4	R52N44	9.50
43	0.0890	2.1/4	4.1/4	R52N43	9.50
42	0.0935	2.1/4	4.1/4	R52N42	9.50
41	0.0960	2.1/2	4.5/8	R52N41	11.30
40	0.0980	2.1/2	4.5/8	R52N40	11.30
39	0.0995	2.1/2	4.5/8	R52N39	11.30
38	0.1015	2.1/2	4.5/8	R52N38	13.00
37	0.1040	2.1/2	4.5/8	R52N37	13.00
36	0.1065	2.1/2	4.5/8	R52N36	13.00
35	0.1100	2.3/4	5.1/8	R52N35	17.75
34	0.1110	2.3/4	5.1/8	R52N34	17.75
33	0.1130	2.3/4	5.1/8	R52N33	17.75
32	0.1160	2.3/4	5.1/8	R52N32	17.20
31	0.1200	2.3/4	5.1/8	R52N31	17.20
30	0.1285	3"	5.3/8	R52N30	17.55
29	0.1360	3"	5.3/8	R52N29	17.55
28	0.1405	3"	5.3/8	R52N28	17.55
27	0.1440	3"	5.3/8	R52N27	17.55
26	0.1470	3"	5.3/8	R52N26	17.55
25	0.1495	3"	5.3/8	R52N25	17.55
24	0.1520	3"	5.3/8	R52N24	17.55
23	0.1540	3"	5.3/8	R52N23	17.55
22	0.1570	3.3/8	5.3/4	R52N22	17.55
21	0.1590	3.3/8	5.3/4	R52N21	17.55
20	0.1610	3.3/8	5.3/4	R52N20	17.55
19	0.1660	3.3/8	5.3/4	R52N19	17.55
18	0.1695	3.3/8	5.3/4	R52N18	17.55
17	0.1730	3.3/8	5.3/4	R52N17	17.55
16	0.1770	3.3/8	5.3/4	R52N16	17.55
15	0.1800	3.3/8	5.3/4	R52N15	17.55
14	0.1820	3.3/8	5.3/4	R52N14	17.55
13	0.1850	3.3/8	5.3/4	R52N13	17.55
12	0.1890	3.5/8	6"	R52N12	19.25
11	0.1910	3.5/8	6"	R52N11	19.25
10	0.1935	3.5/8	6"	R52N10	19.25
9	0.1960	3.5/8	6"	R52N9	19.35

d ₁ R Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code	USD
8	0.1990	3.5/8	6"	R52N8	19.85
7	0.2010	3.5/8	6"	R52N7	19.35
6	0.2040	3.5/8	6"	R52N6	19.85
5	0.2055	3.5/8	6"	R52N5	19.85
4	0.2090	3.5/8	6"	R52N4	19.85
3	0.2130	3.5/8	6"	R52N3	19.35
2	0.2210	3.3/4	6.1/8	R52N2	20.70
1	0.2280	3.3/4	6.1/8	R52N1	20.25