

SAFETY DATA SHEET

1. Identification

Product identifier	Rustlick™ G-25J		
Other means of identification			
Part Number	75012, 75052, 75552		
Recommended use	Synthetic rust inhibitor		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	ITW Pro Brands		
Address	616 East Industrial Street		
	Dewitt, IA 52742		
Country	(U.S.A.)		
	Tel +1 800-452-5823		
In Case of Emergency	CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US		

2. Hazard(s) identification

ssified.
rrosion/irritation Category 1
s eye damage/eye irritation Category 1
ssified.
ssified.

Label elements



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DIPA		110-97-4	5 - 10
Monoethanolamin		141-43-5	5 - 10
Diethanolamine		111-42-2	0.1 - 1

Material name: Rustlick™ G-25J

Chemical name	Common name and synonyms	CAS number	%
Tolyltriazole		29385-43-1	0.1 - 1
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Take off immediately all contaminated clothing poison control center immediately. Chemical l contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center imme vomiting occurs, keep head low so that stoma		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin dama include stinging, tearing, redness, swelling, ar blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat immediately. While flushing, remove clothes v ambulance. Continue flushing during transport Symptoms may be delayed.	which do not adhere to affected	l area. Call an
General information	Ensure that medical personnel are aware of the protect themselves.	ne material(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon d	lioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	rotective clothing must be worr	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do s	so without risk.	
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing touch damaged containers or spilled material Ensure adequate ventilation. Local authorities contained. For personal protection, see section	during clean-up. Do not breat unless wearing appropriate pr should be advised if significat	he mist/vapors. Do notective clothing.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or earecovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean surf	ace thoroughly to
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or		section 13 of the SDS
-		sine no ground.	
7. Handling and storage			
Precautions for safe handling	Do not breathe mist/vapors. Do not get in eye Provide adequate ventilation. Wear appropria industrial hygiene practices.		
Conditions for safe storage,	Store locked up. Store in tightly closed contain	ner. Store away from incompa	ible materials (see

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	1000) Value	
Monoethanolamin (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
Monoethanolamin (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
Triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
Diethanolamine (CAS 111-42-2)	TWA	15 mg/m3	
		3 ppm	
Monoethanolamin (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
Components OCTAMETHYLCYCLOTET RASILOXANE (CAS	Type TWA	Value 10 ppm	Form
556-67-2)	714/4	10	A
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
ogical limit values	No biological exposure limits noted f	or the ingredient(s).	
osure guidelines			
US - California OELs: Skin o	•		
Diethanolamine (CAS 11 US ACGIH Threshold Limit	Values: Skin designation	be absorbed through the skin.	
Diethanolamine (CAS 11	1-42-2) Danç	ger of cutaneous absorption	
ropriate engineering trols	Good general ventilation should be u applicable, use process enclosures,	local exhaust ventilation, or oth	er engineering controls to
	maintain airborne levels below recon established, maintain airborne levels shower must be available when hand	to an acceptable level. Eye wa	
	established, maintain airborne levels	to an acceptable level. Eye wa dling this product. nent	sh facilities and emergenc
vidual protection measures, Eye/face protection	established, maintain airborne levels shower must be available when hand such as personal protective equipm	to an acceptable level. Eye wa dling this product. nent s (or goggles) and a face shield	sh facilities and emergenc
vidual protection measures, Eye/face protection Skin protection	established, maintain airborne levels shower must be available when hand such as personal protective equipm Wear safety glasses with side shield Wear appropriate chemical resistant	to an acceptable level. Eye wa dling this product. nent s (or goggles) and a face shield gloves.	sh facilities and emergenc
vidual protection measures, Eye/face protection Skin protection Hand protection Other	established, maintain airborne levels shower must be available when hand such as personal protective equipm Wear safety glasses with side shield	to an acceptable level. Eye wa dling this product. nent s (or goggles) and a face shield gloves. clothing.	sh facilities and emergenc
vidual protection measures, Eye/face protection Skin protection Hand protection	established, maintain airborne levels shower must be available when hand such as personal protective equipm Wear safety glasses with side shield Wear appropriate chemical resistant Wear appropriate chemical resistant	to an acceptable level. Eye wa dling this product. nent s (or goggles) and a face shield gloves. clothing. ar suitable respiratory equipmen	sh facilities and emergenc

9. Physical and chemical properties

3. Filysical and chemical p	hopenies
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Dark green.
Odor	Mild.
Odor threshold	Not available.
рН	9.8 @ 10%
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	>1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.08
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Dessibility of benerdays	No dengerous reaction known under conditions of normal use

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents. Peroxides. Phenols.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	

Biological crapated seposare may cause live a damage. These effects have not been definitiones. Fye ontact Gauses deservices vertant burns. Symposite of the damage inclusion of the	Skin contact	Causes severe skin burns.		
Ingestion Causes digestive tract burns. Symptoms related to the hysical, chernical and burnico gian and severe corosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, release, swelling, and burret vision. Permanent eye damage includid mindue structures. Information on toxicological characteristics Total couses serious eye damage. Symptoms may include structures. Core Spocies Total Couses Core Spocies Total Couses Acute to Core Rat Total Couses Dieft-ACAS 110-97-0; Total Couses Acute Oral Rat 2000 mg/kg. 24 Hours LD50 Rat 2000 mg/kg. 24 Hours Oral Bermal 2000 mg/kg. 24 Hours LD50 Rat 1000 mg/kg Moneethanolamin (CAS 114-43-5) Bermal 1000 mg/kg UD50 Rat 1000 mg/kg Oral Bermal 1000 mg/kg UD50 Rat 100 mg/kg Oral Bermal 20000 mg/kg. 24 Hours Oral Source 2000 mg/kg. 24 Hours Oral Source 20000 mg/kg. 24 Hours O			d kidney damage. These effects have not	
Ingestion Causea digestive tract burns. Symptions related to the bysiscia, chemical and burdee social result. Causea digestive tract burns. Information on toxicological characteristics Bindrees social result. Information on toxicological characteristics Species Test Results Components Species Test Results Diethanolamine (CAS 111-42-2) Test Results Test Results Diethanolamine (CAS 111-42-2) Rat 710 mg/kg Acute Total Results Results Oral Rat 710 mg/kg LD50 Rat 710 mg/kg Diethanolamine (CAS 110-97-4) Test Results Second mg/kg LD50 Rat 2000 mg/kg 24 Hours LD50 Rat 2000 mg/kg 24 Hours LD50 Rat 1000 mg/kg 100 mg/kg Oral Test Results Test Results Test Results Oral Rat 1000 mg/kg 24 Hours Dermal Test Results Test Results Test Results Oral Rat <td>Eye contact</td> <td>Causes serious eye damage.</td> <td></td>	Eye contact	Causes serious eye damage.		
pinysical, chemical and bindre straing, redness, swelling, and blurred vision. Permanent eye damage including bindress could result. Information on toxicological effects in the second of the secon	-	Causes digestive tract burns.		
Acute toxicity Species Test Results Diefnenolamine (CAS 111-42-2)	physical, chemical and	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including		
ComponentiaSpeciesTest ResultsDieth-anclamine (CAS 111-42-2)AcuteAcutenumber of the second seco	Information on toxicological effe	cts		
Dichanolamine (CAS 111-42-2) Acute Oral LD50 Rat 710 mg/kg DIFA (CAS 110-97-4) Acuta Dormal LD50 Rabbit 8000 mg/kg, 24 Hours Oral LD50 Rat 2000 mg/kg Monoethanolamin (CAS 141-43-5) Acute Dermal LD50 Rabbit 1000 mg/kg Inhalation Vapor LC50 Rat > 1.3 mg/l, 6 Hours Oral LD50 Rat > 1.3 mg/l, 6 Hours Oral LD50 Rat 1100 mg/kg OCTAMETHYLCYCLOTETRASILOXANE (CAS 556-67-2) Acute Dermal LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg, 24 Hours Propylene Glycol (CAS 57-55-6) Acute Dermal LD50 Rabbit > 2000 mg/kg, 24 Hours Oral LD50 Rabbit > 2000 mg/kg, 24 Hours Oral DD50 Rabbit > 2000 mg/kg + 2000 mg/kg	Acute toxicity			
Acute Oral Rate 70 mg/kg DIPA (CAS 110-97-4) DIPA (CAS 110-97-4) Acute Demai South Status LD50 Rabbit 8000 mg/kg, 24 Hours Oral LD50 Rabbit 8000 mg/kg, 24 Hours Oral LD50 Rabbit 8000 mg/kg, 24 Hours MonoetHa-molamin (CAS 141-43-5) > MonoetHa-molamin (CAS 141-43-5) Vapor 1000 mg/kg LD50 Rabbit 1000 mg/kg Vapor 1.3 mg/l, 6 Hours LD50 Rat 100 mg/kg D50 Rat 2000 mg/kg Pormai 2000 mg/kg 24 Hours LD50 Rabbit 2000 mg/kg Pormai 2000 mg/kg 24 Hours LD50 Rabbit 2000 mg/kg LD50 Rabbit 2000 mg/kg	Components	Species	Test Results	
Acute Dermal LD50 Rabbit 8000 mg/kg.24 Hours D50 Rabbit 2000 mg/kg.24 Hours MonoetH=notemine (CAS 141-43-5) >2000 mg/kg MonoetH=notemine (CAS 141-43-5) >2000 mg/kg MonoetH=notemine (CAS 141-43-5) > LD50 Rat 100 mg/kg Name Acute > Vapor Acite > D50 Rat 100 mg/kg OCTAME THYLCYCLOTETRASIL-XEI (CAS 556-67-2) > MonoetH=notemine (CAS 57-55-6) > > LD50 Rat 2000 mg/kg 24 Hours D50 Rat 2000 mg/kg 24 Hours LD50 Rat 2000 mg/kg 24 Hours	<u>Acute</u> Oral	Rat	710 mg/kg	
Dermal 8abbit 8000 mg/kg, 24 Hours Oral >2000 mg/kg Darmal >2000 mg/kg MonoetHumber >2000 mg/kg MonoetHumber >2000 mg/kg MonoetHumber None Acute None Dermal None MonoetHumber None MonoetHumber None MonoetHumber None MonoetHumber None Vapor None LOS0 Rabit Oral None LDS0 Rat OCTAMENTYLCYCLOTETRASULE None Acute None Dermal None LDS0 Rat DS0 Rat <t< td=""><td>DIPA (CAS 110-97-4)</td><td></td><td></td></t<>	DIPA (CAS 110-97-4)			
LD50 Rat > 2000 mg/kg Actte Dermal Vapor LC50 Rabit 0100 mg/kg Vapor LC50 Rat 1.300 mg/kg Oral LD50 Rat 1.00 mg/kg OCTAMETHYLCYCLOTETRASHC/SEG/SEG/SEG/SEG/SEG/SEG/SEG/SEG/SEG/SEG	Dermal	Rabbit	8000 mg/kg, 24 Hours	
Monoethanolamin (CAS 141-43-5) Acute Dermal LD50 Rabbit Inhalation Vapor LC50 Rat Oral 100 mg/kg LD50 Rat OCTANETHYLCYCLOTETRASIL 1100 mg/kg COTANETHYLCYCLOTETRASIL Kate Dermal 2000 mg/kg, 24 Hours LD50 Rat 2000 mg/kg, 24 Hours Propylene Glycol (CAS 57-55-6) 2000 mg/kg, 24 Hours Cotal Acute 2000 mg/kg, 24 Hours Dormal 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours LD50 Rabbit 2000 mg/kg, 24 Hours Oral 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours Dormal 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours LD50 Rabbit 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours Dormal 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours LD50 Rabbit 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours LD50 Rabbit 2000 mg/kg, 24 Hours 2000 mg/kg, 24 Hours LD50 Rabbit <td></td> <td></td> <td></td>				
Acute Dermal Dermal 000 mg/kg LD50 Rabbit 000 mg/kg Inhalation Yapor Yapor LD50 Rat >1.3 mg/l, 6 Hours Oral Yapor Yapor LD50 Rat Yapor COTAMETHYLCYCLOTETRASIL/// CAS 556-67-20 Yapor Yapor Acute Yapor Yapor Dormal Yapor Yapor LD50 Rat Yapor LD50 Rat Yapor Dormal Yapor Yapor LD50 Rabbit			> 2000 mg/kg	
Vapor Vapor LC50 Rat > 1.3 mg/l, 6 Hours Oral Name Name LD50 Rat 1100 mg/kg OCTAMETHYLCYCLOTETRASIL/UXURE (CAS 556-67-2) Name Name Acute Name Name Dermal Name Name LD50 Rat > 2000 mg/kg, 24 Hours Propylere Glycol (CAS 57-55-6) Name Name Dermal Name Name Dotom Rat > 2000 mg/kg, 24 Hours Dermal Name Name Dotom Rat 2000 mg/kg, 24 Hours Orai Name Name LD50 Rat 2000 mg/kg, 24 Hours Totyltriazure (CAS 29385-43-1) Name Name Acute Name Name Name D50 Rabit > 2000 mg/kg, 24 Hours D50 Rabit > 2000 mg/kg, 24 Hours D50 Rabit > 2000 mg/kg, 24 Hours D50 Rabit Name Name <	<u>Acute</u> Dermal		1000 mg/kg	
Oral Introduction LD50 Rat 1100 mg/kg CCTAMETHYLCYCLOTETRASILUXANE (CAS 556-67-2) Introduction Introduction Acute Dermal Introduction Introduction LD50 Rat > 2000 mg/kg, 24 Hours Propylene Glycol (CAS 57-55-6) Introduction Introduction Acute Dermal Introduction Introduction Dermal Introduction Introduction Introduction LD50 Rabbit > 2000 mg/kg, 24 Hours Introduction Oral Introduction Introduction Introduction LD50 Rat 22000 mg/kg, 24 Hours Introduction Tolyltriazole (CAS 29385-43-1) Introduction Introduction Introduction Acute Dermal Introduction Introduction Introduction LD50 Rabit Production Production Introduction LD50 Rabit Production Production Production LD50 Ratin 720 mg/kg Production <td< td=""><td>Vapor</td><td>Rat</td><td>> 1.3 mg/l, 6 Hours</td></td<>	Vapor	Rat	> 1.3 mg/l, 6 Hours	
Acute Dermal LD50 Rat Propylene Glycol (CAS 57-55-6) Acute Dermal LD50 Rabbit Dermal LD50 Rabbit Dermal > 2000 mg/kg, 24 Hours Dermal > 2000 mg/kg, 24 Hours Dermal > 2000 mg/kg, 24 Hours D50 Rabbit > 2000 mg/kg, 24 Hours Oral > 2000 mg/kg, 24 Hours LD50 Rat 2000 mg/kg, 24 Hours Totyltriazole (CAS 29385-43-1) 2000 mg/kg, 24 Hours LD50 Rat 2000 mg/kg, 24 Hours Granl Source Source LD50 Rabbit > 2000 mg/kg, 24 Hours Dermal Source Source LD50 Rabbit > 2000 mg/kg, 24 Hours D50 Rabbit > 2000 mg/kg, 24 Hours LD50 Rabbit > 2000 mg/kg, 24 Hours LD50 Rabbit > 2000 mg/kg, 24 Hours LD50 Rabbit > 2000 mg/kg LD50 Rabbit > 2000 mg/kg LD50 Rabbi				
Acute Dermal L50Rat> 2000 mg/kg, 24 HoursPropyl=v=Clycol (CAS 57-55-6)> 2000 mg/kg, 24 HoursAcute Dermal L50Rabit> 2000 mg/kg, 24 HoursOral L50Rabit> 2000 mg/kg, 24 HoursOral L50Rat2000 mg/kg, 24 HoursDermal> 2000 mg/kg, 24 HoursTotyltiat=v=CAS 29385-43-13'> 2000 mg/kg, 24 HoursOral L50Rabit> 2000 mg/kg, 24 HoursOral L50Rabit> 2000 mg/kg, 24 HoursOral L50Rabit> 2000 mg/kg, 24 HoursOral L50Rabit> 2000 mg/kg, 24 HoursTriett=v=CAS 102-71-8'Fat L50> 2000 mg/kg, 24 Hours	LD50	Rat	1100 mg/kg	
Acute DermalRabit> 2000 mg/kg, 24 HoursLD50Rabit> 2000 mg/kg, 24 HoursOral LD50Rat2000 mg/kgTolyltriazole (CAS 29385-43-1)2000 mg/kgAcute DermalSourceLD50Rabit> 2000 mg/kg, 24 HoursLD50Rabit> 2000 mg/kg, 24 HoursD50Rabit> 2000 mg/kg, 24 HoursD50Rabit> 2000 mg/kg, 24 HoursLD50Rat> 2000 mg/kg, 24 HoursTriethanoteric (CAS 102-71-6)XAcuteYAcuteYAcuteYAcuteYYYHY<	<u>Acute</u> Dermal LD50		> 2000 mg/kg, 24 Hours	
Dermal LD50 Rabit > 2000 mg/kg, 24 Hours Oral LD50 Rat 2000 mg/kg Tolyltriazole (CAS 29385-43-1) 2000 mg/kg Acute Dermal Kabit > 2000 mg/kg LD50 Rabit > 2000 mg/kg, 24 Hours Oral > 2000 mg/kg, 24 Hours LD50 Rabit > 2000 mg/kg, 24 Hours Oral > 2000 mg/kg, 24 Hours LD50 Rabit > 2000 mg/kg, 24 Hours Triethart Kabit > 2000 mg/kg, 24 Hours				
LD50 Rat 22000 mg/kg TolyItriazole (CAS 29385-43-1) Acute Dermal LD50 Rabbit > 2000 mg/kg, 24 Hours Oral LD50 Rato > 2000 mg/kg, 24 Hours Trietharber (CAS 102-71-6) Rato > 200 mg/kg Acute	Dermal LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Tolyltriazole (CAS 29385-43-1) Acute Dermal LD50 Rabbit Oral LD50 Rat Triethanole (CAS 102-71-6) Acute		Rat	22000 ma/ka	
Oral LD50 Rat 720 mg/kg Triethanolamine (CAS 102-71-6) Acute 400 mg/kg	Tolyltriazole (CAS 29385-43-1) <u>Acute</u>			
LD50 Rat 720 mg/kg Triethanolamine (CAS 102-71-6) Acute	LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Acute	LD50	Rat	720 mg/kg	
LD50 Rabbit > 2000 mg/kg	Dermal	Rabbit	> 2000 mg/kg	

Components	Species	Test Results
Oral		
LD50	Rat	6400 mg/kg
Skin corrosion/irritation	Causes severe skin burns a	and eye damage.
Serious eye damage/eye irritation	Causes serious eye damag	e.
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected	d to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	e product or any components present at greater than 0.1% are
Carcinogenicity	Risk of cancer cannot be ex	cluded with prolonged exposure.
ACGIH Carcinogens		
Diethanolamine (CAS 111-42-2)		A3 Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall	Evaluation of Carcinogenici	ty
Diethanolamine (CAS 111-42-2) Triethanolamine (CAS 102-71-6)		2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.
	ed Substances (29 CFR 1910	.1001-1053)
Not listed.		
Not listed.	ogram (NTP) Report on Carc	inogens
Reproductive toxicity	This product is not expected	d to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may b exposure may cause chron	e harmful. May be harmful if absorbed through skin. Prolonged ic effects.
	Prolonged or repeated expo been observed in humans.	osure may cause liver and kidney damage. These effects have not

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the
-	possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Diethanolamine (CAS 1	111-42-2)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	61.8 - 86.04 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
Monoethanolamin (CAS	S 141-43-5)		
Aquatic			
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
Propylene Glycol (CAS	57-55-6)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours

Components		Species	Test Results	
Triethanolamine (CAS 102-7	1-6)			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours	
Persistence and degradability No data is ava		vailable on the degradability of any ingredie	nts in the mixture.	
ioaccumulative potential				
Partition coefficient n-octa	nol / water (log	g Kow)		
Diethanolamine		1.43		
DIPA		-0.82		
Monoethanolamin -1.31				
OCTAMETHYLCYCLOTETF	RASILOXANE	5.1		
Propylene Glycol		-0.92		
Triethanolamine		-1		
lobility in soil	Not establis	hed.		
Other adverse effects	None knowr	1.		
3. Disposal consideration	ons			
isposal instructions	material und	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.		
ocal disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
azardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Vaste from residues / unused roducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
ontaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

14. Transport information

DOT

DO	1	
	UN number	UN2491
	UN proper shipping name	Ethanolamine solutions
	Transport hazard class(es)	
	Class	8
	Subsidiary risk	-
	Label(s)	8
	Packing group	III
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	IB3, T4, TP1
	Packaging exceptions	154
	Packaging non bulk	203
	Packaging bulk	241
IAT	A	
	UN number	UN2491
	UN proper shipping name	Ethanolamine Solution
	Transport hazard class(es)	
	Class	8
	Subsidiary risk	-
	Packing group	III
	Environmental hazards	No.
	ERG Code	8L
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2491
UN proper shipping name	ETHANOLAMINE SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
DOT	
~	



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Listed.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

OCTAMETHYLCYCLOTETRASILOXANE 1.0 % One-Time Export Notification only. (CAS 556-67-2)

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethanolamine (CAS 111-42-2)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard	Skin corrosion or irritation
categories	Serious eye damage or eye irritation

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Diethanolamine (CAS 111-42-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Diethanolamine (CAS 111-42-2) Monoethanolamin (CAS 141-43-5) Propylene Glycol (CAS 57-55-6) Triethanolamine (CAS 102-71-6)

California Proposition 65



WARNING: This product can expose you to Diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Diethanolamine (CAS 111-42-2) Listed: June 22, 2012 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,

subd. (a))

Diethanolamine (CAS 111-42-2) OCTAMETHYLCYCLOTETRASILOXANE (CAS 556-67-2)

International Inventories

Country(s) or region Australia	Inventory name Australian Inventory of Industrial Chemicals (AICIS)	On inventory (yes/no) * No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-22-2020
Revision date	06-17-2021
Version #	03

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Dewitt cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. Transport Information: Proper Shipping Name/Packing Group

Revision information

Material name: Rustlick™ G-25J 75012, 75052, 75552 Version #: 03 Revision date: 06-17-2021 Issue date: 06-22-2020