# PRO BRANDS

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Rustlick™ ULTRACUT® 380R

Other means of identification

**Part Number** 76005, 76055

Recommended use Heavy-duty water-soluble oil for cutting and grinding

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Pro Brands
Address 4647 Hugh Howell Rd
Tucker, GA 30084

**United States** 

**Telephone** 1-800-241-8334 / 770-243-8800

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com

Emergency phone number Chemtrec 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Avoid breathing mist/vapors. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Naphthenic		64742-52-5	20 - 30
3-amino-4-octanol		1001354-72-8	5 - 10
Phosphoric Acid, Isotridecyl Ester		52933-07-0	1 - 5
Poly(oxy-1,2-ethanediyl), .alpha(carboxymethyl)omega(9- octadecenyloxy)-, (z)-		57635-48-0	1 - 5

Material name: Rustlick™ ULTRACUT® 380R

SDS US

4./7

**Chemical name** Common name and synonyms CAS number % 2634-33-5 0.1 - 11,2-benzisothiazolin-3-one

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. May cause an allergic skin reaction. Dermatitis. Rash. Most important

symptoms/effects, acute and

Indication of immediate

treatment needed

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation. medical attention and special Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling Do not get in eyes, on skin, or on clothing. Avoid breathing mist/vapors. Avoid prolonged exposure.

Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

SDS US 2/7 76005, 76055 Version #: 01 Issue date: 12-30-2020

Components	Туре	Value	Form
Glycerin (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Valu	les		
Components	Туре	Value	
Triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	
US. Workplace Environmental E	xposure Level (WEEL) Guides		
Components	Type	Value	

**Biological limit values** 

Diethylene Glycol (CAS

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

111-46-6)

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

10 mg/m3

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

TWA

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Blue. Color

Odor Characteristic. Not available. **Odor threshold** 10 @ 10% Melting point/freezing point Not available. Initial boiling point and boiling

range

> 212 °F (> 100 °C)

> 199.4 °F (> 93.0 °C) Pensky-Martens Closed Cup

**Evaporation rate** > 0.1

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

Not available.

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available.

< 1 mm Hg Vapor pressure

Vapor density

Relative density Not available.

Solubility(ies)

Solubility (water) Emulsifies

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.99

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials
Hazardous decomposition

products

Carbon oxides.

Peroxides. Phenols.

## 11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Diethylene Glycol (CAS 111-46-6)

Acute Dermal

LD50 Rabbit 12000 mg/kg

Oral

LD50 Rat 13000 mg/kg

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

**Acute** 

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

Material name: Rustlick™ ULTRACUT® 380R 76005, 76055 Version #: 01 Issue date: 12-30-2020 Components **Species Test Results** 

Glycerin (CAS 56-81-5)

**Acute** 

Oral

LD50 Rat 18000 mg/kg

Triethanolamine (CAS 102-71-6)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 6400 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** 1,2-benzisothiazolin-3-one (CAS 2634-33-5)

Aquatic

Fish LC50 Bleak (Alburnus alburnus) 8 - 13 mg/l, 96 hours

Diethylene Glycol (CAS 111-46-6)

Aquatic

LC50 Fish Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours

Glycerin (CAS 56-81-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 51000 - 57000 mg/l, 96 hours

(Oncorhynchus mykiss)

Material name: Rustlick™ ULTRACUT® 380R SDS US 5/7 76005, 76055 Version #: 01 Issue date: 12-30-2020

Components Species Test Results

Triethanolamine (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

Glycerin -1.76 Triethanolamine -1

Mobility in soilNot established.Other adverse effectsNone known.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Y

Yes

chemical

Classified hazard categories

Respiratory or skin sensitization

Material name: Rustlick™ ULTRACUT® 380R

## SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Glycerin (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

#### **US** state regulations

#### US. New Jersey Worker and Community Right-to-Know Act

Glycerin (CAS 56-81-5)

Triethanolamine (CAS 102-71-6)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

## US, California, Candidate Chemicals List, Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3. subd. (a))

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

12-30-2020 Issue date

Version # 01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer** 

information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or

expense due to improper use.