


T-Max P

Square




For ISO application areas, see bottom of the page.


| | | □ | Ordering code | P | | | | | M | | | | K | | | S | | | | | | |
|-----------|------------------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|
| | | | | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A |
| Finishing | | 12 | SNMG 12 04 08-PF | ☆ | | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | SNMG 12 04 12-PF | ☆ | | ★ | ☆ | ☆ | | | | | | | | | | | | | | |
| | | 12 | SNMG 12 04 04-MF | | | | | | ☆ | ★ | ☆ | | | | | | | | | ☆ | | |
| | | | SNMG 12 04 08-MF | | | | | | ☆ | ★ | ☆ | | | | | | | | | ☆ | | |
| | | 12 | SNMG 12 04 04-QF | | | | ☆ | | | | | | | | | | | | | | | |
| | | | SNMG 12 04 08-QF | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | | 12 | SNMG 12 04 04-23 | | | | | | | | | | | | | | | | | ★ | | |
| | | | SNMG 12 04 08-23 | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ |
| | | | SNMG 12 04 12-23 | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ |
| | | 19 | SNMG 19 06 12-23 | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ |
| | | | SNMG 19 06 16-23 | | | | | | | | | | | | | | | | | | ★ | ☆ |
| | | | 09 | SNMG 09 03 04-MF | | | | | | | | | | | | ☆ | | | | | | |
| | | | SNMG 09 03 08-MF | | | | | | | | | | | | ☆ | | | | | | | |
| | | | SNMG 09 03 12-MF | | | | | | | | | | | | ☆ | | | | | | | |
| | 12 | | SNMG 12 04 04-MF | | | | | | | | | | | | ☆ | | | | | | | |
| | SNMG 12 04 08-MF | | | | ☆ | ☆ | ☆ | ☆ | | | | | | ☆ | | | | | | | | |
| | SNMG 12 04 12-MF | | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | |
| | SNMG 12 04 16-MF | | | | | | | ☆ | | | | | | ☆ | | | | | | | | |
| 15 | SNMG 15 06 16-MF | | | | | | | | | | | | | | | | | | | | | |
| | 09 | | SNMG 09 03 04-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | |
| | | | SNMG 09 03 08-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | |
| | 12 | SNMG 12 04 04-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | SNMG 12 04 08-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | SNMG 12 04 12-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | SNMG 12 04 16-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | 15 | SNMG 15 06 12-PM | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | SNMG 15 06 16-PM | | | ☆ | ★ | | | | | | | | | | | | | | | | |
| | | 12 | SNMG 12 04 08-MM | | | | | | ☆ | ☆ | ★ | ☆ | | | | | | | | | | |
| | | | SNMG 12 04 12-MM | | | | | | ☆ | ☆ | ★ | ☆ | | | | | | | | | | |
| | | SNMG 12 04 16-MM | | | | | | ☆ | ☆ | ★ | ☆ | | | | | | | | | | | |
| 15 | | SNMG 15 06 12-MM | | | | | | | | ★ | ☆ | | | | | | | | | | | |
| | | SNMG 15 06 16-MM | | | | | | | | ★ | ☆ | | | | | | | | | | | |
| 19 | | SNMG 19 06 12-MM | | | | | | | | ★ | ☆ | | | | | | | | | | | |
| | | SNMG 19 06 16-MM | | | | | | | | ★ | ☆ | | | | | | | | | | | |
| | | 09 | SNMG 09 03 08-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | |
| | | 12 | SNMG 12 04 08-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | |
| | | | SNMG 12 04 12-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | |
| | | SNMG 12 04 16-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | |
| | 15 | SNMG 15 06 12-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | |
| | | SNMG 15 06 16-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | |
| 19 | SNMG 19 06 12-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | | |
| | SNMG 19 06 16-KM | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | | |

Ordering example: 10 pieces SNMG 12 04 08-PF 4015
★ = First choice

For dimensions, see code key on page A16.



T-Max P
Square



For ISO application areas, see bottom of the page.

| | | □ | Ordering code | P | | | | | M | | | | K | | | S | | | | | | |
|----------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|
| | | | | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A |
| Medium | | 09 | SNMG 09 03 04-QM | | | | | | | | | | | | | | | | | | | |
| | | | SNMG 09 03 08-QM | | | | * | * | | | | | | | | * | | | | | * | |
| | | | SNMG 09 03 12-QM | | | | * | * | * | | | | | | | * | | | | | * | * |
| | | 12 | SNMG 12 04 04-QM | | | | * | * | | | | | * | | | | | | | | | |
| | | | SNMG 12 04 08-QM | | | * | * | * | * | | * | * | | | | * | * | | | | * | * |
| | | | SNMG 12 04 12-QM | | | * | * | * | * | | * | * | | | | * | * | | | | * | * |
| | | SNMG 12 04 16-QM | | | * | | | | | * | | | | | * | * | | | | * | * | |
| | 15 | SNMG 15 06 08-QM | | | * | | * | | | | | | | | | | | | | | | |
| | | SNMG 15 06 12-QM | | | * | | * | | | | | * | | | | * | * | | | * | * | |
| | | SNMG 15 06 16-QM | | | * | | * | | | | | * | | | | * | * | | | * | * | |
| | | SNMG 19 06 08-QM | | | * | | * | | | | | * | | | | * | * | | | * | * | |
| | | SNMG 19 06 12-QM | | | * | | * | | | | | * | | | | * | * | | | * | * | |
| | SNMG 19 06 16-QM | | | * | | * | | | | | * | | | | * | * | | | * | * | | |
| Medium | | 12 | SNMG 12 04 08-SM | | | | * | | | | | | | | | | | | | | | |
| | | | SNMG 12 04 12-SM | | | | * | | | | | | | | | | | | | | | |
| | | 12 | SNMG 12 04 08-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 12 04 12-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 12 04 16-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | 15 | SNMG 15 06 08-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 15 06 12-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 15 06 16-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 15 06 24-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | 19 | SNMG 19 06 08-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMG 19 06 12-PR | | * | * | * | * | | * | * | | | | | | | | | | | |
| | | | SNMG 19 06 16-PR | | * | * | * | * | | * | * | | | | | | | | | | | |
| | SNMG 19 06 24-PR | | * | * | * | * | | * | * | | | | | | | | | | | | | |
| Roughing | | 12 | SNMM 12 04 08-PR | | * | * | * | * | | | | | | | | | | | | | | |
| | | | SNMM 12 04 12-PR | | * | * | * | * | | | | | | | | | | | | | | |
| | | 15 | SNMM 15 06 12-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMM 15 06 16-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | 19 | SNMM 19 06 12-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | | SNMM 19 06 16-PR | | * | * | * | * | | | | * | | | | | | | | | | |
| | | SNMM 19 06 24-PR | | * | * | * | * | | | | * | | | | | | | | | | | |
| | | 12 | SNMG 12 04 08-MR | | | | | | | | * | * | * | | | | | | | | | |
| | | | SNMG 12 04 12-MR | | | | | | | | * | * | * | | | | | | | | | |
| | | 15 | SNMG 15 06 12-MR | | | | | | | | * | * | * | | | | | | | | | |
| | | | SNMG 15 06 16-MR | | | | | | | | * | * | * | | | | | | | | | |
| | | 19 | SNMG 19 06 12-MR | | | | | | | | * | * | * | | | | | | | | | |
| | | SNMG 19 06 16-MR | | | | | | | | * | * | * | | | | | | | | | | |
| | SNMG 19 06 24-MR | | | | | | | | * | * | * | | | | | | | | | | | |


Ordering example: 10 pieces SNMG 09 03 08-KM 3210
★ = First choice

For dimensions, see code key on page A16.



T-Max P

Square




For ISO application areas, see bottom of the page.

| | | □ | Ordering code | P | | | | | | M | | | | K | | | S | | | | | | | |
|----------|------------------|------------------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|--|
| | | | | GC | GC | GC | GC | GC | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A | S05F | |
| Roughing | | 12 | SNMM 12 04 08-MR | | | ☆ | ☆ | ☆ | | | | ★ | ☆ | | | | | | | | | | | |
| | | | SNMM 12 04 12-MR | | | ☆ | ☆ | ☆ | | | | | ★ | ☆ | | | | | | | | | | |
| | | | SNMM 12 04 16-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | 15 | SNMM 15 06 12-MR | | | ☆ | ☆ | ☆ | | | | | ★ | | | | | | | | | | | |
| | | | SNMM 15 06 16-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | | | | | | | | | | |
| | | | SNMM 15 06 24-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | | | | | | | | | | |
| | | 19 | SNMM 19 06 12-MR | | | ☆ | ☆ | | | | | | | ★ | | | | | | | | | | |
| | | | SNMM 19 06 16-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | | SNMM 19 06 24-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | | SNMM 19 06 32-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | 25 | SNMM 25 07 32-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | | SNMM 25 09 24-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | | | | | | | | | | |
| | | SNMM 25 09 32-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | | |
| | | | 12 | SNMG 12 04 08-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | SNMG 12 04 12-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | SNMG 12 04 16-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | 15 | SNMG 15 06 12-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | SNMG 15 06 16-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | 19 | | SNMG 19 06 16-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | 25 | SNMG 25 07 24-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | | 09 | SNMA 09 03 08-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | | | | 12 | SNMA 12 04 08-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | | SNMA 12 04 12-KR | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | | SNMA 12 04 16-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | | 15 | SNMA 15 06 12-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | | | | SNMA 15 06 16-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | | SNMA 15 06 24-KR | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | 19 | SNMA 19 06 08-KR | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | SNMA 19 06 12-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | SNMA 19 06 16-KR | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | | 25 | SNMA 25 07 24-KR | | | | | | | | | | | ★ | | ☆ | | | | | | | |
| | | | | 12 | SNMM 12 04 08-QR | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | | | | SNMM 12 04 12-QR | | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | | SNMM 12 04 16-QR | | | | | | ☆ | ☆ | | | | | | | | | | | | | | | |
| | | | 15 | SNMM 15 06 08-QR | | | | | ☆ | | | | | | | | | | | | | | | |
| | | | SNMM 15 06 12-QR | | | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | SNMM 15 06 16-QR | | | | | | | | ☆ | | | | | | | | | | | | | | | |
| | | | SNMM 15 06 24-QR | | | | | | ☆ | | | | | | | | | | | | | | | |
| | | | 19 | SNMM 19 06 08-QR | | | | | ☆ | | | | | | | | | | | | | | | |
| | | | SNMM 19 06 12-QR | | | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | SNMM 19 06 16-QR | | | | | | | | ☆ | ☆ | | | | | | | | | | | | | | |
| | | | SNMM 19 06 24-QR | | | | | | ☆ | | | | | | | | | | | | | | | |
| | | | 25 | SNMM 25 07 24-QR | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |


Ordering example: 10 pieces SNMM 19 06 16-HR 4015
★ = First choice

For dimensions, see code key on page A16.



General Turning
Parting and Grooving
Threading
Milling
Drilling
Boring
Toolholding Systems
Multi-Task Machining
General Information

T-Max P
Square




For ISO application areas, see bottom of the page.

| | | □ | Ordering code | P | | | | | M | | | | | K | | | S | | | | | | | | | |
|----------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|------|--|--|
| | | | | GC | GC | GC | GC | GC | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | H13A | 1005 | 1025 | H10F | H13A | S05F | | |
| Roughing | | 19 | SNMG 19 06 16-SR | | | | | | | | | | | | | | | | | ☆ | | | ★ | ☆ | | |
| | | 19 | SNMM 19 06 16-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMM 19 06 24-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | 25 | SNMM 25 07 24-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMM 25 07 32-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMM 25 09 24-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMM 25 09 32-HR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | 12 | SNMG 12 04 08-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMG 12 04 12-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMG 12 04 16-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | 15 | SNMG 15 06 12-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMG 15 06 16-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | 19 | SNMG 19 06 08-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMG 19 06 12-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | | SNMG 19 06 16-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | |
| | | SNMG 25 07 24-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | | |
| | SNMG 25 09 24-MR | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | | | | | |


Ordering example: 10 pieces SNMG 12 04 08-PF 4015
★ = First choice

For dimensions, see code key on page A16.



T-Max P

Triangular




For ISO application areas, see bottom of the page.

| | | △ | Ordering code | P | | | | | | M | | | | K | | S | | | | | | | | | | |
|------------------|----|------------------|------------------|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|---|---|---|
| | | | | GC | GC | GC | GC | CT | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5005 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A | | | |
| Finishing | | 16 | TNMX 16 04 04-WF | ☆ | | ★ | ☆ | | ☆ | ☆ | ☆ | ★ | | | | | | ★ | | | | | | | | |
| | | | TNMX 16 04 08-WF | ☆ | ☆ | ★ | ☆ | | ☆ | ☆ | ☆ | ★ | | | | | | | ★ | | | | | | | |
| | | 16 | TNMG 16 04 04-PF | ☆ | | ★ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 16 04 08-PF | ☆ | | ★ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 16 04 12-PF | ☆ | | ★ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | 22 | TNMG 22 04 08-PF | ☆ | | ★ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 22 04 12-PF | | | ★ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | 16 | TNMG 16 04 04-MF | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | ☆ | | | |
| | | | TNMG 16 04 08-MF | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | ☆ | | | |
| | | 16 | TNMG 16 04 04-KF | | | | | | | | | | | | | | | | ★ | | | | | | | |
| | | | TNMG 16 04 08-KF | | | | | | | | | | | | | | | | | ★ | | | | | | |
| | | 16 | TNMG 16 03 08-QF | | | | ☆ | | | | | | | | | | | | | | | | | | | |
| | | | TNMG 16 04 04-QF | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 16 04 08-QF | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 16 04 12-QF | | | ☆ | ☆ | | | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMG 22 04 04-QF | | | | | | | | | ☆ | | | | | | | | | | | | | | |
| | | | TNMG 22 04 08-QF | | | | | | | | | ☆ | | | | | | | | | | | | | | |
| | | 16 | TNMG 16 04 04-23 | | | | | | | | | | | | | | | | | | | ★ | | ☆ | | |
| | | | TNMG 16 04 08-23 | | | | | | | | | | | | | | | | | | | ★ | | ☆ | ☆ | |
| | | | TNMG 16 04 12-23 | | | | | | | | | | | | | | | | | | | ★ | | ☆ | ☆ | ☆ |
| | | | TNMG 22 04 08-23 | | | | | | | | | | | | | | | | | | | ★ | | ☆ | ☆ | ☆ |
| | | 22 | TNMG 22 04 12-23 | | | | | | | | | | | | | | | | | | ★ | | ☆ | ☆ | ☆ | |
| | | | TNMG 16 04 04R-K | ☆ | | ☆ | ☆ | | | | | | | | | ☆ | | | | | | | | | | |
| | | | TNMG 16 04 04L-K | ☆ | | ☆ | ☆ | | | | | | | | | ☆ | | | | | | | | | | |
| | | | TNMG 16 04 08R-K | ☆ | | ☆ | ☆ | | | | | | | | | ☆ | | | | | | | | | | |
| | | 11 | TNMG 16 04 08L-K | ☆ | | ☆ | ☆ | | | | | | | | ☆ | | | | | | | | | | | |
| | | | TNMG 11 03 02-MF | | | ☆ | ☆ | | | | ☆ | | | | | | | | | | | | | | | |
| | | | TNMG 11 03 04-MF | | | ☆ | ☆ | | | | ☆ | | | | | | | | | | | | | | | |
| TNMG 11 03 08-MF | | | | | ☆ | ☆ | | | | ☆ | | | | | | | | | | | | | | | | |
| | 16 | TNMG 11 03 12-MF | | | ☆ | | | | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 04-MF | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 08-MF | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 12-MF | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 16-MF | | | ☆ | ☆ | | | | | | | | | | | | | | | | | | | | |
| | | TNMG 22 04 04-MF | | | ☆ | ☆ | | | | ☆ | | | | | | ☆ | | | | | | | | | | |
| | | TNMG 22 04 08-MF | | | ☆ | ☆ | | | | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 22 04 12-MF | | | ☆ | ☆ | | | | ☆ | | | | | | | | | | | | | | | | |
| | | | | P15 | P05 | P15 | P25 | P35 | P05 | P10 | M15 | M15 | M25 | M35 | M35 | K05 | K10 | K15 | K20 | S15 | S15 | S15 | S15 | | | |


Ordering example: 10 pieces TNMX 16 04 04-WF 4015
★= First choice

For dimensions, see code key on page A16.



T-Max P

Triangular




For ISO application areas, see bottom of the page.

| | △ | Ordering code | P | | | | | | M | | | | K | | | S | | | | | | | |
|------------------|------------------|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|---|
| | | | GC | GC | GC | GC | CT | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | |
| | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5005 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A | |
| | 16 | TNMX 16 04 08-WM TNMX 16 04 12-WM | ☆ | ☆ | ☆ | ☆ | | | ☆ | ☆ | | | | | ☆ | ☆ | | | | | | | |
| | 16 | TNMG 16 04 04-PM | | | ☆ | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 08-PM | ☆ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 12-PM | ☆ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 22 04 04-PM | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 22 04 08-PM | | ☆ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | |
| | | TNMG 22 04 12-PM | | ☆ | ☆ | | ☆ | ☆ | | | | | | | | | | | | | | | |
| | 22 | TNMG 22 04 16-PM | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 16 04 08-MM | | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | |
| | | TNMG 16 04 12-MM | | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | |
| | | TNMG 22 04 08-MM | | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | |
| | | TNMG 22 04 12-MM | | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | |
| TNMG 22 04 16-MM | | | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | | |
| 16 | TNMG 16 04 08-KM | | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | |
| | TNMG 16 04 12-KM | | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | |
| | TNMG 22 04 08-KM | | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | |
| | TNMG 22 04 12-KM | | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | |
| | TNMG 22 04 16-KM | | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | |
| | 11 | TNMG 11 03 04-QM | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | |
| TNMG 11 03 08-QM | | | | ☆ | ☆ | ☆ | | ☆ | | | | | ☆ | | | | | | | | | | |
| TNMG 16 03 04-QM | | | | | | ☆ | | | | | | | | | | | | | | | | ☆ | |
| TNMG 16 04 04-QM | | | | ☆ | ☆ | ☆ | | ☆ | | | | | | | | | | | | | | ☆ | |
| TNMG 16 04 08-QM | | | | ☆ | ☆ | ☆ | | ☆ | | ☆ | ☆ | ☆ | | | | | | | | ☆ | ☆ | ☆ | |
| TNMG 16 04 12-QM | | | | ☆ | ☆ | ☆ | | ☆ | | ☆ | ☆ | ☆ | | | | | | | | ☆ | ☆ | ☆ | |
| 22 | | TNMG 22 04 04-QM | | | | | ☆ | ☆ | | | | | | ☆ | | | | | | | | | ☆ |
| | | TNMG 22 04 08-QM | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | ☆ |
| | | TNMG 22 04 12-QM | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | ☆ |
| | | TNMG 22 04 16-QM | | | ☆ | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | ☆ |
| | | TNMG 27 06 08-QM | | | | | ☆ | | | | | | | | | | | | | | | | ☆ |
| | | TNMG 27 06 12-QM | | | | | ☆ | | | | | | | | | | | | | | | | ☆ |
| 16 | TNMG 16 04 04-SM | | | | | ☆ | | | | | | | | | | | | | | | | | |
| | TNMG 16 04 08-SM | | | | | ☆ | | | | | | | | | | | | | | | | | |
| | TNMG 16 04 12-SM | | | | | ☆ | | | | | | | | | | | | | | | | | |
| | TNMG 22 04 08-SM | | | | | ☆ | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |


Ordering example: 10 pieces TNMG 11 03 04-QM 4015
 ☆ = First choice

For dimensions, see code key on page A16.



T-Max P

Triangular



For ISO application areas, see bottom of the page.

| | | △ | Ordering code | P | | | | | | M | | | | K | | | S | | | | | | | |
|-----------------|------------------|------------------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|--|
| | | | | GC | GC | GC | GC | CT | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5005 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A | |
| Roughing | | 22 | TNMX 22 04 12-WR | ☆ | ★ | ☆ | | | | | | | | | | | | | | | | | | |
| | | 22 | TNMX 22 04 16-WR | ☆ | ★ | | | | | | | | | | | | | | | | | | | |
| | | | 16 | TNMG 16 04 08-PR | ☆ | ☆ | ★ | ☆ | | | | ☆ | ☆ | | | | | | | | | | | |
| | | | | TNMG 16 04 12-PR | ☆ | ☆ | ★ | ☆ | | | | | ☆ | | | | | | | | | | | |
| | | | 22 | TNMG 22 04 08-PR | | | ☆ | ★ | ☆ | | | | | ☆ | ☆ | | | | | | | | | |
| | | | | TNMG 22 04 12-PR | | | ☆ | ★ | ☆ | | | | | ☆ | ☆ | | | | | | | | | |
| | | | | TNMG 22 04 16-PR | | | ☆ | ★ | ☆ | | | | | ☆ | | | | | | | | | | |
| | | | 27 | TNMG 27 06 08-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMG 27 06 12-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMG 27 06 16-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | 33 | TNMG 33 07 16-PR | | | | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMG 33 09 24-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | 16 | TNMM 16 04 08-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMM 16 04 12-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | 22 | TNMM 22 04 08-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMM 22 04 12-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | | TNMM 22 04 16-PR | | | ☆ | ★ | ☆ | | | | | | | | | | | | | | | |
| | | | 16 | TNMG 16 04 08-MR | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | | |
| | | | | TNMG 16 04 12-MR | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | |
| | | | 22 | TNMG 22 04 08-MR | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | |
| | | | | TNMG 22 04 12-MR | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | |
| | | | | TNMG 22 04 16-MR | | | | | | | ☆ | ★ | ☆ | | | | | | | | | | | |
| | | 16 | TNMM 16 04 08-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | | TNMM 16 04 12-MR | | | ☆ | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | 22 | TNMM 22 04 08-MR | | | | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | | TNMM 22 04 12-MR | | | | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | | TNMM 22 04 16-MR | | | | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | 27 | TNMM 27 06 12-MR | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | | TNMM 27 06 16-MR | | | ☆ | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | | TNMM 27 06 24-MR | | | ☆ | ☆ | ☆ | | | | | | | ★ | ☆ | | | | | | | | |
| | | | | 16 | TNMG 16 04 08-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | |
| | TNMG 16 04 12-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | TNMG 16 04 16-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| 22 | TNMG 22 04 08-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | TNMG 22 04 12-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | TNMG 22 04 16-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| 27 | TNMG 27 06 16-KR | | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | | | | 16 | TNMA 16 04 04-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | |
| | | | | | TNMA 16 04 08-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | |
| | | | | | TNMA 16 04 12-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | |
| | | | TNMA 16 04 16-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | | 22 | TNMA 22 04 04-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | | | TNMA 22 04 08-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | | | TNMA 22 04 12-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | | | TNMA 22 04 16-KR | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | |
| | 27 | TNMA 27 06 16-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |

Ordering example: 10 pieces TNMA 16 04 04-KR 3205


★ = First choice

For dimensions, see code key on page A16.



T-Max P

Triangular



For ISO application areas, see bottom of the page.

| | | △ | Ordering code | P | | | | | | M | | | | K | | | S | | | | | | |
|----------|------------------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|
| | | | | GC | GC | GC | GC | CT | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5005 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H10F | H13A |
| Roughing | | 16 | TNMM 16 04 08-QR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | |
| | | | TNMM 16 04 12-QR | | | ☆ | | | | | | | ☆ | | | | | | | | | | |
| | | 22 | TNMM 22 04 08-QR | | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | | TNMM 22 04 12-QR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | |
| | | | TNMM 22 04 16-QR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | |
| | | | TNMM 27 06 12-QR | | | ☆ | | | | | | | | | | | | | | | | | |
| | | TNMM 27 06 16-QR | | | ☆ | | | | | | | | | | | | | | | | | | |
| | | TNMM 27 06 16-HR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMM 27 06 24-HR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | | 16 | TNMG 16 04 08-MR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | |
| | TNMG 16 04 12-MR | | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | TNMG 22 04 08-MR | | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | TNMG 22 04 12-MR | | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | TNMG 22 04 16-MR | | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | TNMG 27 06 08-MR | | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | 27 | TNMG 27 06 12-MR | | | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | TNMG 27 06 16-MR | | | ☆ | ☆ | | | | | | | | | | | | | | | | | |
| | | | | P15 | P05 | P15 | P25 | P35 | P05 | P10 | M15 | M15 | M25 | M35 | M35 | K05 | K10 | K15 | K20 | S15 | S15 | S15 | S15 |


Ordering example: 10 pieces TNMA 16 04 04-KR 3205
 ★ = First choice

For dimensions, see code key on page A16.



T-Max P

Rhombic 35°



For ISO application areas, see bottom of the page.

| | | | Ordering code | P | | | | | | M | | | | | K | | | | S | | | | | | |
|-----------|--|----|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|
| | | | | GC | GC | GC | GC | GC | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC |
| Finishing | | 16 | VNMG 16 04 04-PF VNMG 16 04 08-PF | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | |
| | | 16 | VNMG 16 04 04-MF | | | | | | | ☆ | ☆ | | | | | | | | | | | ☆ | | ☆ | |
| | | 16 | VNGP 16 04 08 | | | | | | | | | | | | | | | | | | | | | | ☆ |
| | | 16 | VNMG 16 04 04-23 VNMG 16 04 08-23 | | | | | | | | | | | | | | | | | | | ☆ | | ☆ | |
| | | 16 | VNMG 16 04 04-MF VNMG 16 04 12-MF | | | | | ☆ | ☆ | | | | | | | ☆ | | | | | | | | | |
| Medium | | 16 | VNMG 16 04 08-PM VNMG 16 04 12-PM | ☆ | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | | |
| | | 16 | VNMG 16 04 08-MM | | | | | | | ☆ | ☆ | ☆ | ☆ | | | | | | | | | | | | |
| | | 16 | VNMG 16 04 08-KM VNMG 16 04 12-KM | | | | | | | | | | | | ☆ | ☆ | ☆ | | | | | | | | |
| | | 16 | VNMG 16 04 04-QM VNMG 16 04 08-QM VNMG 16 04 12-QM | | | ☆ | ☆ | ☆ | ☆ | | | | | | ☆ | | | | | | | ☆ | ☆ | ☆ | |
| | | | | P15 | P05 | P15 | P25 | P35 | P10 | M15 | M15 | M25 | M35 | M35 | K05 | K10 | K15 | K20 | S15 | S15 | S15 | S05 | | | |


Ordering example: 10 pieces VNMG 16 04 04-PF 4015
 ☆ = First choice

For dimensions, see code key on page A16.



T-Max P

Trigon 80°




For ISO application areas, see bottom of the page.

| | | Ordering code | P | | | | | M | | | | | K | | | S | | | | |
|-----------|--------|---------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|---|
| | | | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | |
| | | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| Finishing | Wiper | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | Medium | Wiper | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |
| | | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |
| | | | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |
| | | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |
| | | | 06 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |
| | | | 08 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ |


Ordering example: 10 pieces WNMG 06 04 04-WF 4015
 ☆ = First choice

For dimensions, see code key on page A16.



T-Max P

Trigon 80°



For ISO application areas, see bottom of the page.

| | | | Ordering code | P | | | | | M | | | | | K | | | S | | | | | | | | |
|------------------|------------------|------------------|------------------|------------------|------------------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|--|---|---|--|
| | | | | GC | GC | GC | GC | GC | CT | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | GC | | | | | |
| | | | | 1525 | 4005 | 4015 | 4025 | 4035 | 5015 | 1025 | 2015 | 2025 | 2035 | 235 | 3205 | 3210 | 3215 | H13A | 1005 | 1025 | H13A | | | | |
| Medium | | 06 | WNMG 06 04 08-QM | | | ☆ | ☆ | ☆ | | | | | | ☆ | | | | | ★ | | | | | | |
| | | | WNMG 06 04 12-QM | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | | | |
| | | | 08 | WNMG 08 04 04-QM | | | | ☆ | ☆ | | | | | | | | | | | ☆ | ★ | | ☆ | | |
| | | | WNMG 08 04 08-QM | | | | ☆ | ☆ | | | | | ☆ | ☆ | | | | | | ☆ | ★ | | ☆ | | |
| | | | WNMG 08 04 12-QM | | ☆ | ☆ | ☆ | ☆ | | | | | ☆ | ☆ | | | | | | ☆ | ★ | | ☆ | | |
| | | | WNMG 08 04 16-QM | | | | ☆ | ☆ | | | | | | | | | | | | | | | | ☆ | |
| | | 08 | WNMG 08 04 08-SM | | | ☆ | ☆ | | | | | | | | | | | | | | | | | | |
| | | | WNMG 08 04 12-SM | | | ☆ | ☆ | | | | | | | | | | | | | | | | | | |
| Roughing | | 06 | WNMG 06 04 08-PR | | | ☆ | ★ | ☆ | | | | ☆ | | | | | | | | | | | | | |
| | | | WNMG 06 04 12-PR | | | ☆ | ★ | | | | | ☆ | | | | | | | | | | | | | |
| | | | 08 | WNMG 08 04 08-PR | | ☆ | ☆ | ★ | ☆ | | | | | ☆ | | | | | | | | | | | |
| | | | WNMG 08 04 12-PR | | ☆ | ☆ | ★ | ☆ | | | | | ☆ | ☆ | | | | | | | | | | | |
| | | | WNMG 08 04 16-PR | | ☆ | ☆ | ★ | ☆ | | | | | | | | | | | | | | | | | |
| | | | | 06 | WNMG 06 04 08-MR | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | |
| | WNMG 06 04 12-MR | | | | | | | | | | | | ★ | ☆ | | | | | | | | | | | |
| | 08 | WNMG 08 04 08-MR | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | | |
| | WNMG 08 04 12-MR | | | | | | | | | | | | ☆ | ★ | ☆ | | | | | | | | | | |
| | 08 | WNMM 08 04 08-MR | | | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | WNMM 08 04 12-MR | | | | | ☆ | ☆ | ☆ | | | | | | ★ | ☆ | | | | | | | | | |
| | | 06 | WNMG 06 04 08-KR | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| WNMG 06 04 12-KR | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| 08 | | | WNMG 08 04 08-KR | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| WNMG 08 04 12-KR | | | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| 06 | | | WNMA 06 04 08-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | | | WNMA 06 04 12-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | |
| | 08 | WNMA 08 04 08-KR | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | | |
| | | WNMA 08 04 12-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | WNMA 08 04 16-KR | | | | | | | | | | | | | | ★ | ☆ | ☆ | | | | | | | |
| | | 08 | WNMG 08 04 08-MR | | | ☆ | ☆ | ☆ | | | | | | | | ☆ | | | | | | | | | |
| | | | WNMG 08 04 12-MR | | | ☆ | ☆ | ☆ | | | | | | | | | | | | | | | | | |
| | | | WNMG 08 04 16-MR | | | | ☆ | | | | | | | | | | | | | | | | | | |
| | | | | P15 | P05 | P15 | P25 | P35 | P10 | M15 | M15 | M25 | M35 | M35 | K05 | K10 | K15 | K20 | S15 | S15 | S15 | | | | |


Ordering example: 10 pieces WNMG 06 04 08-KM 3210
★= First choice

For dimensions, see code key on page A16.




T-Max®

KNMX



KNUX



For ISO application areas, see bottom of the page.

| | | | Ordering code | P | | | | M | | K | |
|--------------------|--|----|----------------------|------|------|------|-----|------|------|------|------|
| | | | | GC | GC | CT | - | GC | GC | - | - |
| | | | | 4015 | 4025 | 5015 | S1P | 2025 | 2035 | H13A | H13A |
| Finishing | | 16 | KNMX 16 04 05 R/L-71 | ☆ | ☆ | | | ☆ | | | |
| | | | KNMX 16 04 10 R/L-71 | ☆ | ☆ | | | ☆ | | | |
| | | 16 | KNUX 16 04 05R11 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 05L11 | ☆ | ☆ | | | ☆ | ☆ | | |
| | | | KNUX 16 04 10R11 | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 10L11 | ☆ | | | | ☆ | ☆ | | |
| | | | KNUX 16 04 05R12 | ☆ | ☆ | | ☆ | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 05L12 | ☆ | ☆ | | | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 10R12 | ☆ | ☆ | | ☆ | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 10L12 | ☆ | ☆ | | | ☆ | ☆ | ☆ | |
| | | | KNUX 16 04 05F R12 | | | | | | | ☆ | ☆ |
| | | | KNUX 16 04 05F L12 | | | | | | | ☆ | ☆ |
| | | | KNUX 16 04 10F R12 | | | | | | | ☆ | ☆ |
| | | | KNUX 16 04 10F L12 | | | | | | | ☆ | ☆ |
| KNUX 16 04 15F R13 | | | | | | | ☆ | ☆ | | | |
| | | | | P15 | P25 | P10 | P10 | M25 | M35 | M15 | K20 |

Ordering example: 10 pieces KNMX 16 04 05 R-71 4015

For dimensions, see code key on page A16.



This catalogue has been split into smaller parts
to enhance downloading speeds.

If you want to view the next page
please click [HERE!](#)