



Gildemeister GMX 250 / 300 / 400 CDI80-TN340001

Toolholder Program




GMX 250 / 300 / 400 CDI80-TN340001

Coromant Capto® Program




OD clamping unit

C5	C5-RCE80-040000	Standard
C5	C5-LCE80-040000	Standard
C6	343-830111C1064	For quotation




OD clamping unit

C5	C5-RCE80-028082	Standard
C5	C5-LCE80-028082	Standard




OD clamping unit

C6	343-830111C96	For quotation
----	---------------	---------------




OD clamping unit, both sides

C5	C5-RCE80-028082-2	Standard
C5	C5-LCE80-028082-2	Standard




OD clamping unit, both sides

C6	343-830111C71	For quotation
----	---------------	---------------




Face and ID clamping unit

C5	C5-RCI80-000110	Standard
C5	C5-LCI80-000110	Standard
C6	343-830111C73	For quotation



Face and ID clamping unit, long

C5	C5-LCI80-000120	Standard
----	-----------------	----------




Face and ID clamping unit, both sides

C5	C5-RCI80-096110-2	Standard
C5	C5-LCI80-096110-2	Standard
C6	343-830111C385	For quotation


GMX 250 / 300 / 400 CDI80-TN340001

Coromant Capto® Program




OD cutting holder

25	ASH-TNE-CDI80-25	Standard
----	------------------	----------




Cut-off holder for SH 32

SH 32	APB-TNE-CDI80-25	Standard
-------	------------------	----------




Combination toolholder, universal

Ø 40	ABB-TNI-CDI80-40	Standard
------	------------------	----------



Straight drill/milling unit

C5	C5-DNE80-044000-E 1:1	EC	Standard
C5	C5-DNE80-044000-I 1:1	IC 80 bar	Standard
C6	343-830820N2769 1:1	EC	For quotation
C6	343-830820N2770 1:1	IC 80 bar	For quotation



Right angle back set drill/milling unit

C5	C5-DNI80-040110-E 1:1	EC	Standard
C5	C5-DNI80-040110-I 1:1	IC 80 bar	Standard
C6	343-830820N1023 1:1	EC	For quotation
C6	343-830820N1022 1:1	IC 80 bar	For quotation



Plug

CDI80-CP-01	Standard
-------------	----------



Cover

CDI80-CP-02	Standard
-------------	----------

Turning applications

Tool holder	Insert/Tool	Insert
T-Max® P	 > CNMG	
CoroTurn® 107	 > CCMT	
T-Max® P	 > DNMG	
CoroTurn® 107	 > DCMT	
CoroTurn® 107	 > VBMT	
CoroThread® 266	 > 266	
CoroTurn® SL	 > CoroTurn® 107	 > TCMT
CoroTurn® 107		
CoroTurn® 107		
Silent Tools™	 > CoroTurn® 107	 > VBMT
Drill adaptor	 > CoroDrill® 870	 > Exchangeable drill tip
	 > CoroDrill® 881	 > Indexable drilling insert
	 > EasyFix	 > Boring bars
		 > Boring bars
		 > Boring bars

Rotating applications

Tool holder	Insert/Collet/Tool	Insert
Coromant EH	 > CoroMill® 316	
	 > CoroMill® 390	 > R390 
	 > CoroMill® 490	 > 490R 
	 > CoroMill® 216	 > R216 
	 > CoroMill® 300	 > R300 
	 > CoroBore® 824	 > CXS 
	 > CoroBore® 825	 > TCMT 
CoroChuck™ 930	 > Cylindrical collet	 > CoroMill® Plura 
		 > CoroDrill® 860 
ER collet chuck	 > ER collet	 > CoroMill® Plura 
		 > CoroDrill® 860 
CoroMill® 390	 > R390	