



DMG MORI NL/NLX 1500-4000 MC/Y/SMC/SY

Toolholder Program




NL/NLX 1500-4000 MC/Y/SMC/SY

Coromant Capto® Program




OD clamping unit

C4	C4-TRE-MS60A	Standard
C4	C4-TLE-MS60A	Standard




OD clamping unit

C5	C5-TRE-MS60A	Standard
C5	C5-TLE-MS60A	Standard



OD clamping unit

C5	C5-TRE-MS60A-HP	Standard
C5	C5-TLE-MS60A-HP	Standard




OD clamping unit, short

C4	343-830111C326	For quotation
C5	C5-TRE-MS60A-SP	Standard
C5	C5-TLE-MS60A-SP	Standard




OD clamping unit, double, Y axis

C4	C4-TRE-MS60A-YT	Standard
C4	C4-TLE-MS60A-YT	Standard
C5	343-830111C344	For quotation



OD clamping unit, both sides

C4	C4-TRE-MS60A-DT	Standard
C4	C4-TLE-MS60A-DT	Standard



OD clamping unit, both sides

C5	C5-TRE-MS60A-DT	Standard
C5	C5-TLE-MS60A-DT	Standard




OD clamping unit, both sides, double, Y axis

C4	343-830111C322	For quotation
----	----------------	---------------


NL/NLX 1500-4000 MC/Y/SMC/SY

Coromant Capto® Program




Face and ID clamping unit

C4	C4-TRI-MS60A	Standard
C4	C4-TLI-MS60A	Standard
C5	C5-TRI-MS60A	Standard
C5	C5-TLI-MS60A	Standard




Face and ID clamping unit

C5	C5-TRI-MS60A-HP	Standard
C5	C5-TLI-MS60A-HP	Standard




Face and ID clamping unit

C6	C6-TRI-MS60A	Standard
C6	C6-TLI-MS60A	Standard



Face and ID clamping unit, long

C4	343-830111C458	For quotation
C5	C5-TRI-MS60A-ET	Standard
C5	C5-TLI-MS60A-ET	Standard




Face and ID clamping unit, back set

C4	C4-TRI-MS60A-SS	Standard
C4	C4-TLI-MS60A-SS	Standard
C5	C5-TRI-MS60A-SS	Standard
C5	C5-TLI-MS60A-SS	Standard




Face and ID clamping unit, double

C4	C4-TRI-MS60A-XT	Standard
C4	C4-TLI-MS60A-XT	Standard




Face and ID clamping unit, both sides

C4	343-830111C140	For quotation
C5	C5-TRI-MS60A-DT	Standard
C5	C5-TLI-MS60A-DT	Standard




Face and ID clamping unit, both sides, short

C4	343-830111C169	For quotation
----	----------------	---------------




Face and ID clamping unit, both sides, short

C5	343-830111C131	For quotation
----	----------------	---------------



Face and ID clamping unit, both sides, long

C4	343-830111C300	For quotation
C5	C5-TRI-MS60A-DE	Standard
C5	C5-TLI-MS60A-DE	Standard




Face and ID clamping unit, double, both sides

C4	343-830111C712	For quotation
----	----------------	---------------


NL/NLX 1500-4000 MC/Y/SMC/SY

Coromant Capto® Program




Face and ID clamping unit, double, both sides

C4	343-830111C1305				For quotation
----	-----------------	--	--	--	---------------




Cut-off holder, adjustable

SH 32	APB-TNE-MS60A-25				Standard
-------	------------------	--	--	--	----------




Cut-off holder, adjustable, IC

SH 32	APBR-MS60A-25-HP IC 80 bar				Standard
SH 32	APBL-MS60A-25-HP IC 80 bar				Standard




OD drill/milling unit

C4	C4-DNE-MS60A-E	1:1	EC		Standard
C5	C5-DNE-MS60A-E	1:1	EC		Standard




OD drill/milling unit

C4	C4-DNE-MS60A-I	1:1	IC 80 bar		Standard
----	----------------	-----	-----------	--	----------




OD drill/milling unit (10000 RPM)

C4	C4-DNE-MS60A-E-HS	1:1	EC		Standard
----	-------------------	-----	----	--	----------




Face drill/milling unit

C4	C4-DNI-MS60A-E	1:1	EC		Standard
C4	C4-DNI-MS60A-I	1:1	IC 80 bar		Standard
C5	C5-DNI-MS60A-E	1:1	EC		Standard
C5	C5-DNI-MS60A-I	1:1	IC 80 bar		Standard



Face drill/milling unit (10000 RPM)

C4	C4-DNI-MS60A-E-HS	1:1	EC		Standard
C4	C4-DNI-MS60A-I-HS	1:1	IC 80 bar		Standard



Face drill/milling unit, both sides

C4	343-830820N2464	1:1	EC		For quotation
C5	343-830820N2467	1:1	EC		For quotation

Turning applications

Tool holder	Insert/Tool	Insert
T-Max® P	 > CNMG	
CoroTurn® 107	 > CCMT	
T-Max® P	 > DNMG	
CoroTurn® 107	 > DCMT	
CoroTurn® 107	 > VBMT	
CoroThread® 266	 > 266	
CoroTurn® SL	 > CoroTurn® 107	 > TCMT
CoroTurn® 107		
CoroTurn® 107		
Silent Tools™	 > CoroTurn® 107	 > VBMT
Drill adaptor	 > CoroDrill® 870	 > Exchangeable drill tip
	 > CoroDrill® 881	 > Indexable drilling insert
	 > EasyFix	 > Boring bars
		 > Boring bars
		 > Boring bars

Rotating applications

Tool holder	Insert/Collet/Tool	Insert
Coromant EH	 > CoroMill® 316	
	 > CoroMill® 390	 > R390 
	 > CoroMill® 490	 > 490R 
	 > CoroMill® 216	 > R216 
	 > CoroMill® 300	 > R300 
	 > CoroBore® 824	 > CXS 
	 > CoroBore® 825	 > TCMT 
CoroChuck™ 930	 > Cylindrical collet	 > CoroMill® Plura 
		 > CoroDrill® 860 
ER collet chuck	 > ER collet	 > CoroMill® Plura 
		 > CoroDrill® 860 
CoroMill® 390	 > R390	