

## Car Care Product Line

### 3M™ Super Duty Rubbing Compound

- A **heavy cut** (most aggressive), machine applied rubbing compound that effectively removes grade 1000 sand scratches, other coarse scratches and severe oxidation.
- Contains no wax or silicone.



Part Number	Container Size	Containers Per Case
051131-39004	16 oz.	6

### 3M™ Plastic Polish

- Safely removes hairline scratches or other minor imperfections from automotive plastics.
- Cleans and polishes.
- Restores optical clarity.



Part Number	Container Size	Containers Per Case
051131-39010	8 oz.	6

### 3M™ One Step Cleaner Wax Light Oxidation Remover

- Removes most fine scratches, light oxidation, swirl marks and minor stains. (For medium oxidation see PN39066.)
- Leaves deep rich waxed finish.
- Excellent for hand or machine use.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39006	16 oz.	6
051131-39806	1 Gallon	4

### 3M™ Perfect-It™ Show Car Detailing Cloth


- Unique, super-soft micro-texture.
- Great for paint, chrome, glass, dashboards and more.
- Non-linting.
- Clear coat safe.
- Includes one clip strip per case.
- Same as 3M™ Perfect-It™ III Detailing Cloth (PN06016).



Part Number	Each Per Case
051131-39016	12

### 3M™ Imperial™ Hand Glaze

- Developed using a unique combination of paint glossifiers to provide a brilliant, deep, "wet look" show car finish.
- **Show car finish.**
- Contains no wax or silicone.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39007	16 oz.	6

### 3M™ Plastic Cleaner

- Removes fine scratches, stains, or haziness from automotive plastics.
- Follow-up with an application of 3M™ Plastic Polish (PN39010).
- Removes fine scratches.



Part Number	Container Size	Containers Per Case
051131-39017	8 oz.	6

### 3M™ Perfect-It™ Foam Polishing Pad Glaze Swirl Mark Remover

- Quickly removes light surface imperfections, swirl marks, light oxidation, or minor stains while producing a deep rich swirl-free finish.
- **For dark colored cars.** (For light colored cars see PN39109.)
- Excellent for hand or machine use.
- Contains no wax or silicone.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39009	16 oz.	6
051131-39809	1 Gallon	4

### 3M™ Perfect-It™ Show Car Liquid Wax

- Shines and protects new and like new paint finishes, producing a deep rich high gloss, lustrous, durable, "wet look" finish.
- **Ultra high gloss finish.**
- Excellent for hand or machine use.
- Retards UV light damage.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39026	16 oz.	6
051131-39826	1 Gallon	4

## Car Care Product Line

### 3M™ Perfect-It™ Gloss Enhancer

- A quick and easy “spray on/wipe off” product that can recapture that just waxed look and feel.
- **Show car finish touch up.**
- Cleans and shines.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39034	16 oz.	6
051131-39834	1 Gallon	4
051131-39434	4 oz.	25

### 3M™ Tire & Wheel Cleaner

- Quickly, safely and beautifully cleans wheels and tires in one easy step.
- Leaves tires and wheels brilliantly clean.
- Removes brake dust, road tar, grease and grime.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39036	16 oz.	6
051131-39836	1 Gallon	4

### 3M™ Leather & Vinyl Cleaner/Restorer

- Cleans, shines, conditions and protects vinyl, leather, rubber and plastic surfaces.
- Deep cleans dirt and grime.
- Enhances appearance.
- Restores natural sheen.
- Protects surfaces.
- Fresh lemon scent.



Part Number	Container Size	Containers Per Case
051131-39040	16 oz.	6
051131-39840	1 Gallon	4

### 3M™ Rubber Treatment & Tire Dressing

- Restores that deep black “new” look to tires and restores a deep rich natural appearance to exterior rubber bumpers or vinyl moldings.
- Easy to use.
- Cleans and rejuvenates.



Part Number	Container Size	Containers Per Case
051131-39042	16 oz.	6
051131-39842	1 Gallon	4

### 3M™ One Step Cleaner Wax — Medium Oxidation Remover

- Rapidly cleans and removes most fine and medium scratches, surface imperfections, oxidation, and stubborn stains.
- Leaves a deep rich waxed finish.
- Excellent for hand or machine use.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39066	16 oz.	6
051131-39866	1 Gallon	4

### 3M™ Perfect-It™ Foam Polishing Pad Glaze Swirlmark Remover

- Quickly removes very fine scratches, swirl marks, light oxidation, or minor stains while producing a deep rich swirl-free finish.
- **For light colored cars.**  
(For dark colored cars use PN39809.)
- Excellent for hand or machine use.
- Contains no wax or silicone.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39109	16 oz.	6
051131-39819	1 Gallon	4

### 3M™ Perfect-It™ II Rubbing Compound — Paste

- Our most versatile rubbing compound.
- It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots and leaves a fine finish.
- Paste formula.
- **Fine cut.**
- Excellent for hand or machine use.
- Contains no wax or silicone.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39502	18 oz. Net Wt.	6

### 3M™ One Step Paste Cleaner Wax — Light Oxidation Remover

- Cleans and removes minor scratches, light oxidation, swirl marks and stains.
- Paste formulation.
- Leaves a deep rich waxed finish.
- Excellent for hand or machine use.
- Clear coat safe.



Part Number	Container Size	Containers Per Case
051131-39519	17 oz. Net Wt.	6

## Car Care Product Line

### 3M™ Perfect-It™ Show Car Paste Wax



- Shines and protects new and like new paint finishes, producing a deep rich high gloss, lustrous, durable, “wet look” finish.
- Contains 3M™ A.S.P. (Acrylic Silicone Polymer) formulation.
- Provides exceptionally durable, **ultra high gloss finish**.
- Excellent for hand or machine use.
- Retards UV light damage.
- Clear coat safe.

Part Number	Container Size	Containers Per Case
051131- <b>39526</b>	10.5 oz. Net Wt.	6

### 3M™ Chrome & Metal Polish



- Removes surface rust, oxidation, corrosion, and tarnish from chrome, stainless steel and other automotive metals such as brass, bronze or copper.
- Restores luster to automotive metals.

Part Number	Container Size	Containers Per Case
051131- <b>39527</b>	8 oz. Net Wt.	6

### 3M™ Mag & Aluminum Polish



- Safely removes oxidation, water spots, stains, brake dust, and other residue from non-coated magnesium and aluminum wheels.
- Restores lustrous finish.
- Cleans and shines.

Part Number	Container Size	Containers Per Case
051131- <b>39529</b>	8 oz. Net Wt.	6

### 3M™ Bug & Sap Remover



- Removes insect remnants, bird droppings and tree sap.
- Removes wax and glaze residue on moldings.
- Clear coat safe.

Part Number	Container Size	Containers Per Case
051131- <b>39973</b>	16 oz.	6

### 3M™ Tar & Grease Remover



- Removes road tar, grease and oil.
- Excellent for removing wax and adhesive residue.
- Clear coat safe.

Part Number	Net Wt.	Containers Per Case
051131- <b>39987</b>	15 oz.	6


### 3M™ Car Care Wing Display



- A corrugated display 52" tall, 5" deep and 13" wide.
- Holds **up to 12** different 3M™ Car Care part numbered products (two products deep).
- Is not freestanding, can be mounted on peg board or existing end caps.
- **NOTE: PRODUCTS FOR THE DISPLAY MUST BE ORDERED SEPARATELY.**

Part Number	Quantity Per Case
051131- <b>39923</b>	1

### 3M™ Car Care Products Display



- Free-standing metal gondola.
- Specifically designed to display 1 case (6 each) of all the 3M™ Car Care Products.
- Includes header card and shelf labeling strips.
- Requires minimum amount of construction.
- 59" H x 25.5" W x 15" D.
- **NOTE: PRODUCTS FOR THE DISPLAY MUST BE ORDERED SEPARATELY.**

Part Number	Quantity Per Case
051131- <b>39924</b>	1

# WET SANDING

PAINT  
CONDITION

## THE 3M™ PERFECT-IT™ III PAINT FINISHING SYSTEM

### Major advantages and benefits:

Wet sanding with the 3M™ Perfect-It™ III Paint Finishing System includes using 3M™ Imperial™ Wetordry™ Abrasives for improved life and durability, and less curling for ease-of-use. These abrasives come in five grades, to meet a broad range of application needs:

#### GRADE 1000

- Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint

#### GRADE 1200

- Levels orange peel, dust nibs or paint runs in all types of automotive paints
- Appropriate for **light sanding** on refinish lacquer

#### GRADE 1500 and GRADE 2000

- Levels minor dust nibs
- For light sanding of mismatched orange peel on all automotive paints

#### GRADE 2500

- For light sanding on all automotive paints
- For areas that require hand compounding
- For sanding dark-colored paints

Wheel  
Marks

Low Gloss

Light  
Oxidation

Minor  
Scratches

Overspray

Chemical  
Spotting

Heavy  
Oxidation

Orange Peel

Dust Nibs

Acid Rain

Paint Runs

Hard Paints

Heavy Runs  
or Sags

PAINT  
CONDITION

SANDING

COMPOUNDING

MACHINE  
GLAZING

PAINT  
PROTECTION

> > > > > > > >

3M™ Perfect-It™ Foam Polishing Pad  
3M™ Perfect-It™ III Machine Glaze  
3M™ Perfect-It™ Backup Pads

05725 05937



05718 05717

3M™ Perfect-It™ Foam DA Glazing Pad  
3M™ Perfect-It™ III Finishing Glaze  
3M™ Perfect-It™ III Detailing Cloths

05729 05941 06016



> > > >

3M™ Superbuff™ III Buffing Pads  
3M™ Perfect-It™ III Foam Compounding Pad  
3M™ Perfect-It™ III Rubbing Compound  
3M™ Perfect-It™ III Cleaner Clay

05704 2 Plus 2 38070 05933



05703 05734 Rounded-Edge

3M™ Perfect-It™ Foam Polishing Pad  
3M™ Perfect-It™ III Machine Glaze  
3M™ Perfect-It™ Backup Pads

05725 05937



05718 05717

3M™ Perfect-It™ Foam DA Glazing Pad  
3M™ Perfect-It™ III Finishing Glaze  
3M™ Perfect-It™ III Detailing Cloths

05729 05941 06016



3M™ Imperial™ Wetordry™ Paper Sheets

02022  
Micro Fine 1200

02021  
Ultra Fine 1000

02023  
Micro Fine 1500



02045  
Micro Fine 2500

02044  
Micro Fine 2000

3M™ Superbuff™ III Buffing Pads  
3M™ Perfect-It™ III Foam Compounding Pad  
3M™ Perfect-It™ III Rubbing Compounds  
3M™ Perfect-It™ III Cleaner Clay

05704 2 Plus 2 38070 05933



05703 05734 Rounded-Edge 05936

3M™ Perfect-It™ Foam Polishing Pad  
3M™ Perfect-It™ III Machine Glaze  
3M™ Perfect-It™ Backup Pads

05725 05937



05718 05717

3M™ Perfect-It™ Foam DA Glazing Pad  
3M™ Perfect-It™ III Finishing Glaze  
3M™ Perfect-It™ III Detailing Cloths

05729 05941 06016



3M™ Imperial™ Wetordry™ Paper Sheets

02022  
Micro Fine 1200

02021  
Ultra Fine 1000

02023  
Micro Fine 1500



3M™ Superbuff™ III Buffing Pad  
3M™ Superbuff™ Buffing Pad  
3M™ Perfect-It™ III Rubbing Compounds

05700 05933



05703 05936

3M™ Perfect-It™ Foam Polishing Pad  
3M™ Perfect-It™ III Machine Glaze  
3M™ Perfect-It™ Backup Pads

05725 05937



05718 05717

3M™ Perfect-It™ Foam DA Glazing Pad  
3M™ Perfect-It™ III Finishing Glaze  
3M™ Perfect-It™ III Detailing Cloths

05729 05941 06016



SANDING

COMPOUNDING

MACHINE  
GLAZING

PAINT  
PROTECTION



1

# DRY DA S

Sand with DA to remove imperfections

Hard Clear Coats:

- PN05274, 3M™ Hookit™ II Soft Interface Pad
- PN00869, P1000 3M™ Hookit™ II Finishing Film Discs

Soft Clear Coats:

- PN05274, 3M™ Hookit™ II Soft Interface Pad
- PN00868, P1200 3M™ Hookit™ II Finishing Film Discs



00869 3M™ Hookit™ II Finishing Film Discs — P1000 or 00868 3M™ Hookit™ II Finishing Film Discs — P1200



2

# COMPO

Hard Clear Coats:

- PN05703, 3M™ Superbuff™ III
- PN05933, 3M™ Perfect-It™ III Rubbing Compound, or
- PN05936, 3M™ Perfect-It™ III Extra Cut Rubbing Compound

Soft Clear Coats:

- PN05704, 3M™ Superbuff™ III 2 Plus 2 Buffing Pad
- PN05933, or 3M™ Perfect-It™ III Rubbing Compound
- Buff to remove sand scratches completely




3

# MA

- PN05718, 3M™ Perfect-It™ Backup Pad
- PN05725, 3M™ Perfect-It™ Foam Polishing Pad
- PN05937, 3M™ Perfect-It™ III Machine Glaze

- Suggested buffer speed 1800 RPM's
- Make 2 passes with glaze to allow it to cut properly



4

Use with DA:

- PN05739, 3M™ Perfect-It™ Hookit™ II Foam DA Glazing Pad
- PN05941, 3M™ Perfect-It™ III Finishing Glaze

Apply Finishing Glaze and make one pass with DA

- Wipe clean immediately with 3M™ Perfect-It™ III Detailing Cloth, PN06016
- Do one panel at a time



# ANDING



05274 3M™ Hookit™ II  
Soft Interface Pad — 6"

# 3M Perfect-It™ III Paint Finishing System

THE ONLY PAINT  
REFINISHING  
SYSTEM YOU NEED  
FOR PERFECT  
RESULTS,  
FAST.



# UNDING



05703 3M™ Superbuff™ III  
Buffing Pad, 100% Wool or  
05704 3M™ Superbuff™ III  
2 Plus 2 Buffing Pad



05933 3M™ Perfect-It™ III  
Rubbing Compound — 1 Quart

# CHINE GLAZING



05725 3M™ Perfect-It™  
Foam Polishing Pad



05718 3M™ Perfect-It™  
Backup Pad (for use on 3M™ Superbuff™  
Adaptor, PN05710)



05937 3M™ Perfect-It™ III  
Machine Glaze — 1 Quart

# PAINT PROTECTION



06016 3M™ Perfect-It™ III  
Detailing Cloths



05739 3M™ Perfect-It™ Hookit™ II  
Foam DA Glazing Pad — 6 in.



05941 3M™ Perfect-It™ III  
Finishing Glaze — 1 Quart

# Rubbing Compounds

## 3M™ Perfect-It™ III Rubbing Compound

- Superior cut combined with a high-gloss, ultra-fine finish.
- Completely removes sand scratches without filling.
- Easy to detail from doorjamb, cracks and moldings.
- Little spatter and sling makes cleanup a snap.



Part Number	Container Size	Containers Per Case
051131-05933	1 Quart	12
051131-05934	1 Gallon	4

## 3M™ Perfect-It™ III Extra Cut Rubbing Compound

- Fast-cutting/excellent finish.
- Superior compound for cured/problem paints.
- Easy cleanup.



Part Number	Container Size	Containers Per Case
051131-05936	1 Quart	12
NEW 051131-05940	1 Gallon	4

## 3M™ Super Duty Rubbing Compound

- Aggressive compound.
- Remains wet on the job with little or no mess.
- Maintains high rate of cut with constant pressure.
- Buffs to high gloss with minimum of swirl marks.
- Excellent for hand or machine use.



Part Number	Container Size	Containers Per Case
051131-05954	1 Quart	12
051144-05955	1 Gallon	4

## 3M™ Perfect-It™ II Rubbing Compound

- Specially designed medium-cutting compound for removing grade 1200, 1500 and 2000 color sanding scratches in automotive paints including clear coats.
- Unique formulation.
- Produces minimal compound swirl marks while buffing to a high gloss.
- When followed by the 3M™ Perfect-It™ Foam Polishing Pad Glaze, this two-step system delivers a showcar luster in record time.
- Use with 3M™ Perfect-It™ Foam Compounding Pad (PN05723).



Part Number	Container Size	Containers Per Case
051131-05973	1 Quart	12
051131-05974	1 Gallon	4
051131-05983	1 Gallon (Paste)	4

## 3M™ Imperial™ Microfinishing Compound

- Specially formulated medium cut compound.
- For removing grade microfine 1200, 1500 and 2000 sand scratches in automotive paints including clear coat finishes.
- Available in either liquid or paste form.



Part Number	Container Size	Quantity Per Case
051131-06011	1 Quart (Liquid)	12
051131-06021	1 Gallon (Liquid)	4
051131-06031	1 Gallon (Paste)	4

## 3M™ Imperial™ Ultrafinishing Rubbing Compound — Paste

- Aggressive cutting paste compound.
- Use on refinished acrylic lacquer, to remove 3M™ Ultra Fine 1000 sand scratches.



Part Number	Size	Gallons Per Case
051131-06032	1 Gallon	4



## Surface Preparation

### 3M™ Prep and Blend Liquid

- A combination scuffing and cleaning solution.
- Allows Scotch-Brite® Scuff Sponge (PN07442) and Scotch-Brite® Ultra Fine Pad (PN07448) to scuff quicker and easier.
- Contains micro-abrasives which allow a quicker, finer finish.
- Contains a dual-action cleaner which cleans silicones, waxes and waterborne contaminants.



Part Number	Container Size	Containers Per Case
051131-06014	1 Quart	12

### 3M™ Tack Pad Dispenser

- Clean storage.
- Easy dispensing.
- Stores up to fourteen pads.
- Convenient wall mounting.

Part Number	Dispensers Per Case
NEW 051131-07909	1

### 3M™ Tack Pad

- A three-dimensional pad that absorbs dust particles.
- Has good conformability, excellent dust collection and leaves no adhesive transfer.
- Specifically designed for the final step in surface preparation before spraying primers, base coat or clear coat paints.

Part Number	Pads Per Box	Boxes Per Case
NEW 051131-07910	4	6

## Compounding Pads

### 3M™ Superbuff™ Buffing Pad 9"

- Unique double face construction.
- Allows both sides of the pad to be used.
- Built-in lightweight support pad eliminates the need for heavy backup pads.
- Soft usable edge means those hard-to-get-at areas are no longer a problem.
- Edge burn is virtually eliminated.
- Use with 3M™ Superbuff™ Adaptor (PN05710).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051144-05700	24

### 3M™ Superbuff™ III Buffing Pad

- 100% untwisted wool.
- Aggressive, fast-cutting pad.
- Stiffer center hub for more cutting power.
- Double-sided pad.
- Excellent for hard paints.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05703	6

### 3M™ Superbuff™ 2 Plus 2 Pad 9"

- "2 plus 2" features 2 sides to buff with, plus 2 major advantages:
- More flexible — Gets into tight areas and reverse curves more easily.
- Longer life — Provides greater economics to your buffing operation.
- Heavy backup pads are eliminated.
- Lightweight support system built in the pads.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051144-05701	24

### 3M™ Superbuff™ III 2 Plus 2 Buffing Pad

- Blended untwisted wool.
- Stiffer center hub for more cutting power.
- Double-sided pad.
- Less aggressive than 100% wool.
- Use with 3M™ Superbuff™ Adaptor (PN05710).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05704	6

# Compounding Pads

## 3M™ Hookit™ Plus Compounding Pad 9"

- New and improved compounding pad.
- New untwisted wool blend.
- Provides faster rate of cut, better finish and longer pad service life.
- Provides quick change advantages while producing exceptional finishes on today's paint systems.
- Designed to provide easy attachment and removal.
- Accurate centering to the 3M™ Hookit™ Backup Pad (PNs 05717 or 05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



(white)

Part Number	Description	Pads Per Case
051131-05711	Compounding Pad	24

## 3M™ Bolt-On Hookit™ SBS™ Compounding Pad 9"

- Uniquely constructed compounding pad.
- Designed for attachment to conventional backup pad systems (bolted on).
- Heavy-duty construction and reduced lint.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05714	Compounding Pad	24

## 3M™ Perfect-It™ III Compounding Pad 9"


- Single-sided.
- 100% wool pad.
- Untwisted yarn.
- Excellent for hard paints.
- Aggressive fine cutting pad.



Part Number	Description	Pads Per Case
051131-05719	Compounding Pad	24

## 3M™ Perfect-It™ Foam Compounding Pad 8"

- Utilizes a 3M™ patented convoluted foam face.
- When used with 3M™ Perfect-It™ II Rubbing Compound (PNs 05973 or 05974), micro fine 2000 grade scratches are effectively removed from any automotive paint finish leaving an extremely fine finish.
- Easily attaches to 3M™ Backup Pads (PNs 05717 or 05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Bag	Bags Per Case
051131-05723	Foam Compounding Pad	2	12

## 3M™ Perfect-It™ Plus Rounded Edge Foam Compounding Pad 8-3/4"

- Utilizes a 3M™ patented convoluted foam face.
- New rounded edges for added protection.
- Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05731	Foam Compounding Pad	6

## 3M™ Perfect-It™ III Rounded Edge Foam Compounding Pad 8"

- Utilizes a 3M™ patented convoluted foam face.
- Aggressive, fast-cutting pad.
- User friendly lint-free system.
- 3M™ patented design.



Part Number	Description	Pads Per Case
051131-05734	Foam Compounding Pad	6

## 3M™ Perfect-It™ Plus Foam Compounding Pad 8"

- Utilizes a 3M™ patented convoluted foam face.
- New reduced diameter loop attachment backing for added edge protection.
- Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05737	Foam Compounding Pad	6

## 3M™ Finesse-It™ Knit Buffing Pad 3"

- Hook and Loop attachment.
- For compounding and polishing in hard to access areas.
- Use with 3M™ Hookit™ Disc Pad (PNs 05769 or 05770) and 3M™ Perfect-It™ II Rubbing Compound (PN05967) or 3M™ Finesse-It™ II Finishing Material (PN05928).
- For applying wax by machine in hard to access areas use with 3M™ Premium Paste Wax (PN06055).
- For machine glazing use with 3M™ Imperial™ Microfinishing Glaze (PN05992).
- For machine use in small areas use with 3M™ Chrome & Metal Polish (PN39527) or 3M™ Mag & Aluminum Polish (PN39529).



Part Number	Pads Per Case
051144-85078	10

## Compounding Pads Accessories

### 3M™ Superbuff™ Adaptor


- Adaptor for the 3M™ Superbuff™ Buffing Pads (PNs 05700, 05701, 05703, 05704 and 05705).
- Works with 3M™ Perfect-It™ Backup Pad (PN05718).



Part Number	Adaptors Per Case
051144-05710	10

### 3M™ Hookit™ SBS™ Backup Pad

- Designed to be used with 3M™ Compounding Pads (PNs 05711, 05719, and all foam pads).
- Designed to be used with 3M™ Polishing Pads (PNs 05713 and all foam pads).



Part Number	Description	Pads Per Case
051131-05717	Backup Pad	1

### 3M™ Perfect-It™ Backup Pad

- Specially designed backup pad for use with the 3M™ Superbuff™ Adaptor (PN05710).
- Enables 3M™ Superbuff™ Compound Pad users to use the 3M™ Perfect-It™ Foam Polishing Pad without having to remove the 3M™ Superbuff™ Adaptor from the shaft of the polisher.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05718	Backup Pad	1

## Machine Applied Glazes

### 3M™ Finesse-It™ II Finishing Material

- Designed for use on O.E.M. and fully cured automotive paints.
- Can remove Grade Microfine 1500 3M™ Imperial™ Wetordry™ sand scratches.
- Removes swirl marks after compounding, while leaving a glazed finish.



Part Number	Container Size	Containers Per Case
051131-05928	1 Quart	12
051131-05929	1 Gallon	4

### 3M™ Imperial™ Machine Glaze

- Non-silicone, non-wax machine glaze.
- Possesses excellent scratch removal characteristics.
- Superior depth of shine and luster.
- Use by machine to remove swirl marks after compounding acrylic lacquer.
- Formulated to work on all vehicle colors.



Part Number	Container Size	Containers Per Case
051131-05991	1 Quart	12
051131-06001	1 Gallon	4

### 3M™ Perfect-It™ III Machine Glaze

- Quickly removes compound swirl marks.
- Produces a high-gloss, swirl-free finish quickly.
- Easy cleanup.
- Optimized for today's automotive paints.



Part Number	Container Size	Containers Per Case
051131-05937	1 Quart	12
NEW 051131-05938	1 Gallon	4

### 3M™ Imperial™ Microfinishing Glaze

- Machine applied glaze.
- For use on automotive refinish acrylic enamel and urethane paints, air dried from 24 to 48 hours.
- Removes swirl marks left from compounding with 3M™ Imperial™ Microfinishing compounds.
- Use on base coat/clear coat paint systems.



Part Number	Container Size	Quarts Per Case
051131-05992	1 Quart	12

### 3M™ Perfect-It™ III Finishing Glaze

- Hand or DA applied.
- Apply by DA to save time and effort.
- Silicone free.
- Produces a high-gloss, deep-luster durable finish.



Part Number	Container Size	Containers Per Case
051131-05941	1 Quart	12
NEW 051131-05943	1 Gallon	4

### 3M™ Perfect-It™ Foam Polishing Pad Glaze

- Uniquely formulated to remove compound swirl marks.
- Leaves a mark-free finish when applied with the 3M™ Perfect-It™ Foam Polishing Pad.
- Compatible with all types of paint; glazes contain no wax or silicones.
- Both glazes are clear coat safe.
- Identical performance characteristics.
- 3M™ PN05996 provides easier detailing and cleanup on dark colored paints.



Part Number	Size	For Use On Paint Color	Containers Per Case
051131-05995	1 Quart	Light	12
051131-05996	1 Quart	Dark	12

## Polishing Pads

### 3M™ Superbuff™ Polishing Pad 9"

- A double-sided, soft edge polishing pad.
- Specially designed for use with a polisher and glaze.
- Made of extremely fine fibers.
- Produces a high-gloss finish on paint surfaces.
- Features long life, flexibility, lightweight and balance.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051144-05705	24

### 3M™ Hookit™ Polishing Pad 9"

- New and improved polishing pad.
- New untwisted wool blend.
- Provides faster rate of cut, better finish and longer pad service life.
- Provides quick change advantages while producing exceptional finishes on today's paint systems.
- Designed to provide easy attachment and removal.
- Accurate centering to the 3M™ Hookit™ Backup Pad (PNs 05717 or 05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05713	24

### 3M™ Perfect-It™ Foam Polishing Pad 8"

- Utilizes a 3M patented convoluted foam face.
- Produces a mark-free automotive paint surface when used in conjunction with 3M™ Perfect-It™ Foam Polishing Pad Glazes.
- Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Bag	Bags Per Case
051131-05725	2	12

### 3M™ Perfect-It™ Hookit™ Foam Polishing Pad 3"

- Convoluted foam face for cool and swirl-free polishing.
- Easy-on/easy-off 3M™ Hookit™ attachment. Ideal size for getting into hard to reach areas.
- Designed to be used with 3M™ Hookit™ 3" Disc Pad (PNs 05769, 05770) and the 3M™ Finesse-It™ Roloc™ Finishing Pad (PN05924).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Bag	Pads Per Case
051131-05726	10	40

### 3M™ Perfect-It™ Foam Polishing D/A Pad

- Evenly applies finishing glaze.
- Faster glaze application.
- Utilizes a 3M™ patented gentle convoluted foam face.
- Use with 6" dual action sander.
- Use with 3M™ Hookit™ Disc Pad 6".



Part Number	Pads Per Bag	Bags Per Case
051131-05729	2	12

### 3M™ Perfect-It™ Plus Rounded Edge Foam Polishing Pad 8-3/4"

- Utilizes a 3M™ patented convoluted foam face.
- New rounded edges for added protection.
- Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05735	6

### 3M™ Perfect-It™ Plus Foam Polishing Pad 8"

- Utilizes a 3M™ patented convoluted foam face.
- New reduced diameter loop attachment backing for added edge protection.
- Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05738	6

### 3M™ Perfect-It™ Hookit™ II Foam D/A Glazing Pad

- Hookit™ II compatible.
- Evenly applies finishing glaze.
- Faster glaze applications.
- Gentle convoluted foam.
- Use with 6" dual-action sander.



Part Number	Pads Per Bag	Bags Per Case
051131-05739	2	12

### 3M™ Finesse-It™ Knit Buffing Pad 3"

- Hook and Loop attachment.
- For compounding and polishing in hard to access areas.
- Use with 3M™ Hookit™ Disc Pad (PNs 05769 or 05770) and 3M™ Perfect-It™ II Rubbing Compound (PN05967) or 3M™ Finesse-It™ II Finishing Material (PN05928).
- For applying wax by machine in hard to access areas use with 3M™ Premium Paste Wax (PN06055).
- For machine glazing use with 3M™ Imperial™ Microfinishing Glaze (PN05992).
- For machine use in small areas use with 3M™ Chrome & Metal Polish (PN39527) or 3M™ Mag & Aluminum Polish (PN39529).



Part Number	Pads Per Case
051144-85078	10

## Polishing Pad Accessories

### 3M™ Hookit™ SBS™ Backup Pad

- Designed to be used with 3M™ Compounding Pads (PNs 05711 and 05723).
- Designed to be used with 3M™ Polishing Pads (PNs 05713 and 05725).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05717	Backup Pad	1

### 3M™ Perfect-It™ Backup Pad

- Specially designed backup pad for use with the 3M™ Superbuff™ Adaptor (PN05710).
- Enables 3M™ Superbuff™ Compound Pad users to use the 3M™ Perfect-It™ Foam Polishing Pad without having to remove the 3M™ Superbuff™ Adaptor from the shaft of the polisher.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Description	Pads Per Case
051131-05718	Backup Pad	1

## Hand Applied Glazes/Polishes

### 3M™ Perfect-It™ Hand Glaze

- Durable, non-silicone hand glaze.
- For use on all types of automotive paint finishes.
- Finish equal to that of 3M™ Imperial™ Hand Glaze (PNs 05990 and 06000) while providing durability through several (up to five or six) soap and water washes.
- Very easy to apply and remove when used correctly.



Part Number	Container Size	Containers Per Case
051131-05997	1 Quart	12

### 3M™ Liquid Polish

- A new car "get ready" product.
- Refines minor imperfections.
- Leaves a durable, high-gloss finish.
- "Easy-on/easy-off" application characteristics.
- Achieves brilliant shine on any new car automotive finish... single stage or base coat/clear coat.
- Available in an easy dispensing quart bottle.



Part Number	Size	Quarts Per Case
051131-05993	1 Quart	12

### 3M™ Fill 'n Glaze Pink

- For use on dry, freshly painted surfaces for filling swirl marks after compounding.
- Let dry to a haze and wipe off by hand.
- Produces a deep luster finish.



Part Number	Container Size	Containers Per Case
051144-05977	1 Quart	12

### 3M™ Perfect-It™ III Finishing Glaze

- Hand or DA applied.
- Apply by DA to save time and effort.
- Silicone free.
- Produces a high-gloss, deep-luster durable finish.



Part Number	Container Size	Containers Per Case
051131-05941	1 Quart	12
NEW 051131-05943	1 Gallon	4

### 3M™ Imperial™ Hand Glaze

- Non-silicone, non-wax hand glaze.
- Excellent depth of shine.
- Superior luster.
- Use by hand to refine and fill swirls after machine glazing refinish or factory applied paints.
- Specially formulated to work on all colors and can be painted over.



Part Number	Container Size	Containers Per Case
051131-05990	1 Quart	12
051131-06000	1 Gallon	4

## Waxes

### 3M™ Premium Liquid Wax

- Clear coat safe wax.
- Use on all cured paint finishes.
- For use by hand or with an orbital polisher.
- Produces a high-gloss, deep-luster, durable finish on both new and used car paints.
- Special formulation is capable of removing road film or light oxidation from car finishes.
- Heavily oxidized finishes may require compounding with 3M™ Super Duty Rubbing Compound (PN39004) prior to applying wax.



Part Number	Container Size	Containers Per Case
051131-06005	1 Quart	12
051131-06006	1 Gallon	4

## Wipes

### 3M™ Perfect-It™ Wax and Glaze Wipe

- Soft, non-linting wipe.
- Designed for easy application and removal of 3M™ hand-applied waxes and glazes.
- Special non-woven construction will not scratch sensitive dark automotive finishes which have been machine polished with the 3M™ Perfect-It™ Foam Polishing Pad System.



Part Number	Wipes Per Box	Boxes Per Case
051131-06009	125	4

### 3M™ Perfect-It™ Show Car Detailing Cloth

- Unique, super-soft micro-texture.
- Great for paint, chrome, glass, dashboards and more.
- Non-linting.
- Clear coat safe.
- Includes one clip strip per case.
- Same as 3M™ Perfect-It™ III Detailing Cloth (PN06016).



Part Number	Each Per Case
051131-39016	12

### 3M™ Perfect-It™ III Detailing Cloth

- Non-linting.
- Unique micro-textured surface rapidly removes dust, oil and fingerprints.
- Paint-shop safe.
- Durable, washable design allows for reuse.



Part Number	Cloths Per Package	Packages Per Case
051131-06016	6	6

Part Number	Cloths Per Case
051131-06017	50

## Cleaners/Conditioners

### 3M™ Prep Team™ All-Purpose Cleaner

- A powerful water-based cleaner.
- Does not attack paint, aluminum or fabrics.
- Cleansing power can be controlled by the amount of water added to the concentrate.



Part Number	Container Size	Containers Per Case
051144-05946	1 Gallon	4

### 3M™ Prep Team™ All-Purpose Cleaner Applicator Bottle

- Used with 3M™ Prep Team™ All-Purpose Cleaner (PN05946).
- Graduated scale, mixing instructions and directions for use printed on each bottle.



Part Number	Container Size	Containers Per Case
051144-05949	32 oz.	12

### 3M™ Prep Solvent-70

- A water-based solvent used to remove oil, wax, grease and silicone from surfaces prior to coating.
- Effectively cleans metal, primed metal and painted surfaces prior to the application of primer or paint.
- Rated at 70 grams per liter of volatile organic compounds (VOC).
- Currently meets regulations governing VOC emissions of surface preparation solvents.



Part Number	Container Size	Containers Per Case
051135-08983	1 Gallon	4

### 3M™ General Purpose Adhesive Cleaner

- Specially blended solvent.
- Provides easy cleanup of most types of adhesives.
- Quickly removes waxes, road tars, grease, oil and similar materials.
- Will not harm most thoroughly cured automotive paint, vinyl or fabrics when properly used.



Part Number	Container Size	Containers Per Case
051135-08984	1 Quart Can	6
051135-08986	5 Gallon Can	1
051135-08987	15 oz. Aerosol	12

### 3M™ Perfect-It™ III Cleaner Clay

- Safely removes overspray and paint contaminants.
- Use with water-based lubricants.
- Effective on paint, glass and chrome.
- Packed in convenient storage tub.



Part Number	Each Per Case
051131-38070	6

## Putties

### 3M™ Acryl-Green Spot Putty

- Fast-drying, easy-sanding putty.
- Designed for spot repairs.
- Spreads easily.



Part Number	Size/Net Wt.	Tubes Per Case
051144-05960	21 oz. Tube	12

### 3M™ Acryl-Red Glazing Putty

- Good general purpose putty.
- Fills small pinholes and scratches.
- Fills larger areas of imperfections.



Part Number	Size/Net Wt.	Tubes Per Case
051144-05966	21 oz. Tube	12

### 3M™ Acryl-Blue Glazing Putty

- Slow-drying, easy-spreading putty.
- Recommended for filling minor low areas and deeper sand scratches.
- Provides more working time.



Part Number	Size/Net Wt.	Tubes Per Case
051144-05964	21 oz. Tube	12

### 3M™ Super Red Putty

- Self-leveling, easy-to-spread putty.
- Excellent glazing putty.
- Designed to flow into and fill pinholes and scratches.
- A nitrocellulose putty.
- “Long working time” with minimal shrinkage.
- Feathers out to a smooth surface.
- Flows out to eliminate ridges and squeegee lines.
- Sands easily, even after overnight drying.
- Cuts down on extra sanding steps.



Part Number	Size/Net Wt.	Tubes Per Case
051144-05972	21 oz. Tube	12

## Body Shop Cleanup

### 3M™ Detailing Product — Diluter

- Automatically mixes to proper dilution ratios.
- Cost-effective, controlled mixing.
- Preset for five 3M Detailing Products.
- 3M™ All-Purpose Cleaner and Degreaser at 1 to 15 and 1 to 30, 3M™ Glass Cleaner, 3M™ Heavy-Duty Wheel Cleaner and 3M™ Car Wash Soap.

Part Number	Quantity Per Case
NEW 051131-37711	1

### 3M™ Detailing Spray Bottle

- 32-ounce fluorinated bottle.
- Use with 3M™ Spray Trigger Nozzle Head (PN37717).

Part Number	Quantity Per Case
NEW 051131-37716	1

### 3M™ Detailing General Purpose Spray Trigger Nozzle Head

- Use with water-based 3M Detailing Products.
- Long-lasting, adjustable sprayer.
- Red and white color.

Part Number	Quantity Per Case
NEW 051131-37717	1

### 3M™ All-Purpose Cleaner and Degreaser — Concentrate

- Cleaner/degreaser concentrate for exterior and interior cleaning.
- Use for vinyl, cloth or carpet cleaning.
- Body Shop safe, contains no silicones.
- Dilution — 1 part product to 15 parts water for degreasing, doorjamb and pre-spotting carpets.
- Dilution — 1 part product to 30 parts water for general purpose interior cleaning.

Part Number	Container Size	Quantity Per Case
NEW 051131-38350	1 Gallon	4

### 3M™ Heavy-Duty Wheel Cleaner — Concentrate

- Does not contain Hydrofluoric or other strong acids.
- Body Shop safe, contains no silicones.
- Removes brake dust from wheels and rims.
- Use with 3M™ All-Purpose Cleaner and Degreaser for removal of dirt, grease and oil from wheels and rims.
- Effective for removing water spots from exterior painted vehicle surfaces.
- Not recommended for use on non-coated wheels, engines or glass.

Part Number	Container Size	Quantity Per Case
NEW 051131-38374	1 Gallon	4



## Body Shop Cleanup

### 3M™ Car Wash Soap — Concentrate

- Safely removes dirt and grime without removing wax protection.
- Lubricant for 3M™ Perfect-It™ III Cleaner Clay.
- Phosphate-free.
- Body Shop safe, contains no silicones.
- Excellent for wet sanding lubricant.
- Dilution — 1 part product to 100 parts water.

	Part Number	Container Size	Quantity Per Case
NEW	051131-38377	1 Gallon	4
NEW	051131-38378	5 Gallon Pail	1

### 3M™ Glass Cleaner — Concentrate

- Non-streaking formula.
- Ammonia-free.
- Body Shop safe, contains no silicones.
- Dilution — 1 part product to 8 parts water.

	Part Number	Container Size	Quantity Per Case
NEW	051131-38399	1 Gallon	4

### 3M™ Detailing Diluter — Single Product

- Mixes one product to proper dilution ratio.
- Cost-effective, controlled mixing.
- Adjust to mix one of eight 3M™ water-based products.
- Not for glass cleaner, use PN37713.

	Part Number	Quantity Per Case
NEW	051131-37712	1

### 3M™ Glass Cleaner Diluter

- Automatically mixes 3M™ Glass cleaners to proper ratio.
- Use with 3M™ Glass Cleaner or 3M Premium Glass cleaner.
- Cost-effective mixing.

	Part Number	Quantity Per Case
NEW	051131-37713	1

### 3M™ Solvent Spray Trigger Nozzle Head

- Excellent for 3M™ solvent-based products.
- Long-lasting, adjustable sprayer.
- Blue and silver color.

	Part Number	Quantity Per Case
NEW	051131-37718	24

### 3M™ Detailing Squeeze Bottle

- 12-ounce ketchup-style bottle.
- Includes spout top.
- Use for dispensing compounds, glazes, polishes and liquid wax.

	Part Number	Quantity Per Case
NEW	051131-37720	24

### 3M™ Glass Cleaner — Concentrate

- Non-streaking formula.
- Ammonia-free.
- Body Shop safe, contains no silicones.
- Dilution — 1 part product to 8 parts water.

	Part Number	Container Size	Quantity Per Case
NEW	051131-38300	5 Gallon Pail	1

### 3M™ All-Purpose Cleaner and Degreaser — Concentrate

- Cleaner/degreaser concentrate for exterior and interior cleaning.
- Use for vinyl, cloth or carpet cleaning.
- Body Shop safe, contains no silicones.
- Dilution — 1 part product to 15 parts water for degreasing, doorjamb and pre-spotting carpets.
- Dilution — 1 part product to 30 parts water for general purpose interior cleaning.

	Part Number	Container Size	Quantity Per Case
NEW	051131-38351	5 Gallon Pail	1

### 3M™ Heavy-Duty Wheel Cleaner — Concentrate

- Does not contain Hydrofluoric or other strong acids.
- Body Shop safe, contains no silicones.
- Removes brake dust from wheels and rims.
- Use with 3M™ All-Purpose Cleaner and Degreaser for removal of dirt, grease and oil from wheels and rims.
- Effective for removing water spots from exterior painted vehicle surfaces.
- Not recommended for use on non-coated wheels, engines or glass.

	Part Number	Container Size	Quantity Per Case
NEW	051131-38375	5 Gallon Pail	1

# New Car Prep/Used Car Reconditioning

## 3M™ Refresh™ Premium Vinyl & Leather Protectant with Cleaner

- Protects against surface fading and cracking.
- Non-glare, non-greasy.
- Won't attract dust.
- Easy-to-use lotion.



	Part Number	Net Wt.	Scent	Containers Per Case
	051131-03540	8.5 oz.	Forest Fresh	6
	051131-03541	8.5 oz.	Mountain Breeze	6
	051131-03542	8.5 oz.	Citrus Mist	6
NEW	051131-03543	8.5 oz.	Unscented	6
NEW	051131-03544	8.5 oz.	Spring Rain	6
NEW	051131-03545	8.5 oz.	Cucumber Melon	6

## Scotchgard™ Protector for Upholstery

- Protects new or freshly-cleaned cloth or velour upholstery.
- Helps prevent many spills from soaking through the fabric; resists soils and many stains.
- Will not change look, feel or breathability of upholstery.

	Part Number	Size	Cans Per Case
	051131-03572	18.5 oz. Aerosol	6

## 3M™ Spot and Stain Remover

- Deep cleans down to the carpet backing.
- Gets out tough stains like coffee, cola, juice, oil and some pet stains.

	Part Number	Size	Cans Per Case
	051131-03573	16 oz. Aerosol	6

## 3M™ Upholstery and Carpet Cleaner

- Unique formula gently loosens tough stains and dirt.
- Effectively cleans high-traffic and heavily soiled areas.
- Restores and brightens carpet and upholstery.



	Part Number	Size	Cans Per Case
	051131-03574	19 oz. Aerosol	6

## 3M™ Superbuff™ 2 Plus 2 Pad 9"

- "2 plus 2" features 2 sides to buff with.
- More flexible — gets into tight areas and reverse curves more easily.
- Longer life — provides greater economics to your buffing operation.
- Heavy backup pads are eliminated.
- Lightweight support system built in the pads.
- Fits all standard (5/8" shaft) slow-speed polishers.



	Part Number	Pads Per Case
	051144-05701	24

## 3M™ Superbuff™ III Buffing Pad

- 100% untwisted wool.
- Aggressive, fast-cutting pad.
- Stiffer center hub for more cutting power.
- Double-sided pad.
- Excellent for hard paints.
- Fits all standard (5/8" shaft) slow-speed polishers.



	Part Number	Pads Per Case
	051131-05703	6

## 3M™ Superbuff™ III 2 Plus 2 Buffing Pad

- Blended untwisted wool.
- Stiffer center hub for more cutting power.
- Double-sided pad.
- Less aggressive than 100% wool.
- Use with 3M™ Superbuff™ Adaptor (PN05710).
- Fits all standard (5/8" shaft) slow-speed polishers.



	Part Number	Pads Per Case
	051131-05704	6

## 3M™ Superbuff™ Polishing Pad 9"

- A double-sided, soft edge polishing pad.
- Specially designed for use with a polisher and glaze.
- Made of extremely fine fibers.
- Produces a high gloss on paint surfaces.
- Features long life, flexibility, lightweight and balance.
- Fits all standard (5/8" shaft) slow-speed polishers.



	Part Number	Pads Per Case
	051144-05705	24

## 3M™ Superbuff™ Adaptor


- Adaptor for the 3M™ Superbuff™ Buffing Pads (PNs 05700, 05701, 05703, 05704 and 05705).
- Works with 3M™ Perfect-It™ Backup Pad (PN05718).



	Part Number	Adaptors Per Case
	051144-05710	10

## 3M™ Hookit™ Plus Compounding Pad 9"

- New and improved compounding pad.
- New untwisted wool blend.
- Provides faster rate of cut, better finish and longer pad service life.
- Provides quick change advantages while producing exceptional finishes on today's paint systems.
- Designed to provide easy attachment and removal.
- Accurate centering to the 3M™ Hookit™ Backup Pad (PNs 05717 or 05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



	Part Number	Pads Per Case
	051131-05711	24

## 3M™ Hookit™ Polishing Pad 9"

- New and improved polishing pad.
- New untwisted wool blend.
- Provides faster rate of cut, better finish and longer pad service life.
- Provides quick change advantages while producing exceptional finishes on today's paint systems.
- Designed to provide easy attachment and removal.
- Accurate centering to the 3M™ Hookit™ Backup Pad (PNs 05717 or 05718).
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05713	24

## 3M™ Bolt-On Hookit™ SBS™ Compounding Pad

- Uniquely constructed compounding pad.
- Designed for attachment to conventional backup pad systems (bolted on).
- Heavy-duty construction and reduced lint.
- Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads Per Case
051131-05714	24

## 3M™ Hookit™ SBS™ Backup Pad

- Designed to be used with 3M™ Compounding Pads (PNs 05711, 05719 and all foam pads).
- Designed to be used with 3M™ Polishing Pads (PN05713 and all foam pads).



Part Number	Pads Per Case
051131-05717	1

## 3M™ Perfect-It™ Backup Pad


- Specially designed backup pad for use with the 3M™ Superbuff™ Adaptor (PN05710).
- Enables 3M™ Superbuff™ Compound Pad users to use the 3M™ Perfect-It™ Foam Polishing Pad without having to remove the 3M™ Superbuff™ Adaptor from the shaft of the polisher.



Part Number	Pads Per Case
051131-05718	1

## 3M™ Perfect-It™ Foam Compounding Pad 8"

- Utilizes a 3M™ patented convoluted foam face.
- When used with 3M™ Perfect-It™ II Rubbing Compound (PNs 05973 or 05974), micro fine 2000 grade scratches are effectively removed from any automotive paint finish leaving an extremely fine finish.
- Easily attaches to 3M™ Backup Pads (PNs 05717 or 05718).



Part Number	Pads Per Bag	Bags Per Case
051131-05723	2	12

## 3M™ Finesse-It™ II Finishing Material

- Designed for use on O.E.M. and fully cured automotive paints.
- Can remove grade Microfine 1500 3M™ Imperial™ Wetordry™ sand scratches.
- Removes swirl marks after compounding, while leaving a glazed finish.



Part Number	Container Size	Containers Per Case
051131-05928	1 Quart	12
051131-05929	1 Gallon	4

## 3M™ Prep Team™ Liquid Polish

- Can be used by hand or machine.
- Contains a cleaner for removing surface film.
- Contains a wax for protective high-gloss finish.



Part Number	Container Size	Containers Per Case
051144-05939	1/2 Gallon	6

## 3M™ Prep Team™ All-Purpose Cleaner

- A powerful water-based cleaner.
- Does not attack paint, aluminum or fabrics.
- Cleansing power can be controlled by the amount of water added to the concentrate.



Part Number	Container Size	Containers Per Case
051144-05946	1 Gallon	4

## 3M™ Prep Team™ All-Purpose Cleaner Applicator Bottle

- Used with 3M™ Prep Team™ All-Purpose Cleaner (PN05946).
- Graduated scale, mixing instructions and directions for use printed on each bottle.



Part Number	Container Size	Containers Per Case
051144-05949	32 oz.	12

## New Car Prep/Used Car Reconditioning

### 3M™ Super Duty Rubbing Compound

- Aggressive compound.
- Remains wet on the job with little or no mess.
- Maintains high rate of cut with constant pressure.
- Buffs to high gloss with minimum swirl marks.
- Can be used by hand or machine.



Part Number	Container Size	Containers Per Case
051131-05954	1 Quart	12
051144-05955	1 Gallon	4

### 3M™ Perfect-It™ II Rubbing Compound

- Specially designed medium-cutting compound for removing grade 1200, 1500 and 2000 color sanding scratches in automotive paints including clear coats.
- Unique formulation.
- Produces minimal compound swirl marks while buffing to a high gloss.
- When followed by the 3M™ Perfect-It™ Foam Polishing Pad Glaze, (PNs 05995-05996 and 06050-06051), this two-step system delivers a showcar luster in record time.
- Use with 3M™ Perfect-It™ Foam Compounding Pad (PN05723).



Part Number	Container Size	Containers Per Case
051131-05973	1 Quart	12
051131-05974	1 Gallon	4
051131-05983	1 Gallon (Paste)	4

### 3M™ Imperial™ Machine Glaze

- Non-silicone, non-wax machine glaze.
- Possesses excellent scratch removal characteristics.
- Superior depth of shine and luster.
- Use by machine to remove swirl marks after compounding acrylic lacquer.
- Formulated to work on all vehicle colors.



Part Number	Container Size	Containers Per Case
051131-05991	1 Quart	12
051131-06001	1 Gallon	4

### 3M™ Imperial™ Microfinishing Glaze

- Machine applied glaze.
- For use on automotive refinish acrylic enamel and urethane paints, air dried from 24 to 48 hours.
- Removes swirl marks left from compounding with 3M™ Imperial™ Microfinishing compounds.
- Use on base coat/clear coat paint systems.



Part Number	Container Size	Quarts Per Case
051131-05992	1 Quart	12

### 3M™ Perfect-It™ Foam Polishing Pad Glaze

- Uniquely formulated to remove compound swirl marks.
- Leaves a mark-free finish when applied with the 3M™ Perfect-It™ Foam Polishing Pad (PNs 05735 and 05738).
- Compatible with all types of paint; glazes contain no wax or silicones.
- Both glazes are clear coat safe.
- Identical performance characteristics.
- PNs 05996 and 06050 provide easier detailing and cleanup on dark colored paints.



Part Number	Size	For Use On Paint Color	Containers Per Case
051131-05995	1 Quart	Light	12
051131-05996	1 Quart	Dark	12

### 3M™ Premium Liquid Wax

- Clear coat safe wax.
- Use on all cured paint finishes.
- For use by hand or with an orbital polisher.
- Produces a high-gloss, deep-luster, durable finish on both new and used car paints.
- Special formulation is capable of removing road film or light oxidation from car finishes.
- Medium or heavily oxidized finishes may require compounding with 3M™ Light-Duty (PN06049) or 3M™ Heavy-Duty Compound (PN06048), prior to applying wax.



Part Number	Container Size	Containers Per Case
051131-06005	1 Quart	12
051131-06006	1 Gallon	4

## 3M™ Perfect-It™ Wax and Glaze Wipe



- Soft, non-linting wipe.
- Designed for easy application and removal of 3M™ hand-applied waxes and glazes.
- Special, non-woven construction will not scratch sensitive dark automotive finishes which have been machine polished with the 3M™ Perfect-It™ Foam Polishing Pad System.

Part Number	Wipes Per Box	Boxes Per Case
051131-06009	125	4

## 3M™ Imperial™ Microfinishing Compound



- Specially formulated medium cut compound.
- For removing grade microfine 1200, 1500 and 2000 sand scratches in automotive paints including clear coat finishes.
- Available in either liquid or paste form.

Part Number	Container Size	Quantity Per Case
051131-06011	1 Quart (Liquid)	12
051131-06021	1 Gallon (Liquid)	4
051131-06031	1 Gallon (Paste)	4


## 3M™ Imperial™ Ultrafinishing Rubbing Compound — Paste



- Aggressive cutting paste compound.
- Use on refinished acrylic lacquer to remove grade Ultra Fine 1000 sand scratches.

Part Number	Size	Gallons Per Case
051131-06032	1 Gallon	4

## 3M™ Scotch-Mount™ Automotive Acrylic Foam Tape



- A gray, closed cell acrylic foam tape with a red release liner.
- Attaches emblems, nameplates, badges, lightweight moldings and trim.
- Individually packaged in recyclable plastic storage container.
- Not recommended for medium to heavyweight trim attachment. For medium to heavyweight trim attachment 3M recommends our thicker 3M™ Scotch-Mount™ Double-Coated Automotive acrylic Foam Tapes (PNs 06380-06384 and 06397).

Part Number	Color	Size	Thickness	Rolls Per Case
021200-06377	Gray	1/2" x 20 yds.	8 mm	12
		Boxed	.030"	
021200-06378	Gray	7/8" x 20 yds.	8 mm	12
		Boxed	.030"	


## 3M™ Scotch-Mount™ Double-Coated Automotive Acrylic Foam Tape



- O.E.M. approved for the attachment of body side moldings, fascia nerf strips, bumper trim, wheel lip and door edge moldings, claddings and a wide variety of other trim components.
- More durable and much stronger than other foam tapes.
- Resists stress.
- Gives good initial and cold temperature adhesion.
- Individually packaged in a recyclable plastic container.
- For optimum adhesion of plastic parts, use 3M™ Automotive Adhesion Promoter (PN06396).

Part Number	Color	Size	Thickness	Rolls Per Case
021200-06380	White	1/2" x 20 yds.	1.2 mm	12
		Boxed	.045"	
051131-06381	White	7/8" x 20 yds.	1.2 mm	12
		Boxed	.045"	
051131-06382	Gray	1/2" x 20 yds.	1.2 mm	12
		Boxed	.045"	
051131-06383	Gray	7/8" x 20 yds.	1.2 mm	12
		Boxed	.045"	
051131-06384	Gray	1/2" x 5 yds.	1.2 mm	12
		Boxed	.045"	

## 3M™ Automotive Adhesion Promoter



- Liquid primer packaged in convenient, single-use applicator packets.
- Strongly recommended for use with PNs 06380-06397 for the repair of larger exterior body side moldings, trim and claddings, particularly those parts made of injection molded plastics such as TPO and RIM.
- Can be applied on common low surface energy plastics used for automotive dash and interior trim applications (TPO, PPO, PP, PC, PC + ABS, etc.).
- One packet covers approximately 150 square inches of substrate at the recommended coating thickness.

Part Number	Container Size	Quantity Per Box	Boxes Per Case
051131-06396	2.5 cc	25	4

## 3M™ Scotch-Mount™ Nameplate Repair Tape

- Automotive acrylic foam tape.
- Individually boxed.
- Adheres emblems, nameplates, and door edge trim to vehicle surfaces.
- Thinner to offer a flush fit of emblems and nameplates to the vehicle surface.
- For lightweight parts only.
- Not recommended for the repair of body side moldings and heavier weight trim components. For medium to heavyweight trim attachment, 3M recommends our thicker (45-60 mils thick) repair tapes (PNs 06380-06384 and 06397).



Part Number	Color	Size	Thickness	Rolls Per Case
051131-06385	Gray	.23" x 5 yds.	.8 mm	12
		Boxed	.030"	

## 3M™ Scotch-Mount™ Double-Coated Automotive Acrylic Foam Tape

- Gray Acrylic Foam Tape that is .060 inches thick.
- Intended for more demanding attachment applications requiring a thicker tape.
- Ideally suited for attachment of large exterior moldings and claddings such as the injection molded plastic trim on certain Chrysler Town & Country Vans, Dodge Caravans and G.M. Astro Vans which have claddings made of TPO and/or painted RIM materials.
- O.E.M. approved for the attachment of body side moldings, fascia nerf strips, bumper trim, wheel lip and door edge moldings, claddings and a wide variety of other trim components.
- More durable and much stronger than other foam tapes.
- Resists stress with high conformability to compensate for part-to-body mismatch.
- Gives good initial and cold temperature adhesion.
- Use of PN06396 Adhesion Promoter is recommended for plastic and injection molded parts for optimum adhesion.



Part Number	Color	Thickness	Size	Rolls Per Case
051131-06397	Gray	1.5 mm	1/2" x 10	12
		.060"	yds., boxed	

## 3M™ Scotchmate™ and Dual Lock™ Assortment Pack

- An assortment consisting of 1 each of three 3M™ Scotchmate™ Hook and Loop Mini-Packs and three 3M™ Dual Lock™ Mini-Packs.
- Each mini-pack has both sides of the interlocking fastener together in a single, convenient dispenser box.
- You can never run out of ways to use 3M™ Scotchmate™ Hook and Loop and Dual Lock™ Fasteners:
  - Attach carpets and upholstery.
  - Attach electronics.
  - Attach signs.
  - Attach accessories.
  - Hold down floor mats.
  - Hold work lights and tools.



3M™ Scotchmate™ Hook and Loop Fastening Systems



3M™ Dual Lock™ Fastening Systems

## 3M™ Scotchmate™ and Dual Lock™ Assortment Pack (continued)

- Assortment Pack includes 1 each of the 3M™ Scotchmate™/Dual Lock™ Fasteners.
  - White Hook and Loop Sew-on 3M™ Scotchmate™ Fasteners.
  - Black Hook and Loop Sew-on 3M™ Scotchmate™ Fasteners.
  - Black Hook and Loop Pressure-Sensitive 3M™ Scotchmate™ Fasteners.
  - Black 3M™ Dual Lock™ Very-High-Bond Adhesive, UV and Plasticizer Resistant Fasteners.
  - Clear 3M™ Dual Lock™ Very-High-Bond Adhesive, UV and Plasticizer Resistant Fasteners.
  - Black 3M™ Dual Lock™ Pressure-Sensitive Fasteners.

Part Number	Description	Packs Per Case
051131-06462	Assortment Pack	1

## 3M™ Scotchmate™ Hook and Loop Mini-Pack Rolls

- Premium performance adhesive system.
- Attractively packaged for counter display.
- Comprised of two woven nylon strips, one of hook material and one of loop material.
- Five rolls per case.
- Roll size is 1" x 4.9 yds./1 roll each of both sides included.
- Pressure-sensitive rubber adhesive on PNs 06481 and 06488 bonds to most surfaces.



Part Number	Product/Color	Description	Temperature
051131-06464	MP-3401/02 White	Sew-On	250°F Continuous
051131-06465	MP-3401/02 Black	Sew-On	250°F Continuous
051131-06481	MP-3526/27 Black	Pressure-Sensitive	120°F Continuous 158°F Intermittent
051131-06488	MP-3526/27 White	Pressure-Sensitive	120°F Continuous 158°F Intermittent

## 3M™ Scotchmate™ Hook and Loop Fastening System

- Premium performance adhesive system.
- Includes twelve 1" x 12" mated strips.
- Attractively packaged for counter or pegboard display.
- Comprised of two woven nylon strips, one of hook material and one of loop material.



Part Number	Strips Per Box	Boxes Per Case
051131-06480	12	6

## 3M™ Dual Lock™ Mini-Pack Fastening Systems



- Available with pressure-sensitive adhesive.
- Improved tensile strength.
- Best when hundreds of closures are anticipated.
- Solvent and water resistant.
- Available in black or clear.
- Five rolls per case.
- Roll size is 1" x 4.9 yds./1 roll each of both sides included.
- Pressure-sensitive rubber adhesive bonds to most surfaces.

Part Number	Product/Color	Description	Temperature
051131-06483	MP-3541/42 Black	Pressure-Sensitive	120°F Continuous 158°F Intermittent
051131-06484	MP-3551/52 Black	Very-High Bond Scotch® VHB Adhesive, UV and Plasticizer Resistant	Up to 200°F
051131-06463	MP-3560 Clear	Very-High Bond Scotch® VHB Adhesive, UV and Plasticizer Resistant	Up to 200°F

## 3M™ Niagara™ Sponge Cloth

- Cleans like a sponge, wipes like a cloth, and outlasts paper towels.



Part Number	Size	Sponges Per Case
053200-07330	8" x 7-1/8" x 1/8"	24

## Scotch-Brite® Scuff Sponges



- Three-dimensional, non-woven material laminated to a cellulose sponge material conforms to work areas.
- Open construction reduces loading.
- Ideal for scuffing/cleaning on a variety of automotive surfaces.
- Flexible material that may be used wet or dry.
- Hand-held size offers convenience, comfort and reduces waste.
- Designed to be used in hard to reach areas.
- Available in three grades to cover a wide variety of jobs.
  - Scotch-Brite® Clean & Prep Scuff Sponge (PN07439) is a white, buff finish sponge ideally suited for clean and prep applications, sensitive clear coat scuffing and parts cleaning, and cleaning leather and vinyl.
  - Scotch-Brite® General-Purpose Scuff Sponge (PN07441) is a maroon, medium finish sponge suited for primer scuffing and aggressive parts cleaning, and tire and whitewall cleaning.
  - Scotch-Brite® Ultra Fine Scuff Sponge (PN07442) is a gray, fine finish sponge to be used for clear coat scuffing and fine parts cleaning.

Part Number	Description	Finish	Color	Sponges Per Bag	Sponges Per Case
051131-07439	Clean & Prep	Buff	White	10	30
051131-07441	General-Purpose	Medium	Maroon	10	30
051131-07442	Ultra Fine	Fine	Gray	10	30


## 3M™ Commercial Sponge



- Commercial-sized for big jobs when you need a long-lasting, industrial product.

Part Number	Size	Sponges Per Case
053200-07449	6" x 4-1/4" x 1-5/8"	12


## 3M™ Stripe Off Wheel



- Used to remove vinyl decals, striping tapes, and double-sided foam attachment tapes.
- Will not scratch or damage acrylic enamel or urethane paint.
- Not for use on lacquer coatings.
- Designed to be used with common 3/8" pneumatic and electric tools with a 500-4000 RPM speed range.
- Optimum performance achieved around 2000 +/- 200 RPM.

Part Number	Description	Quantity Per Case
051131-07498	Includes attachment hardware	5
051131-07499	Does Not include hardware	5


## 3M™ Roloc™ + Holder



- Allows use of Scotch-Brite® Molding Adhesive and Stripe Removal Discs (PNs 07501-07502) on your tool.
- The 1/4" shank fits into any recommended standard tool.
- Quick and easy to use.
- A simple twist and the disc is attached and ready to use.

Part Number	Size	Quantity Per Case
051131-07500	1" dia. x 1/4" shank	1


## Scotch-Brite® Molding Adhesive and Stripe Removal Disc



- Use to remove vinyl decals, graphics and striping tapes.
- Will not scratch or damage acrylic enamel or urethane paint.
- Long-lasting, unique construction provides optimum disc life.
- No sharp edges to cause damage to surfaces.
- Not recommended for use on acrylic lacquer paints.
- Discs must be run on tools that have proper speed ratings.
  - Required tool speed for 4" discs is 4000 RPM.
  - Required tool speed for 6" discs is 2800 RPM.

Part Number	Size	Quantity Per Case
051131-07501	4" dia. x 3/8"	5
051131-07502	6" dia. x 3/8"	5

## Scotch-Brite® Large Area Stripe Removal (LASR) Disc Assembly




- An 8" diameter, 16 layer version of the existing 3M™ Molding Adhesive and Stripe Removal Disc (PNs 07501 and 07502).
- Designed to be used with a variable speed buffer with a 1500-3000 RPM speed range.
- The approved tool is the Black & Decker Buffmaster #6138.
- Not for use on lacquer coatings.

Part Number	Size	Quantity Per Case
051131-07517	8" dia. x 5/8"	1

## New Car Prep/Used Car Reconditioning

### Scotch-Brite® Large Area Stripe Removal (LASR) Adaptor

- Adaptor to fit the Scotch-Brite® Large Area Stripe Removal Disc Assembly (PN07517) to a tool with a 5/8"-11 shaft.



Part Number	Quantity Per Case
051131-07519	1

### 3M™ Spray Lube

- A clear, flowable, high-performance, general-purpose grease.
- Designed to be water resistant.
- Can be used to lubricate many items including hinges, latches and seat tracks.
- Flows as a liquid then sets up to a uniform coating of grease.



Part Number	Net Wt.	Cans Per Case
051135-08878	11 oz. Aerosol	12

### 3M™ No Cleanup Applicator Gun

- A one-piece metal applicator gun.
- Designed to be used with all 3M™ No Cleanup application nozzles.
- Requires no cleaning.
- Refer to individual product instructions for proper air pressures.



Part Number	Quantity Per Case
051135-08801	1

### 3M™ Release Agent

- Special solvent blend that softens adhesive bonds between automotive weather strip and metal.
- Works rapidly to soften the bond between auto glass and rubber grommets on automobiles and trucks having rubber-set installations.



Part Number	Net Wt.	Cans Per Case
051135-08879	12 oz. Aerosol	12

### 3M™ Rocker Schutz™ Coating Beige

- A fast-drying, paintable, chip-resistant coating for use on motor vehicles that resists weathering, salt spray and abrasion.
- Paintable 30 minutes after application.
- 3M™ Rocker Schutz™ should be applied with our 3M™ Body Schutz™ Applicator Gun (PN08997).



Part Number	Net Wt.	Quarts Per Case
051135-08874	16.5 oz.	6

### 3M™ Undercoating Black

- A multi-purpose coating for undercarriages, wheel wells, frame rails and fenders.
- Designed to protect metal from corrosion and abrasion.
- Can also be used as a sound-dampening coating in door skins.



Part Number	Net Wt.	Cans Per Case
051135-08881	16 oz. Aerosol	6

### 3M™ White Grease — Lithium Lube

- Long-lasting lubrication.
- Easy spray viscosity.
- Won't drip or run.
- Resists "washing out" if exposed to road spray.



Part Number	Net Wt.	Cans Per Case
051135-08875	10.5 oz. Aerosol	12

### 3M™ Underseal™ Rubberized Undercoating Black

- Rapid-drying, rubberized undercoating material in an aerosol container.
- For rustproofing and sound deadening, also for sealing fenders, quarter panels, door panels, repaired sections, welded joints, hoods and decks.
- Sprays easier than other products, maintains proper spray pattern while applying and won't plug the spray nozzle.
- Quick-drying.
- Sound deadening.



Part Number	Net Wt.	Cans Per Case
051135-08883	19.75 oz. Aerosol	6



## 3M™ Glass Cleaner

- Easy to use, quick-acting, non-streaking aerosol glass cleaner.
- Excellent for cleaning glass. This product is also effective for use on plastic, chrome or metal.
- Nonflammable.



Part Number	Net Wt.	Cans Per Case
051135-08888	19 oz. Aerosol	6

## 3M™ Rust Fighter-I Amber — Internal Coating Compound

- Non-hardening compound.
- Designed to coat inner body panels and other metal parts.
- Replaces protection which is applied at factory and destroyed in repair procedures.
- Low odor level permits use indoors.
- Easily applied with 3M™ Rust Fighter-I Application Wand (PN08998).



Part Number	Container Size	Containers Per Case
051135-08891	1 Quart	6

Part Number	Net Wt.	Cans Per Case
051135-08892	18.75 oz. Aerosol	6

## 3M™ Silicone Lubricant — Dry Type

- High-quality silicone lubricant.
- Eliminates rubber squeaks and prevents sticking.
- Contains no petroleum oils to stain fabrics.
- Will not freeze at -28°F.
- Will not degrade at 350°F.
- Seals out moisture.



Part Number	Net Wt.	Cans Per Case
051135-08897	8 oz. Aerosol	12

## 3M™ Woodgrain and Stripe Remover

- For removing woodgrain vinyl and vinyl stripes from acrylic enamel surfaces.
- Jelly-like consistency keeps remover in place on vertical surfaces to promote fast action when sprayed from the aerosol can.
- Saves on repair and repaint.
- For removal of adhesive residue follow up with use of 3M™ Woodgrain and Stripe Adhesive Remover (PN08908).



Part Number	Net Wt.	Cans Per Case
051135-08907	18 oz. Aerosol	6

## 3M™ Woodgrain and Stripe Adhesive Remover

- Cleans off adhesive residue after woodgrain vinyl or vinyl stripes have been removed.
- Fast-acting remover can be used on all acrylic enamel painted metal surfaces.
- Jelly-like consistency keeps remover in place on vertical surfaces to promote fast action when sprayed from the aerosol can.
- Saves on repair and repaint of the metal surface.



Part Number	Net Wt.	Cans Per Case
051135-08908	18 oz. Aerosol	6

## 3M™ No Cleanup High Coverage Body Schutz™ Coating Black

- A product that exhibits greater coverage, better environmental protection and is more durable than other similar coatings.
- One 24-ounce can covers up to 43% more than conventional 32-ounce container.
- Its no cleanup applicator system provides the added benefits of no mess, no clogged guns and absolutely no cleanup.
- It's ready to use every time you are.
- Use with 3M™ No Cleanup Applicator Gun (PN08801).



Part Number	Container Size	Cans Per Case
051135-08964	24 oz. Can	6

## 3M™ Prep Solvent-70

- A water-based solvent used to remove oil, wax, grease and silicone from surfaces prior to coating.
- Effectively cleans metal, primed metal and painted surfaces prior to the application of primer or paint.
- Rated at 70 grams per liter of volatile organic compounds (VOC).
- Currently meets regulations governing VOC emissions of surface preparation solvents.



Part Number	Container Size	Containers Per Case
051135-08983	1 Gallon	4

## 3M™ General Purpose Adhesive Cleaner


- Specially blended solvent.
- Provides easy cleanup of most types of adhesives.
- Quickly removes waxes, road tars, grease, oil and similar materials.
- Will not harm most thoroughly cured automotive paint, vinyl or fabrics when properly used.



Part Number	Container Size	Containers Per Case
051135-08984	1 Quart Can	6
051135-08986	5 Gallon Pail	1
051135-08987	15 oz. Aerosol Can	12

## 3M™ Rust Fighter-I Application Wand

- Developed to provide a reusable, inexpensive means of applying 3M™ Rust Fighter-I (quarts) (PN08891) into hard-to-reach areas.
- 36" tubing is flexible but has a memory to allow easy access to enclosed areas.
- Patented tip provides a 360° to 180° spray pattern.
- Requires no cleanup when used with 3M™ Rust Fighter-I (PNs 08891 and 08892).



Part Number	Quantity Per Case
051135-08998	12

## 3M™ Perfect-It™ III Detailing Cloth

- Non-linting.
- Unique micro-textured surface rapidly removes dust, oil and fingerprints.
- Paint-shop safe.
- Durable, washable design allows for reuse.



Part Number	Cloths Per Package	Packages Per Case
051131-06016	6	6

Part Number	Cloths Per Case
051135-06017	50

## 3M™ Perfect-It™ Show Car Detailing Cloth


- Unique, super-soft micro-texture.
- Great for paint, chrome, glass, dashboards and more.
- Non-linting.
- Clear coat safe.
- Includes one clip strip per case.
- Same as 3M™ Perfect-It™ III Detailing Cloth (PN06016).



Part Number	Each Per Case
051131-39016	12

## Post-it® Quality Flag 680QLTY

- Offers an easy and quick method of identifying areas of concern on many work surfaces.
- Attention-getting color (yellow with black lettering "QUALITY").
- Adheres to any surface without contamination.
- Dispenser holds the flags and offers an automatic pop-up feature. Dispenser size is 1" x 1.7".



Part Number	Flags Per Dispenser	Dispensers Per Case
021200-71450	75	100

## 3M™ Finesse-It™ Knit Buffing Pad 3"

- Hook and Loop attachment.
- For compounding and polishing in hard to access areas.
- Use with 3M™ Hookit™ Disc Pad (PNs 05769 or 05770) and 3M™ Perfect-It™ II Rubbing Compound (PN05967) or 3M™ Finesse-It™ Finishing Material (PN05928).
- For applying wax by machine in hard to access areas use with 3M™ Premium Paste Wax (PN06055).
- For machine glazing use with 3M™ Imperial™ Microfinishing Glaze (PN05992).
- For machine use in small areas use with 3M™ Chrome & Metal Polish (PN39527) or 3M™ Mag & Aluminum Polish (PN39529).



Part Number	Pads Per Case
051144-85078	10