Second Second Second

Release 1, January 2018

3M[™] Speedglas[™] Welding Shield Series 100

Description

- Easy to operate and maintain.
 - Use with 3M[™] Speedglas[™] Welding Filter 100V: Five adjustable dark shades 8-12 and a light shade of 3. Three sensitivity settings.
 - Use with 3M[™] Speedglas[™] Welding Filters 100S-10 and 100S-11 have single dark shades of 10 and 11, respectively, and a light shade of 3.
 - Dark shade can be increased to 13 or 14 using upgrade plates.
- Has three user selectable levels of detector sensitivity to ensure a reliable arc detection.
- Has excellent visibility in light state, shade 3, for easy welding preparation and after treatment.
- Multiple adjustments for highest comfort on helmet and headband.
- Can be used in conjunction with many reusable and maintenance-free respirators for welding.

Common Applications

When used with recommended filters, are designed for most welding processes such as:

- MMA
- MIG/MAG
- TIG
- Plasma welding

i IMPORTANT NOTE

Always wear ANSI approved safety spectacles as primary eye protection. Welding helmets are considered secondary eye protection.

Approvals/Standards

- ANSI Z87.1
- ANSI Z89.1 (when used with a hard hat)
- CSA Z94.3

Equipment Markings

Additional Markings

Shall be disposed of as electrical and electronic waste



Read the instructions before use



Limitations of Use


- Only use with original 3M branded spare parts and accessories listed in the user instructions and within the usage conditions given in the technical specifications.
- The use of substitute components, decals, paint or other modifications not specified in these user instructions might seriously impair protection and may invalidate claims under the warranty or cause the product to be noncompliant with protection classifications and approvals.
- Eye protectors worn over standard ophthalmic spectacles may transmit impacts thus creating a hazard to the wearer.
- Use of this product in applications outside its intended use, such as laser welding/cutting, may result in permanent eye injury and vision loss.
- Severe burn injuries may result if these welding helmets are used for heavy-duty overhead welding applications where there is a potential for falling molten metal.
- Should the product fail to switch to the dark state in response to an arc, stop welding immediately and inspect the welding filter as described in the instructions. Continued use of a welding filter that fails to switch to the dark state may cause temporary vision loss. If the problem cannot be identified and corrected, do not use the welding filter, contact your supervisor, distributor or 3M for assistance.
- Materials which may come into contact with the wearer's skin are not known to cause allergic reactions to the majority of individuals. These products do not contain components made from natural rubber latex.
- Flashing light sources (i.e. flash tube strobe lights, safety warning lights, etc.) can trigger the welding filter causing it to flash even when no welding is occurring. This is inherent with all auto-darkening filter technology. This interference can occur from long distances and/or from reflected light.
- Welding areas must be shielded from such interference, or replace lights with an LED strobe light.

| Description | Value | | |
|--|--|--|--|
| Approximate Weight (including filter) | 440 g (15.5 oz) | | |
| Viewing Area | 100V Filter: 1.73 x 3.66 in (45 x 93 mm) 100S Filter: 1.73 x 3.66 in (45 x 93 mm) | | |
| Switching Time (light-dark) | 0.1 ms (+23° C) | | |
| UV/IR Protection | Shade 12 (permanent) | | |
| Light State | Shade 3 | | |
| Dark State | 100V Filter: Shade 8-12 100S Filter: Shade 10 or 11 | | |
| Fail/Safe State | Shade 5 | | |
| Battery Type | Lithium 3V Type CR2032 (2) | | |
| Battery Lifetime | 100V Filter: 1500 hours 100S Filter: 1500 hours | | |
| Operating Temperature | 23°F to 131°F (-5°C to +55°C) | | |
| Head Size | 50 – 64 cm (6.25 - 8 in) | | |
| Material Shield: Silver front frame: Headband: Faceseal: | PPA PA PA, PP, TPE, PE 50% Polyester, 50% Cotton | | |

Technical Specifications

Spare Parts and Accessories

| Part Number | Description | Part Number | Description | | |
|--------------------|--|--------------|--|--|--|
| Spare Parts | | | | | |
| 07-0012-10BL | Speedglas welding helmet 100 Black with welding filter 100S-10 | 07-0012-31RD | Speedglas welding helmet 100 Razor Dragon* | | |
| 07-0012-11BL | Speedglas welding helmet 100 Black with welding filter 100S-11 | 07-0012-31RS | Speedglas welding helmet 100 Raging Skull* | | |
| 07-0012-31AH | Speedglas welding helmet 100 Aces High* | 07-0012-31SE | Speedglas welding helmet 100 Steel Eyes* | | |
| 07-0012-31BL | Speedglas welding helmet 100 Black* | 07-0012-31SJ | Speedglas welding helmet 100 Skull Jewels* | | |
| 07-0012- 31BLQR | Speedglas welding helmet 100-QR with 3M hard hat H-701* | 07-0012-31SR | Speedglas welding helmet 100 Steel Rose* | | |
| 07-0012-31BY | Speedglas welding helmet 100 Boneyard* | 07-0012-31TB | Speedglas welding helmet 100 Tribute* | | |
| 07-0012-31BZ | Speedglas welding helmet 100 Blazed* | 07-0012-31TW | Speedglas welding helmet 100 Trojan Warrior* | | |
| 07-0012-31FC | Speedglas welding helmet 100 Future Combatant* | 07-0012-31WP | Speedglas welding helmet 100 Wild-N-Pink* | | |
| 07-0012-31IH | Speedglas welding helmet 100 Ice Hot* | 07-0012-31XT | Speedglas welding helmet 100 Xterminator* | | |



| 02-0024-00 | Sweatband, cotton fleece with padding | 06-0500-57 | Magnification plate 20x |
|------------|---|--------------|--|
| 02-0024-01 | Sweatband, leather | 06-0500-58 | Magnification plate 25x |
| 02-0690-00 | Throat protection, black/grey | 06-0500-59 | Magnification plate 30x |
| 04-0023-02 | 3M hard hat H-701R (unvented) | 06-0700-83 | Full Hood, black/grey |
| 04-0290-00 | Inside protection plate, 5/case | 07-0000-10 | Speedglas welding filter 100S-10, shade 10 |
| 04-0290-01 | Inside protection plate, +1 shade, 5/case | 07-0000-11 | Speedglas welding filter 100S-11, shade 11 |
| 04-0290-02 | Inside protection plate, +2 shade, 5/case | 07-0000-31 | Speedglas welding filter 100V, shade 8-12 |
| 04-0320-00 | Batteries, 2/case | 07-0012-00BL | Welding helmet black, without welding filter, without headband |
| 05-0370-00 | Battery cover | 07-0024-02 | Sweatband, fleece, 2/case |
| 05-0655-00 | Comfort headband with assembly parts | 07-0200-51 | Outside protection plate, standard, 10/case |
| 05-0660-00 | Assembly parts for headband | 07-0200-52 | Outside protection plate, scratch resistant, 10/case |
| 06-0500-56 | Magnification plate 15x | 07-0200-53 | Outside protection plate, high temperature, 10/case |

3M Personal Safety Division

| Part Number | Description | Part Number | Description |
|--------------|------------------------------------|---------------------|--|
| 07-0212-00SV | Silver front frame 100 | 06-0114-00QR | Rubber friction pads for quick release rail |
| 07-0680-00 | Holder for magnifier, 2/case | 07-0112-00BL- QR | Welding helmet 100-QR without quick release rail, without welding filter, without hard hat |
| 18-0099-68 | Throat and side protector, leather | 07-0114-00BL- QR | Welding helmet 100-QR with quick release rail, without welding filter, without hard hat |
| 06-0014-00QR | Quick release rail for hard hat | | |

*With Speedglas welding filter 100V

(i) IMPORTANT NOTE

Before use, the wearer must read and understand the User Instructions provided as part of the product packaging.

Personal Safety Division

3M Center, Building 235-2W-70 St. Paul, MN 55144-1000

3M PSD products are occupational use only.

 In United States of America

 Technical Service:
 1-800-243-4630

 Customer Service:
 1-800-328-1667

 3M.com/workersafety
 In Canada

 Technical Service:
 1-800-267-4414

 Customer Service:
 1-800-364-3577

 3M.ca/Safety
 1-800-364-3577

© 3M 2018. All rights reserved. 3M and Speedglas are trademarks of 3M Company and affiliates. Used under license in Canada. All other trademarks are property of their respective owners. Please recycle. Release 1, January 2018

