SAWS

Stanley has been at the forefront of promoting the use of portable hand saws. Today, the company offers nearly 60 different types and sizes of hand saws for cutting almost everything from woods studs, gypsum wallboard and metal rods to plastic pipe, hardwood flooring and tree limbs.

While some of today's tool manufacturers have greatly reduced the number of hand saws they make-some even eliminating them altogether - Stanley continues to push forward, constantly developing new and long-lasting saws. This determination has created a large and incredibly loyal customer base and made Stanley one of the largest hand saw manufacturers in the world.


The Stanley hand saw line includes carpenter's hand saws and panel saws, backsaws and compass saws, and Japanese-style pull saws. If you've got something to cut, chances are there's a Stanley handsaw that can cut it.

THE REPORT OF THE PARTY OF THE Some of the many noteworthy enhancements available on a Stanley handsaw include: precision-ground, razor-sharp teeth; thick, rigid blades that cut straighter with less binding; induction-hardened teeth that stay sharper 5 times longer than standard teeth; over-molded rubber hand grips; and BladeArmor™, a durable composite blade coating that provides 2 times more rust resistance, six times more abrasion protection and 50 percent less friction than standard lacquered blades.

Stanley also developed the revolutionary InstantChange™ feature, which allows you to quickly and easily remove the saw blade from the handle and replace it with any one of 7 different blades. With this versatile saw, you can go from trimming roof rafters one minute to removing tree limbs the next.

The engineers at Stanley have even found a way to improve the performance of even the most modest of hand saws. With more than a dozen models available, Stanley is the go-to source when you need to cut metal. It makes standard, flat-frame hacksaws, as well as high-tension tubular frame saws and low-profile hacksaws for cutting in cramped quarters. Stanley also makes the famous and very popular Mini-Hack™ Utility Saw, which is indispensable for cutting in tight spaces and narrow crevices.

Finally, to complement its diverse line of handsaws, Stanley offers a collection of portable miter boxes, which provide a guick, accurate way to make square cross cuts and angled miter cuts.





STANLEY



FatMax Xtreme® Hand Saw System

- InstantChange[™] feature makes for easy blade changes in a matter of seconds
- Interchangeable saw/blade system allows the user to alternate use between 7 different blades, depending on the application
- Double-locking mechanism provides a secure blade before, during and after use
- Tri-material handle features aluminum construction for durability and soft grip for user comfort

	30it grip	ioi usei co	Jillort							
SKU#	DESCRIPTION	DESCRIPTION								
20-235	System includes: Handle, 20-239 and 20-240 blades						076174202359			
20-104	Saw Handle						076174201048			
BLADES	S									
SKU#	DESCRIPTION	BLADE LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC			
20-237	Aggressive cut blade with BladeArmor™ coating	15	9	8	4	16	076174202373			
20-238	Aggressive cut blade with BladeArmor™ coating	20	9	8	4	16	076174202380			
20-239	Fine finish blade with lacquer coating	15	12	11	4	16	076174202397			
20-240	Aggressive cut blade with lacquer coating	15	9	8	4	16	076174202403			
20-241	Fine finish blade with lacquer coating	20	12	11	4	16	076174202410			
20-242	Fine finish backsaw blade with lacquer coating	14	12	11	4	16	076174202427			
20-243	Aggressive pruning saw blade with lacquer coating	15	8	7	4	16	076174202434			



FatMax® Saws with BladeArmor™ Coating

- BladeArmor™ coating protects the blade with 2X more rust protection, 6X more abrasion protection and 50% less friction (compared to Stanley® lacquered saws)
- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] hand saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Thick, ergonomically designed tri-material handle resists slipping and adds comfort

SKU#	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
31.0 #	IN.	MM	PER IN.	PER IN.	QTY	QTY	OFC
20-046	15	381	9	8	_	4	076174200461
20-047	20	508	9	8	_	4	076174200478




FatMax® Saw

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Thick, ergonomically designed grip resists slipping and adds comfort
- Back of saw can be used to mark 45° and 90° angles

SKU#	BLADE	LENGTH	POINTS	TEETH	вох	CARTON	UPC
	IN.	MM	PER IN.	PER IN.	QTY	QTY	UFG
20-045	15	381	9	8	_	4	076174200454

Finish Cut SharpTooth™ Saws

- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley® Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- · Ergonomically designed one-piece handle





- · Aggressive multipurpose saw for fast cutting
- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley® Hand Saws
- Induction-hardened teeth stay sharp up to 5 times longer than standard teeth
- Hardwood handle provides comfort and control

SKU#	BLADE	LENGTH	POINTS	TEETH	вох	CARTON	UPC
3KU #	IN.	MM	PER IN.	PER IN.	QTY	QTY	UFG
15-085	15	381	9	8	_	4	076174150858
15-087	20	508	9	8	_	2	076174150872

Finish Cut SharpTooth™ Saw

- · Multipurpose saw for a high-quality finish
- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley® Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- · Hardwood handle provides comfort and control

CVII #	BLADE LENGTH		POINTS	TEETH	вох	CARTON	HDC
SKU#	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC
20-065	26	660	12	11	_	2	076174200652

SharpTooth™ Saws

- Aggressive three-sided tooth design cuts 50% faster than conventional hand saws
- Teeth can be resharpened
- Select hardwood handle provides comfort and control
- Back of saw can be used to mark 45° and 90° angles

SKU#	BLADE LENGTH		POINTS	TEETH	вох	CARTON	HDC
	IN.	MM	PER IN. PER IN.		QTY	QTY	UPC
15-334	15	381	9	8		4	076174153347
15-335	20	508	9	8	_	4	076174153354









SharpTooth™ Tool Box Saw

- Fast cuts on push and pull strokes
- · Precision-ground, razor-sharp teeth
- Molded plastic handle provides comfortable grip
- Back of saw can be used to mark 45° and 90° angles

SKU#	# BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
310#	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC
15-579	15	381	9	8	_	4	076174155792



General Purpose SharpTooth™ Saws

- Aggressive multipurpose saw with induction-hardened teeth
- Fast cuts on push and pull strokes
- Contoured sturdy handle designed for comfort and control
- Handle offers a square/miter feature with 45° and 90° angles

SKU#	BLADE	LENGTH	POINTS	TEETH	вох	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UPC
20-028L	15	381	9	8	_	4	076174200287
20-029L	20	508	9	8	_	4	076174200294
15-775	20	508	9	8	_	6	076174157758
15-726	26	660	8	7	_	6	076174157260



Tool Box Saw

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] hand saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Sturdy handle designed for comfort and control

SKU#	BLADE	BLADE LENGTH POINTS TEETH		вох	CARTON	UPC	
3KU#	IN.	MM	PER IN.	PER IN.	QTY	QTY	UFC
20-222	15	381	9	8	_	4	076174202229



Fine Finish SharpTooth™ Utility Saw


- Multipurpose saw for a high-quality finish
- 10" blade is ideal for access in tight spaces
- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- · Hardwood handle is contoured to fit the hand comfortably

SKU#	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC
20-221	10	254	12	11	_	6	076174202212

FatMax® Compass Saw


- Heat-treated, triple-ground teeth for excellent cutting performance
- Heavy-duty screws for secure blade-to-handle assembly
- · Solid, one-piece bi-material handle delivers durability and comfort





FatMax® Pull Saws

- · Flexible blade for flush and finish cuts
- Quick-change blade to handle assembly
- Thin blade for cutting accuracy and clean finish



SKU	DESCRIPTION	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
JILU 1	DESCRIPTION	IN.	MM	PER IN.	PER IN.	QTY	QTY	010
20-50	Single Edge Pull Saw	9	229	15	14	4	24	076174205008
20-50	Double Edge Pull Saw	9-1/2	241	8 & 15	7 & 14	4	24	076174205015
20-50	Single Edge Pull Saw Replacement Blade	9	229	15	14	4	24	076174205091
20-51	Double Edge Pull Saw Replacement Blade	9-1/2	241	8 & 15	7 & 14	4	24	076174205169

FatMax® Mini Flush Cut Pull Saw

- Flexible blade for flush cutting plugs and dowels
- 23-point tooth geometry cuts quickly and cleanly on the pull stroke
- Designed for trimming through tenon or lap joints
- · Double-sided blade for convenient cutting from the left or the right
- Ergonomically designed cushion grip handle for comfort

CVII #	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
SKU#	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
20-331	4-3/4	121	23	22	6	36	076174203318

FatMax® Reversible Flush Cut Saw

- . Designed for precise cutting including dovetails, small joints and cutoff
- Spring-loaded pin allows blade to reverse quickly for left or right cutting
- Reversible handle provides access in close quarters
- Extra-wide blade (3") for fine woodworking
- Steel back prevents bowing for true straight cuts
- Ergonomically designed cushion grip handle for comfort

SKU#	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC
15-252K	10	254	15	14		8	076174152524







FatMax® Finish Cut Flooring Saw

- Used specifically for laminated flooring, floorboards and tongue-andgroove products
- Premium S2 steel blade provides great strength for a long life
- Heavy-duty screws for secure blade-to-handle assembly
- · Solid, one-piece bi-material handle delivers durability and comfort

CVII #	BLADE	BLADE LENGTH		TEETH	TEETH BOX		UPC
SKU#	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC
17-204	12	305	14	13	4	24	076174172041



FatMax® PVC Saw

- Unique tooth form reduces burring for excellent cutting performance
- Premium S2 steel blade provides great strength for a long life
- · Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

SKU#	BLADE	BLADE LENGTH		TEETH	вох	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC
17-206	12	305	14	13	4	24	076174172065



FatMax® Coping Saws

- Hardened, tempered blade provides clean, controlled cutting action
- · Ergonomically designed cushion grip handle for comfort

CNII #	BLADE	LENGTH	FRAME	POINTS	TEETH	вох	CARTON	UPC
SKU#	IN.	MM	DEPTH	PER IN.	PER IN.	QTY	QTY	UPG
15-104	6-3/8	162	4-3/4	16	15	6	6	076174151046
15-106	6-3/8	162	6-3/4	16	15	6	6	076174151060
15-106A (Carded with 3 blades)	6-3/8	162	6-3/4	16	15	6	6	076174151061

Coping Saw Blades

· Strong, flexible and long lasting

SKU#	NUMBER OF	BLADE I	LENGTH	POINTS	TEETH	вох	CARTON	UPC	
	BLADES	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC	
15-058	4	6-1/2	165	11	10	10	50	076174150582	
15-059	4	6-1/2	165	21	20	10	50	076174150599	
15-061	4	6-1/2	165	16	15	10	50	076174150612	

FatMax® Jab Saw

- SharpTooth[™] Saw Technology cuts on push and pull strokes and is up to 50% faster than traditional tooth designs
- Sharpened tip punches through drywall with ease
- · Hardened, tempered blade for cutting life
- Excellent for wood, plastic and drywall
- Slip-resistant handle is designed for strength and durability



CVII #	BLADE	BLADE LENGTH		TEETH	вох	CARTON	UPC
SKU#	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UPG
20-556	6	152	9	8	6	36	076174205565

Cushion Grip Jab Saw

- Fully hardened, tempered blade is designed for long cutting life
- · Sharp tip makes plunge cuts easy
- Teeth are engineered to cut fast and prevent clogging
- Ergonomically designed curved handle is cushioned for comfort



CVII #	BLADE	BLADE LENGTH		TEETH	TEETH BOX		UPC
SKU#	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UPG
15-556	6	152	9	8	6	36	076174155563

Wood Handle Jab Saw

- · Designed especially for making cuts in plasterboard
- Self-starting point sharpened for plunge cuts
- Blade is epoxy-bonded and ferruled to the handle for a connection that is three times as durable as non epoxy bonded blades



	SKU#	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
		IN.	MM	PER IN.	PER IN.	QTY	QTY	UFG
	15-206	6	152	9	8	_	6	076174152067

SharpTooth™ Drywall Saw

- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley® Hand Saws
- Induction-hardened teeth hold up against abrasive drywall materials
- Hardwood handle for durability and comfort







FatMax® High-Tension Hacksaw

- Durable, one-piece body is designed for ultra-high tension of 32,000 psi
- Pre-tensioning mechanism holds blade in place for quick and easy blade changes
- Thumb-dial adjustable tension mechanism allows for tension memory
- Large cutting capacity up to 4-3/4" throat depth for extra-deep cutting
- Power load sliding tension delivers leverage when increasing tension and control when releasing blade
- · Contoured handle and front thumb grip are ergonomically designed for control
- Blade can be positioned at 45° or 90° cutting angle

CVII #	DEPTH OF THROAT		BLADE LENGTH		вох	CARTON	LIDC
SKU#	IN.	MM	IN.	MM	QTY	QTY	UPC
20-531	4-3/4	121	12	305	2	4	076174205312



High-Tension Hacksaw

- Single-action blade tensioning device is easy to use, retains tension memory and can be adjusted to apply varying tension to the blade
- Quick-release lever allows for fast blade changes
- · Rigid metal internal beam construction for stability and strength
- Molded bi-material, impact-resistant composite frame absorbs shock
- Ergonomically designed contoured handle and front thumb grip to give precise control
- 45° and 90° cutting angles for flexibility of cutting needs

CVII #	DEPTH O	DEPTH OF THROAT		LENGTH	вох	CARTON	UPC	
SKU#	IN.	MM	IN.	MM	QTY	QTY	UPG	
20-115	5	114	12	305	_	2	076174201154	



High-Tension Hacksaw

- Rugged design for heavy-duty use
- Fully adjustable tension holds blade up to 32,000 psi delivers fast, accurate cuts and long blade life
- Blade storage is integrated into frame
- · Quick-release, blade-changing mechanism in handle maintains tension setting
- Blade can be positioned at 45° or 90° cutting angle

CVII #	DEPTH OF THROAT		BLADE	LENGTH	вох	CARTON	HDC
SKU#	IN.	MM	IN.	MM	QTY	QTY	UPC
15-113	3-7/8	98	12	305	2	12	076174151138



High-Tension Hacksaw and Metal Mini-Hack™ Utility Saw

- Pack includes 2 hacksaws that are ideal for cutting metal and plastic
- Rugged design for heavy-duty use
- · Quick-release, blade-changing mechanism in handle maintains tension setting
- Metal Mini-Hack[™] is lightweight, comfortable and durable
- Metal Mini-Hack[™] handle covers blade to help protect user's hands

SKU#	DESCRIPTION	DEPTH OF THROAT		BLADE LENGTH		вох	CARTON	UPC
3KU #	DESCRIPTION	IN.	ММ	IN.	MM	QTY	QTY	UPG
20, 026	High-Tension Hacksaw	4	102	12	305	4		076174200262
20-036	Metal Mini-Hack™ Utility Saw	_	_	10	254	4	O	076174200362



High-Tension Low-Profile Hacksaw

- Arc-shaped frame enables cutting in hard-to-reach areas
- · 4" throat depth cuts large PVC pipes
- Heavy-duty, lightweight, die-cast aluminum I-beam frame provides strength and durability
- Ergonomically designed handle for comfortable use
- Tension knob makes blade tension adjustment easy
- 45° and 90° cutting angles add flexibility



SKU#	DEPTH O	F THROAT	BLADE LENGTH		вох	CARTON	UPC
3KU #	IN.	ММ	IN.	MM	QTY	QTY	UPC
20-001	4	102	12	305	_	4	076174200010

Composite Hacksaw

- Steel I-beam frame construction
- Frame made from high-impact polymer with steel core
- · Easy-open lever for quick and easy blade change
- Sloped nose for access into tight, hard-to-reach places
- Ergonomically designed non-slip grip
- High-tension blade for straight accurate cuts
- 4" depth of cut



	SKU#	DEPTH O	F THROAT	HROAT BLADE LENGTH BOX		CARTON UPC		
	3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UFG
ļ	15-892K	4	102	12	305	_	6	076174158922

Tubular Frame Hacksaw

- Heavy-gauge tubular nickel-plated steel frame provides handy holding compartment for extra blades
- Rugged cast handle with guard designed to help protect knuckles



SKU#	DEPTH O	F THROAT	BLADE LENGTH		вох	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UFC
15-408	3-7/8	98	10	254	2	12	076174154085

Rubber Grip Hacksaw

- Easy adjustment of frame for 10" and 12" blades
- · Rigid steel frame with molded cushion grip
- D-shape guard helps protect hands and knuckles



SKU#	DEPTH OF THROAT		BLADE LENGTH		вох	CARTON	UPC	
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UPG	
45.005	2.7/0	00	10	254			070174150054	
15-265	3-7/8	98	12	305	_	6	076174152654	



Metal Fixed Frame Hacksaw

- Sturdy all-metal frame
- Easy blade loading
- Full grip helps protect knuckles

SKU#	DEPTH O	F THROAT	BLADE	BLADE LENGTH		CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UPC
15-285	4	102	10	254	_	6	16174152852



Adjustable Blade Hacksaw

- Rugged plated steel frame
- Fits 10" and 12" blades
- · Comfort pistol-grip handle

CVII #	DEPTH O	DEPTH OF THROAT		BLADE LENGTH		CARTON	HDC	ı
SKU#	IN.	ММ	IN.	ММ	QTY	QTY	UPC	ı
4E ECE	2.2/4	70	10	254		c	076174155655	
15-565 2-3/4		70	12	305	-	0	076174155655	



Metal Mini-Hack™ Utility Saw

- · Cast-aluminum handle is lightweight, comfortable and durable
- Handle covers blade to help protect user's hands

SKU#	BLADE	LENGTH	вох	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFG
15-809	10	254	6	36	076174158090



Mini-Hack™ Saw

- Ergonomically designed grip with thumb rest for maximum comfort
- Handle covers blade to help protect user's hands

SKU#	BLADE	LENGTH	вох	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFG
20-807	10	254	6	36	076174208078



FatMax® Multi Saw with Reciprocal and Hack Blades

- Includes both wood cutting and metal cutting blades
- Works with any standard reciprocal or hacksaw blades
- Durable tension nut quickly and easily allows blade changes
- Designed for sawing in confined spaces
- Ergonomically designed cushion grip handle for comfort

SKU#		NUMBER OF Blades	BLADE I IN.	LENGTH MM	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC
20, 220	2	1 Reciprocal	5	127	11	10	6	26	076174202205
20-220		1 Hack	10	254	25	24		36	076174202205

Bi-Metal Hacksaw Blades


- Combines the flexibility of carbon steel backs with the cutting performance of a high-speed steel cutting edge
- Cuts most metals including unhardened tool steel and stainless-steel



SKU#	NUMBER		BLADE	LENGTH	POINTS	TEETH	вох	CARTON	UPC
ONO #	BLADES		IN.	MM	PER IN.	PER IN.	QTY	QTY	0.0
15-612	10		12	305	19	18	5	50	076174156126
15-613	10		12	305	25	24	5	50	076174156133
15-614	10		12	305	33	32	5	50	076174156140
15-628	1		10	254	25	24	10	100	076174156287
15-630	1		12	305	33	32	10	100	076174156300
15-631	1		12	305	25	24	10	100	076174156317
15-632	1		12	305	19	18	10	100	076174156324
		1	10	254	19	18			
20-067	Assorted 4 pack	2	10	254	25	24	5	30	076174200676
	т раск	1	10	254	33	32			
		1	12	305	19	18			
20-069	Assorted 4 pack	2	12	305	25	24	4	24	076174200690
	триск	1	12	305	33	32			

High-Speed Steel Hacksaw Blades

- Ground tooth design for improved cutting performance versus traditional hacksaw blades
- Can be used on most metals including unhardened tool steel and stainless-steel





Carbon Steel Hacksaw Blades

- · High carbon steel blades cut mild steel, cast-iron, aluminum, copper
- · Good value for general use

SKU#	NUMBER OF			ENGTH POINTS		вох	CARTON	UPC
3KU #	BLADES	IN.	MM	PER IN.	PER IN.	QTY	QTY	UPG
15-902A	2	10	254	33	32	10	100	076174159905
15-908A	2	10	254	19	18	10	100	076174159929
15-922A	2	12	305	33	32	10	100	076174159936
15-904A	2	10	254	25	24	10	100	076174159912
15-924A	2	12	305	25	24	10	100	076174159943
15-928A	2	12	305	19	18	10	100	076174159950



Carbide Grit Hacksaw Blades

- Tungsten carbide particles enable blade to cut on both forward and reverse strokes
- Makes thin straight cuts in ceramic, hardened steel, cast-iron and masonry
- · Fits standard hacksaw frame

SKU# DESCRIPTION		BLADE	LENGTH	вох	CARTON	UPC	
3KU #	DESCRIPTION	IN.	ММ	QTY	QTY	UFC	
15-410	Rod Saw Blade	10	254	10	100	076174154108	
15-412	Hacksaw Blade	12	305	10	100	076174154122	



Bow Saw/Hacksaw

- When used with a hacksaw blade, this saw is designed to cut wide diameter material
- When used with a bow saw blade, this saw allows you to cut large diameter plastic pipe, wood and tree branches

SKU#	BLADE	BLADE LENGTH		CARTON	UPC	
3KU #	IN.	ММ	ОТУ	ОТУ	UFC	
20-447	12	305	_	6	076174204476	



Bow Saws

- Tension lever provides clearance to help protect fingers when changing blade
- Blade fastened with rivets that remain attached during blade changes
- Frame manufactured from welded tubing for strength and durability

SKU#	BLADE LENGTH		вох	CARTON	UPC	
3KU#	IN.	ММ	ОТУ	QTY	OF C	
15-449	21	533	_	4	076174154498	
15-451	24	610	_	12	076174154511	
15-453	30	762	_	12	076174154535	


Bow Saw Blades

- · Saw blades made from high-quality, cold-rolled steel
- · Teeth are hardened for long life and durability

SKU#	FITS SAW	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
		IN.	MM	PER IN.	PER IN.	QTY	QTY	UPC
20-437	20-447	12	305	5	4	_	200	076174204377
15-439	15-449	21	533	5	4	_	200	076174154399
15-446	15-451	24	610	5	4	_	200	076174154467
15-448	15-453	30	762	5	4	_	200	076174154481

3-in-1 Saw Set

- Ergonomically designed handle made with glass-filled, high-strength nylon to support six different blade positions
- No tools required for blade change
- Integrated blade storage; the turn knob allows the user to conveniently store all three blades on the handle when not in use
- Multiple-position handle allows access to tight corners
- Universal blade cuts on the pull stroke and is less likely to jam or bend



Nest-of-Saws

- Three interchangeable blades fit in a comfortable molded handle
- · Perfect for curves, circles and trim work

SKU#		IBER Ades	USE	BLADE In.	LENGTH MM	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC	
			Multinumasa fan		IVIIVI		1				
15-090		1	Multipurpose for tight spaces	10	254	12	11	 –			
	3	1	Non-hardened Keyhole for wood	10	254	10	9		6	076174150902	
		1	Metal	6	152	25	24				





Folding Pocket Saw

- Folds like a jackknife for easy storage
- Accepts standard saber and reciprocating blades
- Blade storage in handle

	BLADE LENGTH SKU #		LENGTH	POINTS	TEETH	вох	CARTON	UPC
1	5KU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	OFC
	15-333	8	203	10	9	_	6	076174153330



4-WAY™ Keyhole Saw

- 4-WAY[™] blade positioning cuts curves, circles and frets into places where ordinary hacksaws cannot reach
- · Cuts wood, nails, composition board, BX cable, conduit and more
- Lightweight, pistol grip handle
- Comes with one wood-cutting blade and one metal-cutting blade

SKU#	NUMI OF BLA		USE	BLADE IN.	LENGTH MM	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC
45.075	,	1	Wood	7	178	10	9		C	076174152753
15-275	2	1	Metal	7	178	25	24		0	



FatMax® Back Saw

- Designed for precise cutting including dovetails, miters and tenons
- Used specifically for fine finish, plywood and hardwoods
- · Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

CVII#	BLADE LENGTH SKU #		POINTS TEETH		вох	CARTON	UPC
5KU#	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UPG
17-202	14	356	14	13	4	24	076174172027



HardTooth™ Back Saw

- · High-quality steel, hardened and tempered for strength and durability
- Solid plastic contoured handle with textured finger grips for added control
- Induction-hardened teeth preserve sharp cutting edge

SKU#	BLADE LENGTH		POINTS	TEETH	вох	CARTON	UPC
SICO π	IN.	MM	PER IN.	PER IN.	QTY	QTY	0.0
15-352	14	356	13	12	6	6	076174153521

Clamping Miter Box

- · Holds material securely for accurate cuts
- Material secures to the base with a twist of the cam pins
- Cuts miters on 45° and 90° angles, face angle 45° and 22-1/2° angles
- Molded-in storage compartments hold cam pins and pencil
- Molded lip on base edge for easy use without mounting
- · Built-in saw stop prevents cutting into miter box
- · Holes in base for fastening to workbench



CKII #	DESCRIPTION	BLADE	LENGTH	вох	CARTON	LIDC
SKU#		IN.	MM	ΩТΥ	QTY	UPC
20-112	Miter Box	_	_	_	6	076174201123
20-600	Miter Box with Saw	14	356	_	6	076174206005

Saw Storage Miter Box

- Storage system holds all 12" x 14" Stanley® back saws
- Finger button allows easy release of saw from storage cavity
- 90°, 45° and 22-1/2° miter slots
- Holes in base for fastening to a workbench
- Open interior allows cuttings to fall through
- Can be used with either back or panel saws
- Integrated pencil pocket



CVII #	DESCRIPTION	BLADE	LENGTH	вох	CARTON	UPC	
SKU#		IN.	MM	QTY	QTY	UFG	
19-800	Miter Box with Saw	14	356	_	6	076174198003	

Adjustable Angle Clamping Miter Box

- Simple angle adjustment for most applications
- Quick cam clamp holds work for accuracy
- Precision design for smooth, accurate cuts in wood
- Ergonomically designed, slip-resistant grip for maximum comfort and control
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth



CVII #	DESCRIPTION	BLADE	LENGTH	вох	CARTON	HDC
SKU#		IN.	MM	ΩТΥ	QTY	UPC
20-800	Miter Box with Saw	22	560	_	2	076174208009