

SCREWDRIVER SAFETY TIPS

- Never use a screwdriver as a cold chisel, or for prying, punching, chiseling, scoring or scraping.
- Make sure the tip fits the slot of the screw; not too loose or tight.
- Never expose a screwdriver to excessive heat or cold.
- Always discard a screwdriver with a worn or broken handle.
- Never use a screwdriver on a workpiece held in your hand. A slip could cause serious injury.
- Never depend on a screwdriver's handle or covered blade to insulate you from electricity. Vinyl covered blades are intended only as a protective measure against shorting out components.

SCREWDRIVER TIP CONFIGURATIONS



**SLOTTED:** Standard or flat for driving single slotted screws. Tip width range from 1/6" to 1/2".



**PHILLIPS®:** Designed specifically for use with Phillips® head screw, which has two recessed slots at right angles to each other. Sizes range from 0 point (small) to 4 point (large).



**SQUARE HEAD:** Square tip, used in mobile homes, recreational vehicles and industrial applications. Sizes range from 1 point (small) to 3 point (large).



**TORX®:** Star shaped, used in the automotive industry. Sizes range from T-10 (small to T-30 (large).

PHILLIPS® is a registered trademark of Phillips Screw Co.  
 POZIDRIV® is a registered trademark of Phillips Screw Co.  
 TORX® is a registered trademark of Textron, Inc. d/b/a The Camcar Screw & Mfg. Company

FOR A COMPLETE PRODUCT LISTING PLEASE REFER TO THE HAND TOOLS PRICE BOOK

PRODRIVER™ SCREWDRIVERS

High performance screwdrivers. Meets ANSI performance standards. Ergonomically designed tri-lobular handle design for torque and comfort. Permanent tip symbol on the handle and the color-coded core help make tip identification easy. Slip-resistant rubber grip. Bar molded into handle for greater torque. Lacquer coated bar to resist rust. Sand blasted and heat-treated tip for durability and precision work.

\*Than traditional-style screwdrivers



PRODRIVER™ SCREWDRIVER SETS

ProDriver™ screwdriver sets are available in sets of six or twelve. Each set features the most popular sizes to meet most fastening applications. Eye-catching black and gold graphic to draw attention to product. Secure in-store packaging with "feel appeal". Twelve piece set includes tool roll for convenient storage and easy access.

Product ID No.	Contains	Box/Ctn
62-500 2 piece set	1/4" Stubby #2 Phillips® Stubby	4 / 24
62-501 2 piece pocket set	1/8" x 3" Standard #0 x 3" Phillips®	4 / 24
62-502 11 piece set	#2 Phillips® Stubby #0 Phillips® 3" #1 Phillips® 3" #2 Phillips® 4" #3 Phillips® 6" 1/4" x 4" Stubby 1/8" Standard Pocket 3/16" x 3" 1/4" x 4" 5/16" x 6" Offset Combination	0 / 4
62-504 T15-T30 4 piece set	8" Torx® 8" Torx® 9" Torx® 10" Torx®	0 / 4
62-505 4 piece set	1/4" x 4" Standard 3/16" x 3" Standard #1 Phillips® 3" #2 Phillips® 4"	0 / 4
62-545 24 piece set	1/8" x 3" Standard 1/4" x 4" Standard 3/16" x 3" Standard #0 Phillips® 3" #1 Phillips® 3" #2 Phillips® 4" Multi-Bit Ratcheting screwdriver with 10 bits: (#1, #2 Square; # 1PH, #2PH, #1PZ, #2PZ, T10, T15, 1/4" and 3/16" bits) Nut Drivers: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" Canvas Bag	0 / 4



# Fastening Tools



## STANDARD FLUTED SCREWDRIVERS

Ergonomical handle with slip-resistant textured grip for greater comfort. Nickel plated bar for corrosion resistance.



### STANDARD FLUTED STANDARD BLADE / STANDARD TIP SCREWDRIVERS

Ergonomically designed handle for comfortable grip. Alloy steel nickel protected blades for long life. Hardened tips for slip-resistant fit.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
60-006	6-5/8	193	6	152	1/4	6	1/4	6	6 / 36
60-004	7-5/8	193	4	102	1/4	6	1/4	6	6 / 36
60-124	12 Piece Bulk Merchandiser Fluted 4" Standard								0 / 40



### STANDARD FLUTED PHILLIPS® TIP SCREWDRIVERS

Ergonomically designed handle for comfortable grip. Alloy steel nickel protected blades for long life. Hardened tips for slip-resistant fit.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		Point Size	Box/Ctn
	in	mm	in	mm	in	mm		
60-001	7-5/8	193	4	102	3/16	5	1	6 / 36
60-121	12 Piece Bulk Merchandiser Fluted 1 Pt. Phillips®							
60-002	7-5/8	193	4	102	1/4	6	2	6 / 36
60-122	12 Piece Bulk Merchandiser Fluted 2 Pt. Phillips®							



### STANDARD FLUTED LIGHT BLADE / CABINET TIP SCREWDRIVERS

Ergonomically designed handle for comfortable grip. Alloy steel nickel protected blades for long life. Hardened tips for slip-resistant fit.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
60-003	6-5/8	168	3	76	3/16	5	3/16	5	6 / 36
60-123	12 Piece Bulk Merchandiser Fluted 3" Cabinet								
60-005	9-5/8	244	6	152	3/16	5	3/16	5	6 / 36

### STANDARD TORX® SCREWDRIVER

Ergonomically designed handle for comfortable grip. Alloy steel nickel protected blades for long life. Hardened tips for slip-resistant fit.

Product ID No.	Tips	—O/A Length—		Box/Ctn	
		in	mm		
60-010	T10	7.13"	180mm	6 / 36	
60-011	T15	7.13"	180mm	6 / 36	
60-012	T20	7.13"	180mm	6 / 36	
60-013	T25	7.13"	180mm	6 / 36	
60-023	2 Pc. Set Contains T15, T20		7.13"	180mm	0 / 6
60-042	4 Pc. Set Contains T10, T15, T20, T25		7.13"	180mm	0 / 6

PHILLIPS® is a registered trademark of Phillips Screw Co.  
POZIDRIV® is a registered trademark of Phillips Screw Co.  
TORX® is a registered trademark of Textron, Inc. d/b/a The Camcar Screw & Mfg. Company



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.



### STANDARD FLUTED SCREWDRIVER SETS

Versatile screwdriver set to satisfy most of your fastening needs. Features popular sizes. Ergonomically designed handle for comfortable grip. Alloy steel nickel protected blades for long life. Hardened tips for slip-resistant fit.

Product ID No.	Contains	Box/Ctn
60-020 (2 Piece Set)	4" Standard 2 Pt. Phillips®	4 / 24
60-060 (6 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 1 Pt. and 2 Pt. Phillips®	0 / 6
60-100 (10 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 0 Pt., 1 Pt., 2 Pt. Phillips® 2" x 1/8" Standard Standard Stubby Stubby Phillips®	0 / 6
60-120 (12 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 0 Pt., 1 Pt., 2 Pt. Phillips® 2" x 1/8" Standard Standard Stubby Stubby Phillips® 2 Offset Screwdrivers	0 / 6



### 20 PIECE VERSATILE SCREWDRIVER SET

Featuring Screwdrivers for most applications.

Product ID No.	Contains	Box/Ctn
60-220	1 Pt. and 2 Pt. Phillips®, 3" and 4" Standard With Storage Rack 2 Offset Screwdrivers 6 Piece Precision Screwdriver Set 2 Pt. Phillips® and Stubbys 3", 4" and 6" Standard 1 Pt. and 2 Pt. Phillips® 6" Cabinet	0 / 4

Toll Free Customer Service Number: 1-800-262-2161  
Customer Service FAX Number: 1-800-643-3756

100 PLUS® VINYL GRIP SCREWDRIVERS

Full size vinyl grip handle. Alloy steel blade. Precision cold formed black oxide Phillips® tip. Chrome plated for corrosion resistance.



**VINYL GRIP PHILLIPS® TIP STUBBY SCREWDRIVER**

For close-quarter driving. Precision cold formed black oxide tip. Alloy steel blade. Chrome plated for corrosion resistance.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		Point Size	Box/Ctn
	in	mm	in	mm	in	mm		
65-905	3-7/8	87	1-1/2	40	1/4	6	2	6 / 36

**VINYL GRIP STANDARD BLADE/ STANDARD TIP SCREWDRIVER**

Tips fully cross ground for more secure fit. Chrome plated for corrosion resistance.

Product ID No.	—Tip Thick—		—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	in	mm	
66-089	.032	0.8	6-3/4	170	3	76	7/32	5.5	7/32	5.5	6 / 36
66-090	.037	0.9	8-1/4	210	4	102	1/4	6	1/4	6	6 / 36
66-092	.050	1.3	13-3/8	340	8	200	3/8	10	3/8	10	6 / 24



**VINYL GRIP STUBBY / STANDARD TIP SCREWDRIVER**

For close-quarter driving. Rubber grip handle. Alloy steel blade. Chrome plated for corrosion resistance.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-088	3-7/16	87	1-1/2	40	1/4	6	1/4	6	6 / 36

**VINYL GRIP LIGHT BLADE / CABINET TIP SCREWDRIVER**

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-096	6-3/4	170	3	76	3/16	5	3/16	5	6 / 36
66-097	9-3/4	248	6	152	3/16	5	3/16	5	6 / 36
66-098	11-3/4	298	8	200	3/16	5	3/16	5	6 / 24



**VINYL GRIP PHILLIPS® TIP SCREWDRIVER**

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		Point Size	Box/Ctn
	in	mm	in	mm	in	mm		
65-901	6-3/4	170	3	76	3/16	5	1	6 / 36
65-902	6-5/16	211	4	100	1/4	6	2	6 / 36
65-903	10-3/16	277	6	150	5/16	8	3	6 / 36

**VINYL GRIP 6 PIECE SCREWDRIVER SET**

Product ID No.	Contains	Box/Ctn
66-565	4" Standard 6" Standard 3" Cabinet 6" Cabinet 1 pt. Phillips® 2 pt. Phillips®	6 / 6

PHILLIPS® is a registered trademark of Phillips Screw Co.  
POZIDRIV® is a registered trademark of Phillips Screw Co.  
TORX® is a registered trademark of Textron, Inc. d/b/a The Camcar Screw & Mfg. Company

# Fastening Tools



## 100 PLUS® SCREWDRIVERS

Full size handles. Alloy steel blade. Precision-ground tip. Chrome plated for corrosion resistance.



### 100 PLUS® STANDARD BLADE / STANDARD TIP SCREWDRIVER

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-163	6-3/4	170	3	76	7/32	5.5	7/32	5.5	6 / 36
66-164	8-1/4	210	4	102	1/4	6	1/4	6	6 / 36
66-166	11	280	6	152	5/16	8	5/16	8	6 / 24
66-168	13-1/4	336	8	200	3/8	10	3/8	10	6 / 24
66-160	15-1/4	387	10	254	3/8	10	3/8	10	6 / 24
66-162	17-1/4	438	12	305	3/8	10	3/8	10	6 / 24
66-161 <i>Stubby</i>	3-1/2	90	1-1/2	40	1/4	6	1/4	6	6 / 36

### 100 PLUS® EXTRA LIGHT BLADE / CABINET TIP SCREWDRIVER

Designed for precision screw driving applications. Contoured amber handle designed to fit comfortably in the hand for delicate work. Tips are heat treated for high strength. Used in the radio, TV and electronics industries.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-112	5-3/8	136	2	50	1/8	3	1/8	3	6 / 36
66-113	6-3/8	160	3	76	1/8	3	1/8	3	6 / 36
66-114	7-3/8	187	4	102	1/8	3	1/8	3	6 / 36
66-116	9-3/8	238	6	152	1/8	3	1/8	3	6 / 36
66-118	11-3/8	340	8	200	1/8	3	1/8	3	6 / 36
66-110	13-3/8	340	10	224	1/8	3	1/8	3	6 / 36



### 100 PLUS® PHILLIPS® TIP SCREWDRIVER

Black oxide tip for corrosion resistance.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		Point Size	Box/Ctn
	in	mm	in	mm	in	mm		
64-100	5-1/8	130	2-3/4	70	1/8	3	0	6 / 72
64-101	6-3/4	130	3	76	3/16	5	1	6 / 72
64-102	8-1/4	210	4	102	1/4	6	2	6 / 36
64-103	11	280	6	152	5/16	8	3	6 / 24
64-104	13-1/4	336	8	200	3/8	10	4	6 / 24
64-105 <i>Stubby</i>	3-1/2	90	1-1/2	40	1/4	6	2	6 / 36
64-171	13-1/2	343	10	254	3/16	5	1	6 / 24
64-172	14-1/2	368	10	254	1/4	6	2	6 / 24

### 100 PLUS® POCKET SCREWDRIVER

Pocket clip. Practical for light work.

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-101	4-3/8	110	2	50	1/8	3	1/8	3	12 / 72
66-102	5-3/8	110	3	76	3/32	2.4	3/32	2	6 / 36
64-170	4-3/8	110	2	50	1/8	3	0 pt. Phillips		6 / 36



### 100 PLUS® STANDARD BLADE / CABINET TIP SCREWDRIVER

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		—Tip Width—		Box/Ctn
	in	mm	in	mm	in	mm	in	mm	
66-183	6-3/4	170	3	76	3/16	5	3/16	5	6 / 36
66-186	11-3/4	298	6	152	3/16	5	3/16	5	6 / 36
66-188	11-3/4	298	8	200	3/16	5	3/16	5	6 / 36
66-180	13-3/4	349	10	254	3/16	5	3/16	5	6 / 24
66-182	15-3/4	400	12	305	3/16	5	3/16	5	6 / 24

### 100 PLUS® SCRATCH AWL

Product ID No.	—O/A Length—		—Blade Len.—		—Blade Dia.—		Box/Ctn
	in	mm	in	mm	in	mm	
69-006	7-1/4	184	3-1/2	89	1/4	6	6 / 36



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-262-2161  
Customer Service FAX Number: 1-800-643-3756

**STANLEY**

**CORDLESS**  
SCREWDRIVER  
**3.6volt**  
RECHARGEABLE



**CORDLESS SCREWDRIVER**

Versatile cordless screwdriver for do-it-yourself projects. Designed for comfort, durability and ease of use. Auto-locking shaft for use as a traditional screwdriver. Multi-position comfort grip handle pivots for easy use. Three double ended screwdriver bits included - #1 and #2 Phillips and two slotted. AC charger included.

Product ID No.	—O/A Length—		Box/Ctn
	in	mm	
63-036	11-1/4	290	2 / 6



**MULTI-BIT RATCHETING SCREWDRIVERS**

Bit storage system for easy visibility, access and security. Spring loaded, hard wearing, ball bearing indexing mechanism for quick and easy access to bits. Magnetic bit holder for quick, secure change-over of bits. Top quality, three position audible ratcheting mechanism; forward, reverse, and fixed for life long efficiency. Tri-lobular, bi-material handle with textured finish for maximum torque and minimum effort. Plated for rust-resistance.



**6-WAY™ SCREWDRIVER**

All-in-one screwdriver with 6 tips: #1 and #2 Phillips®, 1/4" and 3/16" Slotted, 1/4" and 5/16" Nut Driver. Convenient and space saving, ideal for kitchen drawer or car – no need for extra screwdrivers. Ergonomically designed bi-material handle for superb comfort. Tri-lobe shape fits hand comfortably. Soft, diamond textured handle provides a firm grip for extra torque without strain. Bar is chrome plated for rust resistance. Attach wrench to bolster nut for additional leverage and torque. High quality bits for long life. Available in an attractive 24 piece merchandiser.



**DIAMOND TEXTURE HANDLE FOR A FIRM GRIP AND EXTRA TORQUE.**

Product ID No.	Contains	—O/A Length—		Box/Ctn
		in	mm	
68-012	1/4", 3/16" Slotted, 1 Pt., 2 Pt. Phillips® 1/4", 5/16" Nut Driver	7.75	196.9	0 / 24



**PATENTED BIT STORAGE**



**THREE-WAY AUDIBLE RATCHET (68-010 ONLY)**

Product ID No.	Contains	—O/A Length—		Box/Ctn
		in	mm	
68-010	Assortment of 10 Bits #1 Square, #2 Square, #1 PH, #2 PH, #1 PZ, #2 PZ, T10, T15, 1/4" and 3/16" Bits	10	254	6 / 36
62-542	12 Pc. Multi-Bit Set 1/4" Nut Driver 9/32" Nut Driver 5/16" Nut Driver 11/32" Nut Driver 3/8" Nut Driver 7/16" Nut Driver #1, #2 Phillips® #1, #2 Square 1/4", 3/16" Slotted	10	254	6 / 36



63-036



## 6 PIECE JEWELERS SCREWDRIVER SET

Six precision screwdrivers feature swivel-head handles. Bright plated shafts fluted for better grip. Hardened and tempered steel blades with blued finish to resist corrosion. Plastic storage case to index tools.

Product ID No.	Contains	Box/Ctn
66-039	0 pt. and 1 pt. Phillips® 1.4mm Slotted 1.8mm Slotted 2.3mm Slotted 3.0 mm Slotted	1 / 36



## 6 PIECE PRECISION SCREWDRIVER SET

Six precision screwdrivers feature swivel-head handles. Tough plastic shafts and soft cushion grip allow for greater comfort. Plastic storage case to index tools.

Product ID No.	Contains	Box/Ctn
66-052	0 Pt. and 1 Pt. Phillips® 1.4 mm Slotted 2.0 mm Slotted 2.4 mm Slotted 3.0 mm Slotted 1/4	6/ 24



## WOOD HANDLE SCRATCH AWL

Alloy steel bar anchored in hardwood handle by two wings swaged on the shank. Bar finished bright and smooth. Rust-resistant plated finish.

Product ID No.	—O/A Length—		—Bar Dia.—		—Bar Length—		Box/Ctn
	in	mm	in	mm	in	mm	
69-122	6-1/16	154	3/16	5	3-3/8	86	6 / 72



## OFFSET PHILLIPS® / SLOTTED SCREWDRIVER

For 1/4" slotted and 2 Pt. Phillips® screws.

Product ID No.	—O/A Length—		—Blade Diam.—		Box/Ctn
	in	mm	in	mm	
65-033	3-15/16	99	1/4	6	6 / 72




## 6 PIECE NUT DRIVER SET

Solid one-piece construction nut drivers. Bar plated to resist rust.

Product ID No.	Hex Size	Box/Ctn
62-541	1/4	0 / 12
	5/16	
	3/16	
	3/8	
	7/16	
	1/2	

PHILLIPS® is a registered trademark of Phillips Screw Co.  
POZIDRIV® is a registered trademark of Phillips Screw Co.  
TORX® is a registered trademark of Textron, Inc. d/b/a The Camcar Screw & Mfg. Company

# MaxGrip™



6 INCH



8 INCH

## MAXGRIP™ PLIERS

Self adjusting 6" or 8" Pliers. One hand adjustment up to 1-7/16". Dual material handle for superior gripping. Ergonomic shape for maximum comfort in all applications. Handle hole for tethering or hanging. Patented design. Poly card packaged with product exposed for user point of purchase trial.

Product ID No.	Length		Box/Ctn
	in	mm	
84-881	6	152	6 / 36
84-880	8	203	6 / 24



## MAXGRIP™ NEEDLE NOSE PLIERS

Parallel jaw movement for improved holding force. Larger jaw capacity. Solid steel jaws for durability and strength. Bi-material handles ergonomically designed for comfort and ease of use. Hang holes for tethering or storage. Patented design. Poly card packaged with product exposed for user point of purchase trial.

Product ID No.	Length		Box/Ctn
	in	mm	
84-888	7	178	6 / 36
84-887	9	228	6 / 36



## MAXGRIP™ MULTI-PACK

Convenient multi-pack: Contains one each of the 84-881, 6" MaxGrip™ self-adjusting pliers and 84-888, 7" MaxGrip™ needle nose pliers.

Product ID No.	Box/Ctn
84-890	6 / 24

**WARNING:** Holding Tool grips do not protect against electrical shock.



## MAXGRIP™ ADJUSTABLE WRENCH

Use for plumbing, automotive or home use. Precision machined face with etched measurement scale in English and Metric. Strong chrome vanadium steel exceeds ANSI specifications. Slip-resistant bi-material cushion grip. Rust-resistant phosphate coating. Handy hang/storage hole in handle.

Product ID No.	Length		Box/Ctn
	in	mm	
87-791	6	152	6 / 36
87-792	8	203	6 / 36
87-793	10	250	6 / 36
87-794	12	305	4 / 24



## MAXGRIP™ LOCKING ADJUSTABLE WRENCH

Patented design. Two tools in one: traditional adjustable wrench and locking plier. Jaw grips fastener and won't slip off. Applications: maintenance and automotive repair, plumbing, general assembly tasks. Forged body exceeds ANSI standards for torque.

Product ID No.	Length		Box/Ctn
	in	mm	
85-610	10	250	6 / 24



## ADJUSTABLE WRENCH

Strong tempered steel chrome vanadium steel wrench for fastening or holding nuts and bolts in shop or home. Exceeds ANSI specification. Rust resistant polished chrome finish. Handy hang hole for wall storage.

Product ID No.	Length		Box/Ctn
	in	mm	
87-367	6	152	6 / 36
87-369	8	203	6 / 36
87-471	10	250	6 / 36
87-473	12	305	4 / 24




## CUSHION GRIP WRENCHES

Soft cushion grip fits palm for comfort. Extra wide jaw capacity. Inch scale is laser etched onto jaw for easy measurement. Hand hole in handle for wall storage.

Product ID No.	Length		Box/Ctn
	in	mm	
85-764	6"	152	4 / 24
85-763	8"	203	4 / 24
85-762	10"	250	4 / 24


# Fastening Tools



## BASIC PLIERS

Forged Steel Construction. Hand Ground cutting edges. Rust-resistant finish. Double dipped handles for comfortable use. Machined jaws for gripping. Chrome-Nickel steel for tough, durable, hardened cutting edge.

Product ID No.	Description	Box/Ctn
84-040	6" Locking Plier - Long Nose	4/24
85-761	10" (254mm) Locking Plier - Curved Jaw	4/24
84-096	5" (127mm) Needle Nose Plier	4/24
84-097	6" (152mm) Slip Joint Plier	4/24
84-098	8" (203mm) Slip Joint Plier	4/24
84-100	5" (127mm) Long Nose Plier	4/24
84-101	6" (152mm) Long Nose Plier	4/24
84-102	8" (203mm) Long Nose Plier	4/24
84-104	5" (127mm) Diagonal Plier	4/24
84-105	6" (152mm) Diagonal Plier	4/24
84-108	7" (177mm) Diagonal Plier	4/24
84-018	4" (102mm) Groove Joint Plier	4/24
84-019	6" (152mm) Groove Joint Plier	4/24
84-109	7" (177mm) Groove Joint Plier	4/24
84-110	10" (254mm) Groove Joint Plier	4/24
84-111	12" (304mm) Groove Joint Plier	4/24
84-020	16" (406mm) Groove Joint Plier	4/24
84-112	7" (177mm) Linesman Plier	4/24
84-113	8" (203mm) Linesman Plier	4/24
84-134	5" (127mm) Plastic Nipper Pliers	4/24
84-135	6" (152mm) Plastic Nipper Pliers	4/24
84-119	5" (127mm) Mini Long Nose	4/24
84-122	5" (127mm) Mini Flat Nose	4/24
84-124	4" (102mm) Mini Diagonal	4/24
84-125	4" (102mm) Mini End Nipper	4/24
84-126	4" (102mm) Mini Bent Nose	4/24
84-114	3 Pc. Plier Set (097,101,105)	4/12
84-117	4 Pc. Plier Set (098,102,108,113)	4/12
84-892	3 Pc. Plier Set (097, 101, 110)	4/12



## WIRE STRIPPER

Cuts and strips 10 to 26 gauge stranded and 8 to 22 solid wire. Rust-resistant finish. Comfortable vinyl grips. Crimps 10 to 26 insulated terminals and 10 to 22 non-insulated terminals. Cuts five sizes of bolts.

Product ID No.	Box/Ctn
84-199	0 / 6



## WIRE STRIPPER

Cuts and strips wire from 10 to 26 gauge. Adjustable slide stop and hole for bending and looping wire. Rust-resistant finish. Comfortable vinyl grips.

Product ID No.	Box/Ctn
84-213	5 / 50



## PANEL CARRY

14" handle for extra reach. Better balance and control. Better visibility while carrying. Angled handle keeps hands away from panel for comfort.

Product ID No.	Box/Ctn
93-301 High Visibility Yellow	6 / 6

FOR A COMPLETE PRODUCT LISTING PLEASE REFER TO THE HAND TOOLS PRICE BOOK

WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-262-2161  
Customer Service FAX Number: 1-800-643-3756