

STANLEY® 3-IN-1 LED TRIPOD FLASHLIGHT

- 3-in-1 design can be used as one powerful flashlight or separately as 3 flashlights.
- Tripod design provides capability for hands-free use.
- Three 120° rotational heads with shatter-resistant lens focus light where it's needed most.
- 100 lumens of combined light using three 1/2-watt white, long-lasting LEDs.
- On/Off switch for each flashlight.
- Compliant with ANSI, CE and RoHs standards.
- Slip-resistant rubber feet.



Product #	LED Cells	Bulb Type	Brightness	Batteries (not included)	Beam Distance	Run Time	Head Swivel	Impact Resistance	Height
95-155	3	1/2 Watt LED	100 Lumens	(6) AA (2 per flashlight)	390 ft (119 m)	5 hrs 30 min	120°	3 ft (0.9 m)	13-3/4 in (349 mm)

STANLEY® LED TRIPOD FLASHLIGHT

- Tripod design provides capability for hands-free use.
- Magnetized and anodized aluminum tripod legs fold together to become a regular hand-held flashlight.
- 100° rotational head with shatter-resistant lens focuses light where it's needed most.
- One 1/2-watt bright white, long-lasting LED delivers a strong spot beam.
- Slip-resistant rubber grip and feet.
- On/Off switch.
- Compliant with ANSI, CE and RoHs standards.
- Clear Lens Rim – Halo light ring shows if power is left on when the light is placed on its end. Saves battery life due to accidents.
- Manual leg open.
- Aluminum legs for strength.



Product #	Bulb Type	Brightness	Batteries (not included)	Beam Distance	Run Time	Impact Resistance	Height	Handle Diameter
95-112B	1/2 Watt LED	30 Lumens	(3) AA	246 ft (75 m)	41 hrs 30 mins	3 ft (0.9 m)	10-3/4 in (273 mm)	1-3/4 in (44 mm)

STANLEY® LED MINI TRIPOD FLASHLIGHT

- Tripod design provides capability for hands-free use.
- Magnetized and anodized aluminum tripod legs fold together to become a regular hand-held flashlight.
- 100° rotational head with shatter-resistant lens focuses light where it's needed most.
- Three 5 mm bright white, long-lasting LEDs.
- Slip-resistant rubber grip and feet.
- On/Off switch.
- Compliant with ANSI, CE and RoHs standards.



Product #	Bulb Type	Brightness	Batteries (not included)	Run Time	Impact Resistance	Height
95-111	5 mm LED	11 Lumens	(3) AAA	10 hrs	3 ft (0.9 m)	6 in (152 mm)

STANLEY® LED MINI TRIPOD KEYCHAIN FLASHLIGHTS

- Tripod design provides capability for hands-free use.
- Tripod legs fold together to become a regular hand-held flashlight.
- 90° rotational head with shatter-resistant lens focuses light where it's needed most.
- Convenient keyring attachment included.
- One 5 mm bright white LED last 100,000 hours.
- On/Off switch.
- Compliant with ANSI, CE and RoHs standards.



Product #	Includes	Color	Bulb Type	Brightness	Batteries (included)	Run Time	Impact Resistance	Height
95-113X	10 units (per clipstrip)	Black	5 mm LED	2 Lumens	(1) LR41 Lithium Button	5 hrs	3 ft (0.9 m)	3-3/8 in (86 mm)
95-144X	10 units (per clipstrip)	Blue, Green, Purple, Pink, Black	5 mm LED	2 Lumens	(1) LR41 Lithium Button	5 hrs	3 ft (0.9 m)	3-3/8 in (86 mm)
95-145M	10 units (per countertop)	Blue, Green, Purple, Pink, Black	5 mm LED	2 Lumens	(1) LR41 Lithium Button	5 hrs	3 ft (0.9 m)	3-3/8 in (86 mm)

FEATURES & BENEFITS – STANLEY® PERFORMANCE ALUMINUM FLASHLIGHTS

- Durable anodized aluminum body with slip-resistant textured grip.
- Electroplated reflector combined with shatter-resistant lens provides a strong focused beam.
- IPX4 level weather resistance prevents water from entering the flashlight in outdoor conditions.
- High-visibility yellow bands allow for easy identification.
- Meets or exceeds ANSI standards.



STANLEY® PERFORMANCE POCKET INSPECTOR FLASHLIGHT

- One 1-1/4 watt bright white, long-lasting LED delivers 40 lumens of light.
- Tactile, rubberized rear on/off switch for easy and comfortable access.
- Wrist band lanyard included to help prevent flashlight from being dropped.



Product #	Bulb Type	Brightness	Batteries (not included)	Beam Distance	Run Time	Impact Resistance	Height
95-151	1-1/4 Watt LED	40 Lumens	(2) AA	433 ft (132 m)	5 hrs	3 ft (0.9 m)	8-3/4 in (222 mm)

STANLEY® PERFORMANCE POCKET SECURITY FLASHLIGHT

- One 3-watt bright white, long-lasting LED delivers 70 lumens of light output.
- Tactile, rubberized rear on/off switch for easy and comfortable access.
- Wrist band lanyard included to help prevent flashlight from being dropped.



Product #	Bulb Type	Brightness	Batteries (not included)	Beam Distance	Run Time	Impact Resistance	Height
95-152	3 Watt LED	70 Lumens	(3) AAA	548 ft (167 m)	3 hrs	3 ft (0.9 m)	4-3/4 in (121 mm)

STANLEY® PERFORMANCE PRO SECURITY FLASHLIGHT

- One 3-watt bright white, long-lasting LED delivers 70 lumens of light.



Product #	Bulb Type	Brightness	Batteries (not included)	Beam Distance	Run Time	Impact Resistance	Height
95-153	3 Watt LED	70 Lumens	(3) D	876 ft (267 m)	72 hrs	3 ft (0.9 m)	13 in (330 mm)

STANLEY® PERFORMANCE RECHARGEABLE FLASHLIGHT

- Rechargeable Ni-MH batteries can be charged up to 500 cycles.
- One 3-watt bright white, long-lasting LED delivers 70 lumens of light.
- Included: Recyclable Nickel Metal Hydride (Ni-MH) batteries and charging adapter.
- Wrist band lanyard included to help prevent flashlight from being dropped.



Product #	Bulb Type	Brightness	Batteries (included)	Beam Distance	Run Time	Charge Time	Impact Resistance	Height
95-154	3 Watt LED	70 Lumens	Ni-MH Rechargeable Battery	446 ft (136 m)	2 hrs	8 hrs	3 ft (0.9 m)	6-1/2 in (165 mm)