TRIM

SAFETY DATA SHEET

1. Identification

Product identifier TRIM® E206 nd

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Chemical Corp d/b/a Master Fluid Solutions

Address 501 West Boundary Street

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterchemical.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	40 - < 50
TRIETHANOLAMINE		102-71-6	1 - < 3
Other components below reporta	ble levels		40 - < 50

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

1023 Version #: 02 Revision date: 06-19-2017 Issue date: 05-28-2015 1 / 6

Most important

symptoms/effects, acute and

delayed

General information Get medical attention, if needed.

None known.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Use standard firefighting procedures and consider the hazards of other involved materials.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a closed container. The product is stable and non-reactive under normal conditions of use,

5 mg/m3

storage and transport. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-	1 I imits for A	ir Contaminants	(29 CFR 1910 1000	ı١
US. USITA Table 2-	I LIIIIIIG IOI A	II Guillailillailla	(23 GFR 1310.1000	"

Components	Туре	Value	Form	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS	PEL	5 mg/m3	Mist.	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS	TWA	5 mg/m3	Inhalable fraction.

64742-52-5)

64742-52-5)

TRIETHANOLAMINE (CAS TWA

102-71-6)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
SEVERELY	STEL	10 mg/m3	Mist.	

HYDROTREATED PETROLEUM OIL (CAS

64742-52-5)

controls

Appropriate engineering

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Safety glasses. Eye/face protection

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Material name: TRIM® E206 nd SDS US General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid.

Color Greenish-brown

Odor Mild

Not available. Odor threshold Not available. Melting point/freezing point 12.2 °F (-11 °C) 208.4 °F (98 °C) Initial boiling point and boiling

range

> 210.2 °F (> 99.0 °C) Flash point

Evaporation rate < 1 BuAc Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Not available. Relative density

Solubility(ies)

Soluble Solubility (water)

Partition coefficient

(n-octanol/water)

Not available.

Not available.

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

ASTM D93-08 Flash point class 8.8 - 9.2 pH in aqueous solution Specific gravity 0.925 - 1.023

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Incompatible materials Powerful oxidizers. Alkalis. Acids.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Not classified. Eye contact Not classified.

Ingestion Expected to be a low ingestion hazard.

Material name: TRIM® E206 nd 1023 Version #: 02 Revision date: 06-19-2017 Issue date: 05-28-2015 Symptoms related to the physical, chemical and toxicological characteristics None known.

Information on toxicological effects

Acute toxicity Not classified.

Test Results Product Species

TRIM® E206 nd

Acute Dermal

LD50 Rabbit > 2000, mg/kg

Inhalation

LC50 Rat > 202, mg/l

Oral

LD50 Rat > 5000, mg/kg

Skin corrosion/irritation Serious eye damage/eye Not classified. Not classified.

irritation

Respiratory or skin sensitization

Classification not possible. Not a respiratory sensitizer. Respiratory sensitization Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure

Classification not possible.

Specific target organ toxicity -

Classification not possible.

repeated exposure

Aspiration hazard Classification not possible. Not an aspiration hazard.

Chronic effects None known.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

Material name: TRIM® E206 nd SDS US

IATA

Not regulated as dangerous goods.

IMDG

UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16, **UN** proper shipping name

CHLORO)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant yes F-A, S-F **EmS**


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and the IBC Code

IMDG



Marine pollutant



IMDG Regulated Marine Pollutant. **General information**

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: TRIM® E206 nd SDS US

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

16. Other information, including date of preparation or last revision

 Issue date
 05-28-2015

 Revision date
 06-19-2017

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use.

Revision information Identification: Recommended restrictions

Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

HazReg Data: International Inventories

GHS: Classification

Material name: TRIM® E206 nd SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).