TRIM

SAFETY DATA SHEET

1. Identification

Product identifier TRIM® E860

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company NameMaster Fluid SolutionsAddress501 West Boundary

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective

gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	30 - < 40
TRADE SECRET*		Proprietary*	5 - < 10

Material name: TRIM® E860 SDS US

5215 Version #: 02 Revision date: 06-16-2022 Issue date: 03-31-2021

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	3 - < 5
MONOETHANOLAMINE		141-43-5	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRIETHANOLAMINE		102-71-6	1 - < 3
Other components below reportable I	evels		50 - < 60

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

None known.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. **Eve contact**

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

General information Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type `	, Value	Form	
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3		
		3 ppm		
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	

Material name: TRIM® E860 SDS US

US. ACGIH Threshold Limit Value	=		
Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical stateLiquid.ColorYellowOdorMild

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate< 1 BuAc</th>Flammability (solid, gas)Not available.Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

por pressure Not available.

Vapor pressureNot available.Vapor densityNot available.

Material name: TRIM® E860
5215 Version #: 02 Revision date: 06-16-2022 Issue date: 03-31-2021

Not available. Relative density

Solubility(ies)

Solubility (water) Soluble

Partition coefficient

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Flash point class ASTM D92-90

Kinematic viscosity 188 cSt

104 °F (40 °C) Kinematic viscosity

temperature

pH in aqueous solution 8.8 - 9.8Specific gravity 0.97 - 0.997

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong oxidizing agents. Strong acids. Strong bases. Incompatible materials Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May be irritating to the skin. Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics May be irritating to the skin. May be irritating to eyes.

Information on toxicological effects

Acute toxicity Not classified.

May be irritating to the skin. Skin corrosion/irritation May be irritating to eyes. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Material name: TRIM® E860 SDS US Aspiration hazard Not classified.

Chronic effects None known.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations. **Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)

Transport hazard class(es)


Class 9
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant YES EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG



Marine pollutant



Material name: TRIM® E860 SDS US

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not regulated.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

16. Other information, including date of preparation or last revision

 Issue date
 03-31-2021

 Revision date
 06-16-2022

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe

conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Revision information Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

HazReg Data: International Inventories

Material name: TRIM® E860 SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).