# MASTER CHEMICAL CORPORATION

# SAFETY DATA SHEET

#### 1. Identification

Product identifier TRIM® MicroSol® 590XT

Other means of identification None.

**Recommended use** Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

**Address**Master Chemical Corporation
501 West Boundary Street
Perrysburg, Ohio 43551-1200

**United States** 

**Telephone** 419-874-7902

Website www.masterchemical.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Not classified

Acute toxicity, dermal Not classified Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Not classified

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation.

**Precautionary statement** 

**Prevention** Wash hands thoroughly after handling. Wear protective gloves.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED		64742-52-5	20 - < 30
PETROLEUM OIL			

Material name: TRIM® MicroSol® 590XT

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	10 - < 20
TRADE SECRET*		Proprietary*	5 - < 10
TRADE SECRET*		Proprietary*	3 - < 5
Other components below re	portable levels		60 - < 70

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

None known.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

**General information** Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after

handling. Do not taste or swallow.

**TWA** 

Conditions for safe storage, including any incompatibilities The product is stable and non-reactive under normal conditions of use, storage and transport.

5 mg/m3

Store in a dry place. Store in a closed container.

#### 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3 500 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form

SEVERELY **HYDROTREATED** PETROLEUM OIL (CAS 64742-52-5)

Material name: TRIM® MicroSol® 590XT

Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards
Components Type Value Form

SEVERELY Ceiling 1800 mg/m3

HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)

STEL 10 mg/m3 Mist.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

Physical state Liquid.
Color Amber

Odor Mild amine

Odor threshold Not available.
pH 9.5 - 9.7

Melting point/freezing point 19.4 °F (-7 °C) Initial boiling point and boiling 210.02 °F (98.9 °C)

range

**Flash point** > 212.0 °F (> 100.0 °C)

Evaporation rate < 1 BuAc
Flammability (solid, gas)
Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(0/)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Flash point class ASTM D93-08 pH in aqueous solution 8.8 - 9.7 Specific gravity 0.986 - 1.006

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid**Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Incompatible materials Powerful oxidizers. Strong acids.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** May be irritating to the skin.

Eye contact Not classified.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to the skin.

#### Information on toxicological effects

Acute toxicity Not classified.

Product Species Test Results

TRIM® MicroSol® 590XT

Acute

Acute

Dermal

LD50 Rabbit > 2000, mg/kg

Inhalation

LC50 Rat > 210, mg/l

Oral

LD50 Rat > 2000, mg/kg

**Skin corrosion/irritation** May be irritating to the skin.

Serious eye damage/eye

irritation

Not classified.

## Respiratory or skin sensitization

**Respiratory sensitization**Classification not possible. Not a respiratory sensitizer. **Skin sensitization**This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -

repeated exposure

Classification not possible.

**Aspiration hazard** Classification not possible. Not an aspiration hazard.

Chronic effects None known.

# 12. Ecological information

**Ecotoxicity** Not available.

**Persistence and degradability** No data is available on the degradability of this product.

Material name: TRIM® MicroSol® 590XT

1721 Version #: 02 Revision date: 06-01-2016 Issue date: 11-20-2015

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations. **Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Follow precautions for safe handling described in this safety data sheet.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Not established.

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### US state regulations

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Material name: TRIM® MicroSol® 590XT

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 11-20-2015

 Revision date
 06-01-2016

Version # 02

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for

loss, injury, damage or expense due to improper use.

**Revision information** Composition / Information on Ingredients: Ingredients

Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data HazReg Data: International Inventories

Material name: TRIM® MicroSol® 590XT SDS US