



SAFETY DATA SHEET

1. Identification

Product name TRIM® MicroSol® 692XT
Other means of identification None.
Recommended use Metal Working Fluids.
Recommended restrictions Applicable for industrial settings only. No other uses are advised.
Manufacturer/Importer/Supplier/Distributor information
Manufacturer
Company Name Master Fluid Solutions
Address 501 West Boundary
Perrysburg, Ohio 43551-1200
United States
Telephone 419-874-7902
Website www.masterfluidsolutions.com
E-mail info@masterfluids.com
Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Environmental hazards Not classified.
OSHA defined hazards Not classified.
Label elements



Signal word Warning
Hazard statement Causes skin irritation. Causes serious eye irritation.
Precautionary statement
Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.
Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage Store away from incompatible materials.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC) None known.
Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|-------------|-----------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic | | 64742-52-5 | 40 - < 50 |
| TRADE SECRET | | Proprietary | 5 - < 10 |

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|-------------|-----------|
| Triethanolamine | | 102-71-6 | 5 - < 10 |
| TRADE SECRET | | Proprietary | 3 - < 5 |
| TRADE SECRET | | Proprietary | 1 - < 3 |
| TRADE SECRET | | Proprietary | 1 - < 3 |
| Other components below reportable levels | | | 30 - < 40 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| | |
|---|---|
| Inhalation | Move to fresh air. |
| Skin contact | Wash affected area with mild soap and water. |
| Eye contact | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. |
| Ingestion | In the unlikely event of swallowing contact a physician or poison control center. |
| Most important symptoms/effects, acute and delayed | None known. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. |
| General information | Get medical attention, if needed. In the case of accident or if you feel unwell, seek medical advice (show the label where possible). |

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials. |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards arising from the chemical | No unusual fire or explosion hazards noted. |
| Special protective equipment and precautions for firefighters | Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials. |
| Fire fighting equipment/instructions | Containers should be cooled with water to prevent vapor pressure build up. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Use personal protective equipment as required. |
| Methods and materials for containment and cleaning up | Soak up with inert absorbent material. Clean up in accordance with all applicable regulations. |
| Environmental precautions | Prevent entry into waterways, sewer, basements or confined areas. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. |
| Conditions for safe storage, including any incompatibilities | Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|---|------|---------|-------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | PEL | 5 mg/m3 | Mist. |

US. ACGIH Threshold Limit Values (TLV)

| Components | Type | Value | Form |
|---|------|---------|---------------------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| Triethanolamine (CAS 102-71-6) | TWA | 5 mg/m3 | |

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

| Components | Type | Value | Form |
|---|------|----------|-------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. |

| | |
|--|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Safety glasses. |
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. |
| Other | Wear appropriate chemical resistant clothing. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

| | |
|---|-----------------------|
| Physical state | Liquid. |
| Color | Straw yellow to amber |
| Odor | Mild amine |
| Odor threshold | Not available. |
| pH | 9.6 - 10 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | ≥212 °F (≥100 °C) |
| Flash point | >224.6 °F (>107.0 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Soluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |

Other information

| | |
|---------------------------------|--------------------------------------|
| Flash point class | ASTM D93-08* |
| Kinematic viscosity | 157.5 cSt |
| Kinematic viscosity temperature | 104 °F (40 °C) |
| pH in aqueous solution | 8.8 - 9.6 |
| Specific gravity | 0.981 - 0.991 |
| Flashpoint Information | *Not measurable due to water content |

10. Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Stable at normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. |
| Incompatible materials | Strong acids. Powerful oxidizers. |
| Hazardous decomposition products | To avoid thermal decomposition, do not overheat. |

11. Toxicological information

Information on likely routes of exposure

| | |
|--------------|--|
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | May be irritating to the skin. |
| Eye contact | May be irritating to eyes. |
| Ingestion | Expected to be a low ingestion hazard. |

| | |
|--|---|
| Symptoms related to the physical, chemical and toxicological characteristics | May be irritating to the skin. May be irritating to eyes. |
|--|---|

Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity | Not classified. |
| Skin corrosion/irritation | May be irritating to the skin. |
| Serious eye damage/eye irritation | May be irritating to eyes. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not classified. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

| | |
|--|--|
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |
| Chronic effects | None known. |

12. Ecological information

| | |
|-------------------------------|--|
| Ecotoxicity | Not available. |
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |

| | |
|------------------------------|---|
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| | |
|--|--|
| Disposal instructions | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Follow precautions for safe handling described in this safety data sheet. |

14. Transport information

| | |
|-------------|-----------------------------------|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |

15. Regulatory information

US federal regulations

| |
|---|
| Toxic Substances Control Act (TSCA) |
| TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) |
| Not regulated. |
| CERCLA Hazardous Substance List (40 CFR 302.4) |
| Not listed. |
| SARA 304 Emergency release notification |
| Not regulated. |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) |
| Not listed. |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| |
|---|
| SARA 302 Extremely hazardous substance |
| Not listed. |
| SARA 311/312 Hazardous chemical |
| No |
| SARA 313 (TRI reporting) |
| Not regulated. |

| | |
|----------------------------------|--|
| Other federal regulations | Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2020 |
|----------------------------------|--|

| |
|---|
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List |
| Not regulated. |
| Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. |

US state regulations

| |
|--|
| California Proposition 65 |
| California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov . |

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|-------------------------------------|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-19-2019

Revision date 11-20-2023

Version # 03

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.