# SAFETY DATA SHEET



# 1. Identification

Product identifier	TRIM® OH200		
Other means of identification	None.		
Recommended use	Metal Working Fluids.		
<b>Recommended restrictions</b>	Applicable for industrial settings only. No other uses are advised.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company Name	Master Chemical Corp d/b/a Master Fluid Solutions		
Address	501 West Boundary Street		
	Perrysburg, Ohio 43551-1200		
	United States		
Telephone	419-874-7902		
Website	www.masterfluidsolutions.com		
E-mail	info@masterchemical.com		
Emergency phone number	CHEMTREC	1-800-424-9300	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Wash hands thoroughly after handling. Wear protective gloves.
Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Do NOT induce vomiting.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-53-6	70 - < 80
PETROLEUM DISTILLATE		64742-47-8	20 - < 30

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation	Move to fresh air.
Skin contact	Wash affected area with mild soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	None known.
General information	Get medical attention, if needed.

# 5. Fire-fighting measures

Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Use standard firefighting procedures and consider the hazards of other involved materials.
C Assidantal valassa mass	

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.
7. Handling and storage	

Precautions for safe handlingAvoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.<br/>Wash thoroughly after handling.Conditions for safe storage,<br/>including any incompatibilitiesStore in a closed container. The product is stable and non-reactive under normal conditions of use,<br/>storage and transport. Store in a dry place.

# 8. Exposure controls/personal protection

## Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Form Components Value Туре PETROLEUM DISTILLATE PEL 400 mg/m3 (CAS 64742-47-8) SEVERELY PEL 5 mg/m3 Mist. HYDROTREATED PETROLEUM OIL (CAS 64742-53-6) 500 ppm **US. ACGIH Threshold Limit Values** Components Value Form Type SEVERELY TWA 5 mg/m3 Inhalable fraction. **HYDROTREATED** PETROLEUM OIL (CAS 64742-53-6) **US. NIOSH: Pocket Guide to Chemical Hazards** Components Type Value Form SEVERELY STEL 10 mg/m3 Mist. **HYDROTREATED** PETROLEUM OIL (CAS 64742-53-6) Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne Appropriate engineering levels below recommended exposure limits. Eye wash facilities and emergency shower must be controls available when handling this product.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Safety glasses.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state	Liquid.
Color	Dark red
Odor	Mineral oil
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	215.6 °F (102.0 °C)
Evaporation rate	< 1 BuAc
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flash point class	ASTM D93-08
Kinematic viscosity	5.7 cSt
Kinematic viscosity temperature	104 °F (40 °C)
Specific gravity	0.832 - 0.92

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.
Incompatible materials	Strong oxidizing agents.

# 11. Toxicological information

· · · · · · · · · · · · · · · · · · ·	
Information on likely routes of ex	xposure
Inhalation	Not classified.
Skin contact	May be irritating to the skin.
Eye contact	Not classified.
Ingestion	May be fatal if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	May be irritating to the skin. May be fatal if swallowed and enters airways.
Information on toxicological effe	ects
Acute toxicity	Not classified.
Skin corrosion/irritation	May be irritating to the skin.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	I Construction of the second se
Respiratory sensitization	Classification not possible. Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Not regulated.	d Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Classification not possible.
Specific target organ toxicity - repeated exposure	Classification not possible.
Aspiration hazard	May be fatal if swallowed and enters airways.
Chronic effects	None known.
12. Ecological information	
Ecotoxicity	Not available.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	IS
Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused	Dispose of in accordance with local regulations.

Waste from residues / unused Dispose of in accordance with local regulations. products

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Follow precautions for safe handling described in this safety data sheet.

# 14. Transport information

# DOT

Not regulated as dangerous goods.

# ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**Hazard categories** 

SARA 311/312 Hazardous Yes

chemical

# SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## **US state regulations**

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	08-31-2015
Revision date	08-28-2017
Version #	02
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	Identification: Recommended restrictions Exposure controls/personal protection: Appropriate engineering controls Toxicological Information: Toxicological Data Ecological Information: Ecotoxicity HazReg Data: International Inventories