

TRIM[®] OM 300

Straight Oil

GENERAL DESCRIPTION

TRIM[®] OM 300 is a high-performance straight cutting oil designed with active extreme-pressure additives to reduce the formation of built-up edge in cutting hard-to-machine materials including 300 series stainless. Moderate viscosity and high flash point makes OM 300 a very effective lubricant for difficult creepfeed grinding operations.

ADVANTAGES

- Controls built-up edge
- Longer tool life
- Better finish
- Machines difficult ferrous and stainless steel alloys

HEALTH & SAFETY

See the most recent SDS at <u>2trim.us/s/?i=1085-en-US-US</u>.



Notes

- Packaging: North America 1-gallon jug, 5-gallon pail, 54-gallon drum, and 270-gallon tote bin.
- Packaging: Europe/Asia 20-litre pail, 204-litre drum, and 1000-litre IBC.
- For additional product applications information including performance optimization, please contact your Master Chemical Authorized Distributor at <u>2trim.us/distributors.php</u>, your District Sales Manager, the Tech Line at 1-800-537-3365, or visit our website at <u>www.masterchemical.com</u>.

PHYSICAL PROPERTIES (TYPICAL DATA)

	Dark Brown	
Odor	Oily	Viscosit
Form	Liquid	V.O.C. 0
Flash Point		

Specific Gravity	
Viscosity	
V.O.C. Content (ASTM E1868	-10)70.3 g/l

The information herein is given in good faith and believed current as of the date of this Data & Information sheet and should apply to the current formula version. Because conditions of use are beyond our control, no guarantee, representation, or warranty expressed or implied is made. Consult Master Chemical Corporation for further information. For the most recent version of this document, please go to this URL: 2trim.us/di/?i=47

URL: <u>2trim.us/di/?i=47</u> TRIM[®] and MicroSol[®] are registered trademarks of Master Chemical Corporation

© 2012-2016 Master Chemical Corporation • Revised February 18, 2016

Tel: 419-874-7902 Email: info@masterchemical.com Web: www.trimfluids.com TECH SERVICE HOTLINE 800-537-3365