# SAFETY DATA SHEET



# 1. Identification

Product identifier	TRIM SOL® nd	
Other means of identification	None.	
Recommended use	Metal Working Fluids.	
<b>Recommended restrictions</b>	Applicable for industrial settings only. No other uses are advised.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company Name	Master Fluid Solutions	
Address	501 West Boundary	
	Perrysburg, Ohio 43551-1200	
	United States	
Telephone	419-874-7902	
Website	www.masterfluidsolutions.com	
E-mail	info@masterchemical.com	
Emergency phone number	CHEMTREC 1-800-424-9300	
2. Hazard(s) identification		

. ,		
Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	Causes eye irritation.	
Precautionary statement		
Prevention	Wash hands thoroughly after handling.	
Response	If in eyes: Rinse cautiously with water for seve easy to do. Continue rinsing. If eye irritation pe	ral minutes. Remove contact lenses, if present and ersists: Get medical advice/attention.
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None	

# 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	30 - < 40
TRADE SECRET*		Proprietary*	10 - < 20
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportable	e levels		40 - < 50

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation	Move to fresh air.	
Skin contact	Wash affected area with mild soap and water.	

Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	None known.
General information	Get medical attention, if needed.
5. Fire-fighting measures	
Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

	appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

recautions for safe handling Avoid contact with eyes. Avoid prolonged or rep Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities** Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

# 8. Exposure controls/personal protection

### Occupational exposure limits

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit			
Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
propriate engineering htrols	ng Use process enclosures, local exhaust ventilation, or other engineering controls to control a levels below recommended exposure limits. Eye wash fountain and emergency showers ar recommended.		
ividual protection measures,	such as personal protective equipme	ent	
Eye/face protection	Safety glasses.		
	Wear appropriate chemical resistant gloves.		
Skin protection Hand protection	Wear appropriate chemical resistant g	loves.	

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

		•
Physical s	state	Liquid.
Color		Brown
Odor		Mild, sweet
Odor threshold	d	Not available.
рН		Not available.
Melting point/f	freezing point	-0.4 °F (-18 °C)
Initial boiling p range	point and boiling	208.4 °F (98 °C)
Flash point		> 208.4 °F (> 98.0 °C)
Evaporation ra	ate	< 1 BuAc
Flammability (	solid, gas)	Not applicable.
Upper/lower fla	ammability or exp	losive limits
Flammabil (%)	lity limit - lower	Not available.
Flammabil (%)	lity limit - upper	Not available.
Explosive	limit - lower (%)	Not available.
Explosive	limit - upper (%)	Not available.
Vapor pressur	e	Not available.
Vapor density		Not available.
Relative densi	ity	Not available.
Solubility(ies)		
Solubility	(water)	Soluble
Partition coeff (n-octanol/wat		Not available.
Auto-ignition t	temperature	Not available.
Decompositio	n temperature	Not available.
Viscosity		Not available.
Other informat	tion	
Flash poin	nt class	ASTM D93-08
pH in aque	eous solution	8 - 9
Specific g	ravity	0.952 - 1.052
10. Stability	and reactivity	,
. Si Otasinty	and roughly	

-	•
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known.
Incompatible materials	Strong acids. Powerful oxidizers.
Hazardous decomposition products	To avoid thermal decomposition, do not overheat.

### 11. Toxicological information

## Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Not classified.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.

#### Symptoms related to the May be irritating to eyes. physical, chemical and toxicological characteristics

### Information on toxicological effects

Acute toxicity	Not classified.	
Product	Species	Test Results
TRIM SOL® nd	•	
Acute		
Dermal		
LD50	Rabbit	> 2, g/kg
Inhalation		
LC50	Rat	> 225, mg/l
Oral		
LD50	Rat	> 5, g/kg
Skin corrosion/irritation	Not classified.	
Serious eye damage/eye irritation	May be irritating to eyes.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not classified.	
Skin sensitization	This product is not expected to cause	skin sensitization.
Germ cell mutagenicity	No data available to indicate product mutagenic or genotoxic.	or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910.1001-105	52)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Chronic effects	None known.	
12. Ecological information	n	
Ecotoxicity	Not available.	
Persistence and degradability	No data is available on the degradab	lity of this product.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideratio	ns	
Disposal instructions	Dispose of contents/container in acco	ordance with local/regional/national/international regulations.
Hazardous waste code	disposal company.	n discussion between the user, the producer and the waste
Waste from residues / unused products	Dispose of in accordance with local re	egulations.
Contaminated packaging	Empty containers should be taken to Follow precautions for safe handling	an approved waste handling site for recycling or disposal. described in this safety data sheet.

# 14. Transport information

# DOT

Not regulated as dangerous goods.


### IATA

Not regulated as dangerous goods.

#### IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16, CHLORO)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

#### IMDG



Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

# 15. Regulatory information

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardo	,

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

### US state regulations

### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name On inventory	y (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)		

"A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

,	3
Issue date	05-21-2015
Revision date	08-09-2019
Version #	05
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	Composition / Information on Ingredients: Disclosure Overrides Toxicological Information: Toxicological Data Other information, including date of preparation or last revision: Disclaimer HazReg Data: International Inventories