SAFETY DATA SHEET

1. Identification

Product identifier TRIM SOL® ndsf

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Master Fluid Solutions **Company Name Address** 501 West Boundary Street

Perrysburg, Ohio 43551-1200

United States

419-874-7902 **Telephone**

Website www.masterfluidsolutions.com info@masterchemical.com E-mail

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Not classified. Physical hazards

Health hazards Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified. Not classified. **OSHA** defined hazards

Label elements

Hazard symbol None. Signal word Warning

Hazard statement Causes eye irritation.

Precautionary statement

Prevention Wash hands thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	30 - < 40
TRADE SECRET*		Proprietary*	10 - < 20
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportate	ole levels		40 - < 50

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Material name: TRIM SOL® ndsf SDS US 1/6 Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

General information Get medical attention, if needed.

None known.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a closed container. The product is stable and non-reactive under normal conditions of use,

storage and transport. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
SEVERELY HYDROTREATED	TWA	5 mg/m3	Inhalable fraction.

PETROLEUM OIL (CAS

64742-52-5)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
SEVERELY	STEL	10 mg/m3	Mist.	
LIVERATER				

HYDROTREATED PETROLEUM OIL (CAS

64742-52-5)

controls

Appropriate engineering

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: TRIM SOL® ndsf

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid. Color Brown Odor Mild, sweet Not available. Odor threshold Not available. Melting point/freezing point -0.4 °F (-18 °C) 208.4 °F (98 °C) Initial boiling point and boiling

range

> 208.4 °F (> 98.0 °C) Flash point

Evaporation rate < 1 BuAc Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Not available. Explosive limit - lower (%)

Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Not available. Relative density

Solubility(ies)

Soluble Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

ASTM D93-08 Flash point class

pH in aqueous solution 8 - 9

0.952 - 1.052 Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

Incompatible materials Strong acids. Powerful oxidizers.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Not classified.

Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Material name: TRIM SOL® ndsf

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to eyes.

Information on toxicological effects

Acute toxicity Not classified.

Product Species Test Results

TRIM SOL® ndsf

Acute Dermal

LD50 Rabbit > 2, g/kg

Inhalation

LC50 Rat > 225, mg/l

Oral

LD50 Rat > 5, g/kg

Skin corrosion/irritation Not classified.

Serious eye damage/eye May be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects None known.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

Material name: TRIM SOL® ndsf sps us

IATA

Not regulated as dangerous goods.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)

Transport hazard class(es)


Class 9
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: TRIM SOL® ndsf SDS US

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)Yes

Canada Non-Domestic Substances List (NDSL) No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 05-21-2015

 Revision date
 09-26-2018

Version # 04

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure and

in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Revision information Fire-fighting measures: Special protective equipment and precautions for firefighters

Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data Toxicological information: Aspiration hazard Toxicological information: Respiratory sensitization

Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure

Regulatory information: California Proposition 65

HazReg Data: North America

Material name: TRIM SOL® ndsf sps us