# TRIM

# SAFETY DATA SHEET

# 1. Identification

Product identifier TRIM SOL® nd

Other means of identification None.

Recommended use Metal Working Fluids.

**Recommended restrictions** Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company NameMaster Fluid SolutionsAddress501 West Boundary Street

Perrysburg, Ohio 43551-1200

**United States** 

**Telephone** 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement Causes eye irritation.

**Precautionary statement** 

**Prevention** Wash hands thoroughly after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED		64742-52-5	30 - < 40
PETROLEUM OIL			
TRADE SECRET*		Proprietary*	10 - < 20
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportable	le levels		40 - < 50

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air.

**Skin contact** Wash affected area with mild soap and water.

Material name: TRIM SOL® nd

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

None known.

General information Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a closed container. The product is stable and non-reactive under normal conditions of use,

storage and transport. Store in a dry place.

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
SEVERELY HYDROTREATED	TWA	5 mg/m3	Inhalable fraction.

PETROLEUM OIL (CAS

64742-52-5)

# **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
SEVERELY	STEL	10 mg/m3	Mist.	
HYDROTREATED				

PETROLEUM OIL (CAS

64742-52-5)

controls

Appropriate engineering

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: TRIM SOL® nd

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state
Color
Brown

Odor
Mild, sweet

Odor threshold
Not available.

PH
Not available.

Melting point/freezing point
Initial boiling point and boiling

Liquid.

Brown

Not available.

-0.4 °F (-18 °C)

208.4 °F (98 °C)

range

Flash point > 208.4 °F (> 98.0 °C)

Evaporation rate < 1 BuAc
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ASTM D93-08

pH in aqueous solution 8 - 9

Specific gravity 0.952 - 1.052

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

Incompatible materials Strong acids. Powerful oxidizers.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

Skin contact Not classified.

**Eye contact** May be irritating to eyes.

**Ingestion** Expected to be a low ingestion hazard.

Material name: TRIM SOL® nd

SDS US

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to eyes.

Information on toxicological effects

Acute toxicity Not classified.

Product Species Test Results

TRIM SOL® nd

Acute Dermal

LD50 Rabbit > 2, g/kg

Inhalation

LC50 Rat > 225, mg/l

Oral

LD50 Rat > 5, g/kg

Skin corrosion/irritation Not classified.

Serious eye damage/eye May be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects None known.

12. Ecological information

**Ecotoxicity** Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

Material name: TRIM SOL® nd

1054 Version #: 04 Revision date: 09-26-2018 Issue date: 05-21-2015

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

UN number UN308

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)


Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes
EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

#### **IMDG**



#### Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

# 15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: TRIM SOL® nd SDS US

# **US state regulations**

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)Yes

Canada Non-Domestic Substances List (NDSL) No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 05-21-2015

 Revision date
 09-26-2018

Version # 04

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers

in combination with its product, may be used. It is the user's responsibility to ensure safe

conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

**Revision information** Fire-fighting measures: Special protective equipment and precautions for firefighters

Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data Toxicological information: Aspiration hazard Toxicological information: Respiratory sensitization

Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure

Regulatory information: California Proposition 65

HazReg Data: North America

Material name: TRIM SOL® nd sps us