SAFETY DATA SHEET



1. Identification

Product identifier	TRIM SOL® sf	
Other means of identification	None.	
Recommended use	Metal Working Fluids.	
Recommended restrictions	Applicable for industrial settings	only. No other uses are advised.
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company Name	Master Fluid Solutions	
Address	501 West Boundary Street	
	Perrysburg, Ohio 43551-1200	
	United States	
Telephone	419-874-7902	
Website	www.masterfluidsolutions.com	
E-mail	info@masterchemical.com	
Emergency phone number	CHEMTREC	1-800-424-9300
2. Hazard(s) identification		
Physical hazards	Not classified.	

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	Causes eye irritation.	
Precautionary statement		
Prevention	Wash hands thoroughly after handling.	
Response	If in eyes: Rinse cautiously with water for several easy to do. Continue rinsing. If eye irritation	veral minutes. Remove contact lenses, if present and persists: Get medical advice/attention.
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	30 - < 40
TRADE SECRET*		Proprietary*	10 - < 20
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportab	le levels		40 - < 50

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air.
Skin contact	Wash affected area with mild soap and water.

Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	None known.
General information	Get medical attention, if needed.
5. Fire-fighting measures	
Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

	appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

recautions for safe handling Wash thoroughly after handling.

Store in a closed container. The product is stable and non-reactive under normal conditions of use, Conditions for safe storage, storage and transport. Store in a dry place. including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Lim			
Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
propriate engineering trols	Use process enclosures, local exhaust levels below recommended exposure li recommended.		
ividual protection measure	s, such as personal protective equipmer	nt	
Eye/face protection	Safety glasses.		
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
· · · •			

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

		•
	Physical state	Liquid.
	Color	Blue green
0	dor	Mild, sweet
0	dor threshold	Not available.
pł	4	Not available.
М	elting point/freezing point	-0.4 °F (-18 °C)
	itial boiling point and boiling nge	208.4 °F (98 °C)
FI	ash point	> 208.4 °F (> 98.0 °C)
E١	vaporation rate	< 1 BuAc
FI	ammability (solid, gas)	Not applicable.
U	oper/lower flammability or exp	losive limits
	Flammability limit - lower (%)	Not available.
	Flammability limit - upper (%)	Not available.
	Explosive limit - lower (%)	Not available.
	Explosive limit - upper (%)	Not available.
Va	apor pressure	Not available.
Va	apor density	Not available.
R	elative density	Not available.
So	olubility(ies)	
	Solubility (water)	Soluble
	artition coefficient -octanol/water)	Not available.
А	uto-ignition temperature	Not available.
D	ecomposition temperature	Not available.
Vi	scosity	Not available.
O	ther information	
	Flash point class	ASTM D93-08
	pH in aqueous solution	8 - 9
	Specific gravity	0.952 - 1.052
1	0. Stability and reactivity	,

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityStable at normal conditions.Possibility of hazardous
reactionsHazardous polymerization does not occur.Conditions to avoidNone known.Incompatible materialsStrong acids. Powerful oxidizers.Hazardous decomposition
productsTo avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Not classified.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the May be irritating to eyes. physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity	Not classified.			
Product	Species	Test Results		
TRIM SOL® sf				
Acute				
Dermal				
LD50	Rabbit	> 2, g/kg		
Inhalation				
LC50	Rat	> 225, mg/l		
Oral				
LD50	Rat	> 5 g/kg		
Skin corrosion/irritation	Not classified.			
Serious eye damage/eye	May be irritating to eyes.			
irritation				
Respiratory or skin sensitizatio				
Respiratory sensitization	Not classified.			
Skin sensitization	This product is not expected to ca			
Germ cell mutagenicity	no data available to indicate prod	uct or any components present at greater than 0.1% are		
Carcinogenicity	This product is not considered to I	be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1052)			
Not regulated.				
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.	Not classified.		
Aspiration hazard	Not classified.			
Chronic effects	None known.			
12. Ecological informatio	n			
Ecotoxicity	Not available.			
Persistence and degradability	No data is available on the degrad	dability of this product.		
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects		effects (e.g. ozone depletion, photochemical ozone creation obal warming potential) are expected from this component.		
13. Disposal consideration	ons			
Disposal instructions	Dispose of contents/container in a	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazardous waste code	The waste code should be assign disposal company.	ed in discussion between the user, the producer and the waste		
Waste from residues / unused products	Dispose of in accordance with loc	al regulations.		
Contaminated packaging		n to an approved waste handling site for recycling or disposal. ng described in this safety data sheet.		
	_			

14. Transport information

DOT

Not regulated as dangerous goods.


IATA

Not regulated as dangerous goods.

IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16, CHLORO)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardo	,

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On inventory	y (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country/s	:)

"A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

,.	and a set of the set o
Issue date	05-21-2015
Revision date	09-26-2018
Version #	04
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	Fire-fighting measures: Special protective equipment and precautions for firefighters Exposure controls/personal protection: Appropriate engineering controls Toxicological Information: Toxicological Data Toxicological information: Aspiration hazard Toxicological information: Respiratory sensitization Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure Regulatory information: California Proposition 65 HazReg Data: North America GHS: Classification