# TRIM

# SAFETY DATA SHEET

# 1. Identification

Product identifier TRIM® TC 253

Other means of identification None.

Recommended use Industrial Metal Working Fluids.

**Recommended restrictions** Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Fluid Solutions
Address 501 West Boundary Street
Perrysburg, Ohio 43551-1200

United States

**Telephone** 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May be fatal if swallowed and enters airways.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
HYDROTREATED MIDDLE		64742-46-7	90 - 100
DISTILLATE (PETROLEUM)			

## 4. First-aid measures

**Inhalation** Move to fresh air.

**Skin contact** Wash affected area with mild soap and water.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Material name: TRIM® TC 253

Ingestion In the unlikely event of swallowing contact a physician or poison control center. Do not induce

vomiting

None known.

Most important

General information

symptoms/effects, acute and

delayed

Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Use personal protective equipment as required.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

# 7. Handling and storage

Precautions for safe handling Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

## 8. Exposure controls/personal protection

# Occupational exposure limits

IIS OSHA Table	7-1 Limits for A	Air Contaminants	(29 CFR 1910.1000)
UU. UUI IA I ADIO	, <u> </u>	an oomaniinanis	( <b>2</b> 3 Of 11 13 10.1000)

Components	Туре	Value	Form	
HYDROTREATED MIDDLE DISTILLATE (PETROLEUM) (CAS 64742-46-7)	PEL	5 mg/m3	Mist.	

## **US. ACGIH Threshold Limit Values**

Components	туре	value	Form
HYDROTREATED MIDDLE DISTILLATE	TWA	5 mg/m3	Inhalable fraction.
(DETDOLEUR) (0.40			

(PETROLEUM) (CAS 64742-46-7)

## **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
HYDROTREATED MIDDLE DISTILLATE (PETROLEUM) (CAS 64742-46-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

## Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Material name: TRIM® TC 253

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state
Color
Colorless
Odor
Mineral oil
Odor threshold
Not available.
PH
Not available.
Melting point/freezing point
Not available.
Initial boiling point and boiling
Not available.

range

Flash point  $> 212.0 \, ^{\circ}\text{F} \, (> 100.0 \, ^{\circ}\text{C})$ 

Evaporation rate < 1 BuAc
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ASTM D92-90

Kinematic viscosity 7 cSt

Kinematic viscosity

temperature

104 °F (40 °C)

pH in aqueous solution 5.9 - 6.1 Specific gravity 0.804 - 0.828

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials Oxidizing agents.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

Material name: TRIM® TC 253

# 11. Toxicological information

Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation

Not classified. Skin contact Not classified. Eye contact

May be fatal if swallowed and enters airways. Ingestion May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** Not classified. Not classified. Skin corrosion/irritation Serious eve damage/eve Not classified.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** None known.

12. Ecological information

**Ecotoxicity** Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal instructions** 

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Material name: TRIM® TC 253 4/5

## 15. Regulatory information

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## **US state regulations**

### California Proposition 65



WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

## California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002

#### International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

Issue date 10-05-2018

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe

conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Material name: TRIM® TC 253 SDS US

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).