# TRIM

# SAFETY DATA SHEET

#### 1. Identification

Product identifier TRIM® VHP® E320

Other means of identification None.

Recommended use Metal Working Fluids.

**Recommended restrictions** Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Chemical Corp d/b/a Master Fluid Solutions

Address 501 West Boundary Street

Perrysburg, Ohio 43551-1200

**United States** 

**Telephone** 419-874-7902

Website www.masterchemical.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation.

**Precautionary statement** 

**Prevention** Wash hands thoroughly after handling. Wear protective gloves.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	60 - < 70
Other components below reportable levels			30 - < 40

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air.

Material name: TRIM® VHP® E320

Wash affected area with mild soap and water. Skin contact

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

In the unlikely event of swallowing contact a physician or poison control center. Ingestion

Most important

symptoms/effects, acute and

delaved

None known.

**General information** Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

## 7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after

handling. Do not taste or swallow.

Conditions for safe storage, including any incompatibilities The product is stable and non-reactive under normal conditions of use, storage and transport.

Store in a dry place. Store in a closed container.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS	PEL	5 mg/m3	Mist.	

64742-52-5)

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
SEVERELY	TWA	5 mg/m3	Inhalable fraction.
HYDROTREATED			

PETROLEUM OIL (CAS 64742-52-5)

# **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
SEVERELY HYDROTREATED	STEL	10 mg/m3	Mist.	

64742-52-5)

Appropriate engineering

PETROLEUM OIL (CAS

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eve wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Material name: TRIM® VHP® E320 SDS US Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Physical state Liauid.

Color Olive green to amber

Odor Mild, oily Odor threshold Not available. Not available. рH Not available. Melting point/freezing point 208.94 °F (98.3 °C) Initial boiling point and boiling

range

> 360.0 °F (> 182.2 °C) Flash point

**Evaporation rate** < 1 BuAc Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

(%)

Flammability limit - upper

Flammability limit - lower

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Soluble Partition coefficient

(n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Fire point 366.08 °F (185.60 °C)

**ASTM D93-08** Flash point class pH in aqueous solution 8.2 - 8.90.907 - 1.003 Specific gravity

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong acids. Powerful oxidizers. Incompatible materials

Hazardous decomposition To avoid thermal decomposition, do not overheat.

products

#### 11. Toxicological information

#### Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation

Material name: TRIM® VHP® E320 SDS US 3/5 Skin contact May be irritating to the skin.

**Eve contact** Not classified.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics May be irritating to the skin.

#### Information on toxicological effects

Not classified. Acute toxicity

Product	Species	Test Results	
TRIM® VHP® E320			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2, g/kg	
Inhalation			
LC50	Rat	> 198, mg/l	
Oral			

Skin corrosion/irritation May be irritating to the skin.

Serious eye damage/eye

LD50

irritation

Not classified.

Rat

#### Respiratory or skin sensitization

Classification not possible. Not a respiratory sensitizer. Respiratory sensitization This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -

repeated exposure

Classification not possible.

**Aspiration hazard** Classification not possible. Not an aspiration hazard.

**Chronic effects** None known.

#### 12. Ecological information

**Ecotoxicity** Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

> 5, g/kg

#### 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations. Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

1032 Version #: 04 Revision date: 06-27-2017 Issue date: 08-11-2015

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### **US state regulations**

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 08-11-2015

 Revision date
 06-27-2017

Version # 04

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use.

**Revision information** Toxicological Information: Toxicological Data

HazReg Data: International Inventories

Material name: TRIM® VHP® E320