Southern Welding Systems International LLC

Welding | Industrial | Safety

International Wholesale Distribution

Contact us for Pricing: Phone: 281-485-9772 | Fax: 281-485-4386 Email: Sales@swsintl.com | Website: www.swsitnl.com Address: 3908 1st Street Pearland, Texas 77581





The Brand Pros Demand







The Brand Pros Demand

Over 80 years ago, John Tillman worked as a welder in the oil fields of Southern California. Frustrated with the quality and performance of leather gloves and garments available, he decided to start his own factory in 1928. His goal was to provide his friends with the best quality products by utilizing great designs, the finest raw materials, and superior craftsmanship. Word of Tillman's quality spread rapidly throughout the country, and over time, professionals in other industries began asking for additional styles to meet their specific needs.

The Tillman Difference

Every product counts. Hundreds of companies around the world manufacture competing products. Foreign or domestic, leather or cotton, high volume or low volume, high price or low price, their products usually meet acceptable standards. But Tillman aspires to something greater; we want every worker to be more productive, more comfortable, and safer with Tillman products. No shortcuts are taken when manufacturing our products. Why, because every product counts.

Design

Design is critical for superior performance. Tillman has an eighty year history of listening to its customer base. When a new process arrives on the market, we quickly develop new products. Yet Tillman is more than just form meeting function, our products look great.

Tillman's selection of raw materials is unsurpassed in the industry. Hides ranging from elk, deer, goat, cowhide, and pigskin are rigorously inspected when received at our factories. We buy the best FR cotton, the best fiberglass, and the best aluminized fabrics. It's easy to cut corners. Tillman will not because product performance and consistency are everything. That's why most tradesmen ask for Tillman more than any other brand.



Which Material? For What Use?

One of the biggest questions we get at Tillman is, "Why do you have so many different types of materials, don't they all work about the same?" No, absolutely not. At Tillman we select specific materials for particular gloves and garments based upon the user's application and conditions.

Attention To Details

It's the details that enable a product to perform and last. For instance, we use more stitches per inch on our gloves because it makes them last longer and perform better over time. We inspect 100% of our imported welding clothing because consistent quality is the very foundation of the Tillman name. Go ahead, put our product side-by-side with our competitors. You can see the difference. Then put them on and you will feel the difference.

Timeless Craftsmanship, **Tomorrow's Technology**

Our entire line of products is easily accessible through our website at **www.jtillman.com**. Designed for ease of use, our site provides all the information you'll need when deciding which Tillman product is right for your needs. Follow us on facebook and Camfletan

> Tillman gloves, apparel, accessories, screens, blankets, and all other products are warranted against defects in the manufacturing process only. Because applications vary, no use warranty is implied or intended. Working temperatures and recommended applications are presented without guarantee or responsibility on Tillman's part. Information given in this catalog is intended as a guideline only. It is the buyer's responsibility to determine if our products will adequately protect the user. A careful analysis should be made before select-

ing protective equipment for each particular work environment. As testing and modifications are ongoing in the industry, Tillman reserves the right to change recommendations as further knowledge is gained.

Information in this catalog is subject to change. Some products are not standard stock items and may require additional lead time. Please contact us at 800-255-5480 for the latest updates and information.

CONTENTS

Page	Item
4-11	Welding Gloves
12-13	TIG Gloves
14-15	MIG Gloves
16-18	TrueFit Performance Gloves
19-21	Drivers Gloves
22-24	Winter Gloves
25-29	Leather Work Gloves
30	Cotton, Jersey, String Knit Gloves
31	Hot Mill, Chore Gloves
32-34	Coated Gloves
35-37	High Heat Gloves
38-39	Back Hand Pads
39-41	Welding Accessories
42-43	Onyx Jackets
44-45	Leather Jackets & Cape Sleeves
46-47	Leather Aprons
48	Leather Sleeves, Overalls
49	Foot, Leg Protection
50, 52	Medium Weight Protective Clothing
51, 53-59	Lightweight Protective Clothing
60	Aluminized Protective Clothing
61-63	Welding Blankets, Roll Goods
64-66	Welding Curtains, Screens
67	Track Mounted Rolling Curtains
68-69	Strip Curtains
70-71	Merchandising and Display Aids
Back	Premium Protection Kit
Cover	



Premium Top Grain Elk Welders

For over 80 years the Tillman 750 and 850 elk welders have reigned supreme as the ultimate in comfort and protection for the welding craftsman.

Premium Top Grain Elk Welders



750RHO - Right hand only

S, M, L, XL



- All black top grain elkskin
- Elkskin offers the needed resistance to heat shrinkage for more comfort, longer wear, better overall performance
- Top grain soft cuff for added comfort
- Unlined palm for dexterity and cotton/foam lined back for heat protection make this glove extremely versatile for many welding applications
- Sewn exclusively with Kevlar[®] thread for strength and heat resistance
- Size- M, L, XL

495 Top Grain Pigskin

495

- Brown reverse grain pigskin is soft on the hand with rugged exterior surface
- Full 14" length
- Kevlar[®] stitching resists heat and adds strength
- Cotton/foam lining for maximum moisture absorption and heat protection
- Straight thumb for best gun grip
- Welted fingers protect stitching
- Pull tab for extra protection when dragging welding gun
- Size S, M, L, XL

4

hand only

100% Top Grain Elk

945

- 100% top grain elk
- 14" length
- All wool lined interior

愈

- Kevlar[®] sewn
- Size- L, XL

The 650 has all the features of our renowned 750 but made with top grain cowhide for increased durability.

945

650

Top Grain Cowhide

650

- Rugged top grain pearl cowhide
- Full 14" length
- Kevlar[®] stitching resists heat and adds strength
- Cotton/foam lined back for added heat protection with unlined palm for best dexterity
- Straight thumb for best gun grip
- Welted fingers protect stitching
- Reinforced thumb area for longer lasting gripping power
- Pull tab for easy on/off and extra protection when dragging welding gun
- Size M, L, XL

Premium Side Split Cowhide Welders



For over 80 years Tillman has been committed to manufacturing our super premium grade side split welding gloves here in the United States.

Premium Side Split Cowhide Welders

COTTON LINED

1200

Tillman's Best Cotton Lined Import Welder



Cotton Lined gives welders the best dexterity and moisture absorption

Welted Fingers protects stitching from burning and abrasion



1050, 1100	
Made from premium side split cowhide	• Welted fi
Full 14" length	• Size - L

Also available in:

1050LL - Left hand only 1050-18 - 18" length

ngers

Wing thumb Kevlar[®] stitched

Cotton lined

810, 869

- Premium domestic side split cowhide
- Full 14" length
- Kevlar[®] stitching resists heat and adds strength
- Cotton/foam lining for maximum moisture absorption and heat protection
- Wing thumb for best comfort and use
- Welted fingers protect stitching
- Size L
- Also available in: 810LL - Left hand only
- 812 Wool lined



Bourbon Brown

Why Domestic Side Split Leather?

- 100% USA made means USA hides and USA tanning
- Highest most consistent standards
- Tighter thickness tolerances
- More uniformity in tanning process
- Greater strength, greater softness
- Longer lasting

810-18

Same great features as 810 with 18" length for extra protection

810-23

Also available in 23" length; includes cinch buckle to keep glove on arm



Red



810-18



810-23



1200

- Premium bourbon brown side split cowhide
- Full 14" length
- Cotton lined
- Kevlar[®] stitched
- Reinforced thumb
- Pull tab reinforcement
- Welted fingers

1050

• Size - L

Also available in: 1200LL - Left hand only 1203 - three finger version



Pull Tab provides easy on/off and extra protection while dragging a welding gun

感

120

Double Reinforced Thumb adds strength where stress is most common

Thumb best design for gripping welding guns

Straight

Kevlar[®] Stitching adds strength and resists heat

1100

Blue



Side Split Cowhide vs Shoulder Split Cowhide

Side split has **increased density** in its fiber structure.

Result: better **uniformity**, greater strength, and increased durability.

Premium Side Split Cowhide Welders

Our premium insulated, double reinforced thumb collection is available in five popular colors.



	1150	1205	1250	1260	1270
Material	Bourbon Brown Side Split Cowhide	Black Side Split Cowhide	Blue Side Split Cowhide	Green Side Split Cowhide	Red Side Split Cowhide
Length	Full 14" length	Full 14" length	Full 14" length	Full 14" length	Full 14" length
Size	L	L	S, M, L, XL, 2X	L	L
Also available in			1250LL- Left hand only 1020 - Select shoulder split cowhide 1028 - Shoulder split cowhide		

Premium Side Split Cowhide Welders COTTON/FOAM LINED





1075

- Red, blue, pearl side split cowhide
- Cotton/foam lining for maximum moisture absorption and heat protection
- Double reinforced thumb
- Kevlar[®] stitching
- 14" length
- Size L

1204 **Bourbon Brown**

Double Reinforced Leather Palm adds extra wear resistance and great for holding hot stingers and MIG guns using large diameter rod and wire

1204

• 14" length

- Cotton/foam lining for maximum moisture absorption and heat protection
- Double reinforced palm
- Wing thumb
- Kevlar[®] stitching
- Welted fingers

• Size - L



Size - L

Also available in: 1000LL - Left hand only

1001LL - Left hand only

1105W Blue

- Select shoulder split cowhide
- Smaller size for women's hands

- 1105WBLL Left hand only

1000X

Economy version of the 1000

Size - L

1000X

TIG Welders - PREMIUM

Tillman's kidskin 24C TIG gloves have set the industry standard for over 30 years. Special tannage provides best overall combination of strength and softness.

TOP GRAIN KIDSKIN

24C

- Made from premium pearl top grain kidskin
- Superior feel and dexterity
- Kevlar[®] sewn. Maximum stitches per inch for greater strength
- Straight thumb for best gun grip

Available in: 24C - 4" cuff Size - XS, S, M, L, XL, 2X 24CL - Left Hand Only Size - S, M, L, XL, 2X 24CRHO - Right Hand Only Size - S, M, L, XL, 2X 24D - 2" cuff Size - 2XS, XS, S, M, L, XL 24DL - Left Hand Only Size - S. M. L 24DRHO - Right Hand Only Size - S, M, L



N

Why Kidskin?

TIG welders tell us they like the great feel, dexterity and wearability. Kidskin allows wire to pass smoothly against the leather.

TOP GRAIN GOATSKIN

VALUE PRICED



44

- Made from 100%, all black, soft and supple, top grain kidskin
- 100% top grain kidskin 4" cuff for more comfort and protection
- Completely unlined to maximize dexterity critical for TIG welding applications
- All Kevlar[®] sewn for added seam strength.
- Size- S, M, L, XL

20

- Top grain pearl kidskin palm, brown split leather back
- Less expensive than all kidskin, cowhide back provides more heat protection
- Kevlar[®] sewn
- Straight thumb for best gun grip
- 2" cuff

1324, 1328, 1338

side of glove

Available in:

324 - 2" cuff

Size - S, M, L, XL

1328, 1338 - 4" cuff Size - S, M, L, XL

Size - M, L, XL

feel, wing thumb for comfortable all-around use

- Glide Patch that eases movement and protects

- Straight thumb for best gun grip and

reinforcement for added strength

Glide Patch eases movement, protects

20



ΔΔ

TIG Welders

best feel and dexterity possible.





- 4" cuff for added protection
- Size S, M, L, XL

12

24C 4" cuff

Deerskin split leather gloves offer TIG welders the snuggest and softest fit, resulting in the

Size - M. L

MIG Welders

48

MIG gloves are made with thicker leather than TIG gloves, providing more protection and durability, but still offering the needed dexterity for trigger and gun operation.

TOP GRAIN GOATSKIN. COWHIDE- 100% Fleece Lined

48

- Top grain goatskin palm for best feel with cowhide split back to resist heat
- Top grain seamless index finger for best feel
- Fleece lined for added heat protection without the bulk
- Straight thumb for best gun grip
- Thumb strap reinforcement for extra strength

35

- Elastic back for snug fit
- 3 1/2" cuff
- Kevlar[®] stitching protects seams
- Size M, L, XL

50. 52. 55

- **50** Top grain cowhide palm with cowhide split reinforcements and cowhide split back **52** Top grain cowhide palm with cowhide
- split/ANTI-VIBRATION GEL INSERTS and cowhide split back
- 55 Black TOP GRAIN COWHIDE PALM AND **BACK** with cowhide split reinforcements
- ALL MODELS FEATURE
- Elastic on back for snug fit
- Top grain seamless index finger for best feel
- Fleece lined for added heat protection without the bulk
- Wing thumb for natural feel
- 4" cuff for added protection
- Kevlar[®] stitching protects seams
- Size M, L, XL

TOP GRAIN DEERSKIN, PIGSKIN- Foam Lined Bac

35, 42, 45

- **35** Top grain deerskin:
- THE ULTIMATE IN COMFORT 42 Top grain pigskin:
- **GREAT IN WET AND OILY CONDITIONS**
- 45 All black top grain pigskin: ALL TOP GRAIN PIGSKIN CUFF
- Unlined palms for better feel and dexterity and foam lined backs for added heat protection
- Thumb strap reinforcement for added protection

55

- Kevlar[®] stitching resists heat, maximum stitches per inch increases seam strength
- Straight thumb for best gun grip
- 4" cuff for added protection
- Size S, M, L, XL

MIG Welders TOP GRAIN COWHIDE

34 FOAM LINED BACK

34

- Made from extra heavyweight top grain cowhide
- THICKEST, TOUGHEST LEATHER
- Designed for heavy duty handling and MIG welding applications
- Unlined palm for better feel and dexterity and foam lined back for added heat protection
- Thumb strap reinforcement for added protection
- Kevlar[®] stitching resists heat, maximum stitches per inch increases seam strength
- Straight thumb for best gun grip
- 4" cuff for added protection
- Size M, L

TOP GRAIN PIGSKIN

32

- Heavyweight top grain pigskin
- Soft but extremely durable. Great in wet and oily conditions
- Unlined to maximize dexterity
- Kevlar[®] stitching resists heat. maximum stitches per inch increases seam strength
- Straight thumb for best gun grip
- 4" cuff for added protection
- Size S, M, L, XL

32K

- Made from heavyweight top grain pigskin. Great in wet and oily conditions
- Kevlar[®] lined palm meets ANSI/ISEA performance classification level 3 for cut resistance
- Kevlar[®] stitching resists heat, maximum stitches per inch increases seam strength
- Straight thumb for best gun grip
- 4" cuff for added protection
- Size S. M. L. XL



42

TILCMAN

1350 UNLINED

GREAT VALUE

1350

- Made from top grain cowhide
- Unlined to maximize dexterity
- Kevlar[®] stitching
- Wing thumb
- Seamless forefinger for enhanced feel
- Excellent all around handling
- 4" cuff for added protection
- Size XS, S, M, L, XL

ALSO AVAILABLE IN:

- 1355 "B" grade, Sizes: S, M, L, XL
- 1355LL Left hand only, Sizes: M, L
- 1355RHO Right hand only, Sizes: M, L
- 1356 "C" grade, Sizes: M, L, XL

COWHIDE SPLIT





PREMIUM TOP GRAIN GOATSKIN, PIGSKIN

The ultimate handling and performance gloves, TrueFit™ Ultra offers more reinforcement, durability, comfort, and value than any gloves in their class on the market.





are paramount.

All natural top grain leather for superior durability. Snug fit for best dexterity.

Possible uses include: • Warehouse Handlina Maintenance Work Power Tool Handling 1480 **TOP GRAIN** DEERSKIN most comfortable **Reinforced Thumb** to protect severe stress areas

"Rough Side Out" reinforced palm for longer life, better gripping power





		1470, 1470K	1475	
	Palm Leather	Top Grain Goatskin	Top Grain Cowhide	
	Color	Pearl	Gold	
	Back Spandex Color	Black	Black	
	Size	1470- S, M, L, XL, 2X 1470K- M, L, XL	S, M, L, XL,	
	Key Feature	Best dexterity 1470K- Kevlar® lined palm for added cut resistance	Rugged, lo lasting	

with black

leather

Fingerless

Same as 1490

with 40 gram

Thinsulate™

winter lining

Synthetic, non-slip

palm and fingertip

reinforcement

See callouts in Same as 1490

illustration

above

Key Feature

Gel pads in

palm and thumbs

reduce vibration

PREMIUM TOP GRAIN DEERSKIN, COWHIDE, GOATSKIN, PIGSKIN

TrueFit[™] performance gloves are great for any application where fit, comfort, and protection





TrueFit[™] performance gloves now with high-vis orange backs and 3M reflective strip for added visibility.

Hi-Vis

1476

- Long lasting and rugged top grain cowhide double palm with rough side out surface for better gripping
- High visibility orange nylon spandex on back for precision fit
- 3M reflective strip on back, maximizes night time visibility
- Smooth surface reinforced thumb and finger for improved handling
- Elastic cuff with hook and loop closure for secure fit, less bulk
- Size M, L, XL

1486

1476

- Naturally moisture resistant top grain pigskin double palm with rough side out surface for better gripping
- High visibility orange nylon spandex on back for precision fit
- 3M reflective strip on back, maximizes night time visibility
- 40 gram Thinsulate[™] lined for added warmth
- Smooth surface reinforced thumb and finger for improved handling
- Elastic cuff with hook and loop closure for secure fit, less bulk
- Size M, L, XL, 2X

Syn<u>thetic</u>

TrueFit performance synthetic gloves provide precision fit and washability.



1460, 1465, 1468

- Lightweight but tough synthetic leather resists abrasion and is washable
- Nylon spandex back for precise fit with neoprene band for added knuckle protection
- Neoprene cuff for extra support, seals off wrist from dirt and grime
- Hook and loop closure for adjustable fit

1460

- Economy version with terry cloth exterior on thumb to absorb sweat and moisture
- Size S, M, L, XL, 2X

1465

- Added palm and thumb reinforcements to resist abrasion
- Size S, M, L, XL, 2X

1468

- 40 gram Thinsulate™ lining keeps hands warm
- Slip resistant surface on palm and fingertips for better grip
- Size M, L, XL, 2X

Drivers

Tillman's premium top grain drivers gloves feature the best deerskin, cowhide, pigskin and goatskin in the industry.

PREMIUM TOP GRADE DEERSKIN

Superior comfort and dexterity

864, 866

- Made from soft, supple, top grain deerskin, unlined
- Extremely comfortable and offers great feel and dexterity
- Double stitching on forefinger provides extra strength
- Keystone thumb provides natural feel and added protection
- Size 864- S, M, L, XL 866- M, L, XL

TOP GRAIN COWHIDE



730

PIGSKIN **Best in wet / oily conditions**



brushed reverse grain pigskin, unlined

• Made from heavy

- Naturally breathable and resistant to oil and water
- Keystone thumb provides natural feel and added protection
- Inseam on forefinger designed for multiple applications

Size - S, M, L, XL





764

- Made from heavyweight top grain cowhide, unlined
- Heavier weight is great for warehouse handling, spot welding and jobs that demand extra durability
- Kevlar® stitching with maximum stitches per inch for extra strength
- Seamless forefinger for multiple applications
- Slip-on style cuff
- Size S, M, L, XL

GOATSKIN

Top in abrasion resistance



1415

- Made from top grain goatskin, unlined
- Excellent feel and dexterity
- Great tensile strength and abrasion resistance
- Keystone thumb provides natural feel and added protection
- Double stitching on forefinger provides extra strength
- Size S, M, L, XL

Drivers

Tillman cuts its A/B top grain cowhide drivers gloves out of side leather, not lower quality belly leather. Side leather's uniform thickness and tensile strength offers consistent sizing and wearability.

TOP GRAIN COWHIDE

WHY TOP GRAIN?

- Most durable part of hide
- Long lasting
- Enhanced protection

HEM COLOR **SIZING CODE**

RED Small GREEN Medium **BROWN** Large BLUE X-Large

"B", "C" & "D" grades only.

1424, 1426, 1436

- Made from top grain cowhide
- Double stitching on forefinger provides extra strength
- Keystone thumb provides natural feel and added protection
- Size S, M, L, XL
- Models
- "A" grade: 1424
- Leather rolled cuff hem
- "B" grade: 1426

- "C" grade: 1436

Keystone thumb

1420, 1422, 1430, 1440

- Made from top grain cowhide Double stitching on forefinger
- provides extra strength
- Straight thumb for best grip Size- S, M, L, XL
- Models
- "A" grade: 1420 • Leather rolled cuff hem - "B" grade: 1422
- "C" grade: 1430
- "D" grade: 1440

Straight thumb

1432

- Made from "B" grade top grain cowhide
- Seamless index finger for better feel
- Wing thumb fits natural shape of hand
- Size- S, M, L, XL, 2X



but includes additional pull strap adjustor Size - S, M, L, XL

Pull Strap Adjustor

allows for snug fit

- Models
- "A" grade: 1421 • Leather rolled cuff hem

1432

- "B" grade: 1423

1421, 1423

Same features as 1424

TOP GRAIN PIGSKIN

VAN

TILLMAN"

20

• Made from premium top grain pigskin

1410

• Extremely durable, naturally breathable, and resistant to oil and water

1436

1424, 1426,

- Inseam on forefinger designed for multiple applications
- Keystone thumb provides natural feel and added protection
- Size S, M, L, XL
- ALSO AVAILABLE IN: 1411 - Economy version

TOP GRAIN LEATHER GRADES

"A" Grade- Side leather, best quality tight grain, uniform thickness and tensile strength. Provides best fit and durability. For those who want the best.

"B" Grade- Side leather, good industrial quality.


"C", "D" Grades- Belly leather for economy minded users.

Drivers TOP GRAIN COWHIDE/SPLIT

1414

GREAT

VALUE



TOP GRAIN COWHIDE/SPLIT

1464

- Top grain cowhide palm with added split leather palm, index finger and thumb reinforcement
- Rollover index finger works great for spot welding
- Palm, thumb and rollover index finger sewn with Kevlar® thread for strength and heat resistance
- Cowhide split back with elastic for snug fit
- Size S, M, L, XL



DOUBLE PALM

1464

1400, 1405

- Made from shoulder split cowhide Double stitching on forefinger provides extra
- strength
- feel and added protection

Size - S, M, L, XL

1414, 1416, 1418, 1428, 1434, 1454

Cowhide Split Reinforcement Patch

428

1418

1462

- Top grain cowhide palm with cowhide split back
- Extended split leather palm and thumb with integrated dampening pads made of genuine gel, not foam
- Keystone thumb for natural feel
- Elastic back for best fit
- Size M, L, XL

1462 ANTI-**/IBRATION**

COWHIDE SPLIT

Keystone thumb provides natural



Winter Gloves

Tillman drivers style winter gloves offer top grain and split cowhide leathers that include a range of winter linings to keep hands warm and protected.

SPANDEX/THINSULATE™ LINED



1590, 1592

- Premium top grain leather palms 1590- Top grain pigskin, naturally resistant to moisture 1592- Top grain deerskin, naturally resistant to cold with all day comfort
- Nylon spandex back for a snug fit
- 100 gram Thinsulate[™] lining, maximizes warmth, minimizes bulk
- Integrated knit cuff keeps debris out, warmth in
- Size 1590- M, L, XL 1592- L. XL

THINSULATE[™] LINED



865

- Top grain deerskin for superior comfort and dexterity
- 100 gram Thinsulate[™] lined
- Double stitched forefinger for strength
- Keystone thumb provides natural feel and added protection
- Size M, L, XL, 2X

1419

• Top grain pigskin is naturally resistant to oil and water

Deerskin

1419

Pigskin

- 100 gram Thinsulate™ lined
- Keystone thumb provides natural feel and added protection
- Size S, M, L, XL



Winter Gloves

Tillman work style winter gloves offer premium top grain leathers to value packed cowhide split leathers.

1565, 1567

- Top grain pigskin palm with canvas back
- 100 gram Thinsulate™ lined
- Safety cuff (1565) Knit wrist (1567)
- Wing thumb naturally fits contours of hand

1	1		1	1					
		_	_					6	

WINTER LININGS

Thinsulate™-	3M developed premium insulat
ColdBlock [™] -	Tillman's poly/cotton insulating
Pile-	Heavyweight synthetic lambs w
Fleece-	Lightweight, less bulky insulati

1568, 1571, 1572, 1573

- Select shoulder split cowhide palm with canvas back
- ColdBlock[™] poly/cotton lined
- Waterproof lining keeps hands dry
- Heavy duty duck safety cuff
- Wing thumb naturally fits contours of hand
- Size 1568 L. XL 1571, 1572, 1573 - L


1568 **Blue/Yellow**

1571 **Red/Yellow**





22



TER

ROOF

Winter Gloves POLAR FLEEGE

Polar fleece offers a lightweight and warm alternative for winter work gloves.

Work Gloves

oil resistant pigskin.



	1580	1581	1582	1583	1584	1586
Polar Fleece Color	Blue	Blue	Red	Orange	Gray	Camo
Palm Material/ Color	Top Grain Pigskin Black	Cowhide Split Blue	Cowhide Split Blue	Cowhide Split Blue	Cowhide Split Blue	Cowhide Split Black
Size	S, M, L, XL	S, M, L, XL	L	L	S, M, L, XL	L, XL

Tillman's premium grade work gloves are made from long lasting top grain cowhide and water and

1562, 1563

• Top grain cowhide palm with canvas back • Heavy duty safety cuff 1562 2 1/2" length 1563 4 1/2" gauntlet • Wing thumb naturally fits contours of hand

1562 S, M, L, XL

Size

1563 L

TOP GRAIN LEATHER VS SPLIT LEATHER

Top grain is the most durable part of the hide. It lasts longer and gives

1560

- Top grain pigskin palm, canvas back
- 2 1/2" rubberized safety cuff
- Wing thumb naturally fits contours of hand
- Size L

1563

Work Gloves

Tillman's side split cowhide work gloves feature the best split leather resulting in longer lasting, more comfortable and better fitting gloves.



1526, 1527

- Premium side split cowhide
- Double palm for extra handling protection
- Kevlar[®] sewn for extra strength
- 2 1/2" rubberized safety cuff
- Cotton lined palm with unlined back
- Size L

1527

Double Palm, Reinforced Fingers Full Leather Back, Thumb Strap

- Tillman's BEST -

1525 Sewn with

Kevlar[®] for extra strength



1500S

1524, 1528

full leather back

Size - L

Rubberized safety cuff

ALSO AVAILABLE IN:

• Select shoulder split cowhide with

Cotton lined palm with unlined back

1524K - 2 1/2" cuff, Kevlar[®] sewn

1528K - 4 1/2" cuff, Kevlar[®] sewn

cotton sewn

cotton sewn

1524X - 2 1/2" cuff, economy version,

1528X - 4 1/2" cuff, economy version,

1525, 1500S

- Premium side split cowhide
- 1525 is Kevlar[®] stitched for extra strength
- 2 1/2" rubberized safety cuff
- Cotton lined palm with unlined back
- Size S, M, L, XL

works well for spot welding

Work Gloves

standard shoulder split gloves.

SELECT SHOULDER SPLIT COWHIDE

SPLIT COWHIDE **GRADE QUALITY**

Side (Premium)

SELECT

SHOULDER

(BEST)

Standard

Shoulder

(Better)

Economy

Shoulde

(Good)

Super

Fconomy

Shoulder

(Economy)

1515, 1516

- Select shoulder split cowhide palm, canvas back
- Double palm for extra handling protection
- Rubberized safety cuff 1515 - 2 1/2" 1516 - 4 1/2"
- Cotton lined palm with unlined back

Size - L

ALSO AVAILABLE IN:

- 1515X Standard grade version of 1515
- 1515XD Standard grade version; washable duck cuff
- 1515XX Industrial grade version of 1515
- 1518 Economy grade
- 1515W Women's size

1500

- Select shoulder split cowhide palm. canvas back
- 2 1/2" rubberized safety cuff
- Cotton lined palm with unlined back
- Size L

1500Y, 1500YPP

- 1500Y Brown select shoulder split cowhide palm, canvas back
- 1500YPP Brown 3-piece palm select shoulder split cowhide, canvas back

Both gloves feature:

- Cotton lined palm with unlined back
- Size L

26

Full leather back

4 1/2" gauntlet cuff

Tillman's select shoulder split cowhide work gloves offer enhanced quality and value over



Work Gloves

Tillman's industrial and economy grade shoulder split leather provides great durability at a reasonable price.

SHOULDER SPLIT COWHIDE



Work Gloves

For high volume, economy minded users.

ECONOMY SHOULDER SPLIT COWHIDE



1512W - Women's size

Cotton, Jersey, String Knit Gloves

Designed for general purpose lightweight work applications.

COTTON

1550

Knit wrist Size - S, L

Hot Mill, Chore Gloves

1601

1601

band top

Size - L

1630

• 24 oz., 100% cotton,

handling.

1640

1640

Size - L

4" gauntlet

Tillman's Hot Mill and Chore gloves incorporate multiple layers of material providing extra heat protection over standard cotton gloves.



960, 962

- Knit wrist
- Size M, L

ALSO AVAILABLE IN:

30


3 Pack

1540

1540-3PK







PVC Coated Gloves

Tillman's PVC coated gloves with interlock lining are designed for liquid and slight chemical resistance as well as handling abrasive materials coated with grease and oils.



- 1700
- Single dip, economy, smooth PVC exterior finish
- Interlock lining for comfort and moisture absorption
- 2" knit cuff
- Size L

1710, 1714

- Single dip, economy, smooth PVC exterior finish
- Interlock lining for comfort and moisture absorption

12" or 14" length • Size - L

Latex, Rubber Coated Gloves

duty applications

Size - L

Tillman's Latex and Rubber Coated gloves are ideal for a number of tasks including general maintenance, shipping, receiving, assembly, concrete/brick/lumber handling.

RUBBER COATED



LIGHTWEIGHT LATEX COATED



Size - L

1539

Latex Coated Gloves LATEX COATED



1760

- Premium latex dipped string knit
- Textured blue latex coating
- Stretch fabric cotton lining
- Excellent dexterity and feel
- Size S. M. L. XL

Cut Resistant Gloves LATEX COATED/KEVLAR[®] KNIT <u>PU</u> COATED WOOLTRAN[™]



966, 968

- 100% Kevlar[®] medium weight yellow shell
- Kevlar[®] shell offers superior protection from cuts, slashes and punctures
- Textured latex coating offers excellent gripping and additional layer of cut protection
- Size M, L, XL
- 966- Atlas Fit[®] branded KV300- CE EN388 cut resistance level 4
- 968- Tillman branded- CE EN388 cut resistance level 3





1770, 1771

1770- Navy knit

- 1771- Hi-vis green knit
- Premium blue latex palm coated string knit for better gripping
- Acrylic insulation for added warmth
- Extended elastic cuff
- Size M, L, XL



964

964

- 13 gauge WOOLTRAN™ cut resistant fiber shell
- Specially engineered fiber meets CE EN388 cut resistance level 3
- Polyurethane (PU) coating protects against abrasion
- Excellent dexterity and flexibility
- Seamless construction provides better fit and comfort
- Size S, M, L, XL

WARNING: Products contain natural rubber latex which may cause allergic reactions in some individuals.

Nitrile Gloves

Nitrile gloves provide excellent resistance to punctures, cuts, snags, abrasion, oils and fuels.



1740. 1742

- Heavyweight nitrile rubber coating, cotton jersey lined
- High durability
- Extra resistance to oils, greases, and solvents
- 1740 Knit wrist Size - S, L
- **1741** Lt. weight version of 1740 Size - L
- 1742 Safety cuff
 - Size S, M, L
- **1743** Lt. weight version of 1742 Size - L

Nitrile, Polyurethane Coated Gloves

NITRILE **3X more puncture** resistant than rubber

1761

• 13 gauge white nylon shell

Light gray nitrile palm coated

Abrasion resistant. breathable.

and excellent gripping power

NITRILE FOAM **Great with oils, solvents**

1765



1763, 1765

1763

1763- white shell with gray coating

- 1765- black shell with black coating
- 13 gauge nylon shell
 - Nitrile foam coating absorbs oils for greater gripping power
 - Excellent dexterity
 - Size S, M, L, XL

POLYURETHANE **Great for small parts handling**

174



1762, 1764

1762- white shell with gray coating

- 1764- black shell with black coating
- 13 gauge nylon shell
- Polyurethane palm coated
- Great breathability, dexterity, and gripping power
- Size S, M, L, XL

High Heat (Aluminized)

Aluminized gloves are designed to reflect higher heat temperatures and are available in a number of different configurations.



34

1761

Good dexterity

Size - S, M, L, XL



High Heat (Flextra®, Thermal Leather)

Temperature range 400°F - 1000°F

HIGH HEAT SELECTION CRITERIA

Selecting a high heat glove takes careful attention. Please understand that applications may vary and no one material works best. Heat will eventually penetrate the glove. All gloves and mitts are made XL so they can be thrown off when heat gets too great. Contact a high heat specialist at Tillman with questions and requirements.

When selecting a high heat glove, please determine the following:

- How hot is the item you will be handling? How much does it weigh?
- How long will you be handling it?
- What is the outside texture of the item? (rough edges, smooth finish, etc...)

995

Mitt

991

MITTS ARE

REVERSIBLE

WARNING: Temperature guidelines are of material deterioration points and should NOT be construed as working temperatures. Multiple factors apply when determining proper levels of protection. It is the user's sole responsibility to determine whether the product is appropriate for the intended use, and complies with all health and safety regulations.



990, 995

- 22 oz. Flextra® palm and back with 24 oz. gold acrylic coated fiberglass cuff
- 14" Length
- Double wool lined in palm
- Sewn with Kevlar[®] thread
- Maximum temp. 600°F to 1000°F
- Size XL

ALSO AVAILABLE IN:

- 990LL Left hand only
- 990RHO Right hand only

18" and 23" glove and mitt lengths are available in some styles

- 991
- 22 oz. Flextra® palm and back with 24 oz. gold acrylic coated fiberglass cuff
- 14" Length
- Leather reinforced palm and fingers for extra durability
- Double wool lined in palm
- Sewn with Kevlar[®] thread
- Maximum temp, 600°F to 1000°F
- Size XL



MATERIAL	DESCRIPTION	MAX TEMP RATING
Flextra®	Non-asbestos 22 oz. combination of Kevlar [®] , Nomex [®] and fiberglass	600°F working and up to 1000°F for short durations
PBI®/Kevlar®	Designed for superior abrasion and heat resistance	22 oz 1000°F to 1500°F 45 oz 1500°F to 2000°F
Vertex [®]	A high performance vermiculite coated fiberglass. Offers high heat resistance but not recommended for heavy abrasion	1500 to 2000°F

High Heat (PBI® Extreme Heat® and Vertex®)

Temperature range 1000°F - 2000°F

PBI® EXTREME HEAT GLOVES



Cover Mitt



988VGS, 988VGSX

- Designed to fit over the top of the 985VG
- 2000° F heat treated steel mesh
- 988VGS 10" long cover mitt
- 988VGSX 13" long cover mitt

Cover mitts are designed to be worn over standard mitts for extra heat protection and strength.

980VG

Glove

Cover Mitt

985VG

Mitt

Welding Accessories

Tillman's back-hand pads are designed to be worn over the back of a welding glove to provide extra protection in high heat situations.

BACK-HAND PADS: Triple Laver



554

- Top: Aluminized Carbon Kevlar[®]
- Middle: Layer of 1500°F melt, ceramic wool material
- Bottom: Acrylic coated fiberglass
- Leather and elastic straps • 7 1/2"H x 5 1/2"W
- (with ceramic wool middle layer)

552 **Heavy Duty** Protection

556

- Reversible, triple layer protection
- Aluminized Carbon Kevlar[®] top and bottom
- Middle layer 1/2" glass mat insulation
- Leather and elastic straps can be reversed to opposite side

ALSO AVAILABLE IN:

- 556AR- same back-hand pad except top and bottom layers made from Aluminized Rayon
- Both pads size 7 1/2"H x 5 3/4"W

552

- Top: Aluminized Carbon Kevlar®
- Middle/Bottom: Two layers of vermiculite coated fiberglass
- Heavy duty leather straps: Fixed top strap, adjustable bottom strap with hook/loop closure
- 7 1/2"H x 5 1/2"W

BACK-HAND PADS: Double Layer



- Top: Aluminized Carbon Kevlar®
- Bottom: Vermiculite coated fiberglass
- Leather and elastic straps
- 7 1/2"H x 5 1/2"W



• 7 1/2"H x 5 1/2"W

38

Welding Accessories BACK-HAND PADS: Single Layer



ARM PADS



Authorized manufacturer and distributor for LAPCO, Patent #4,884,297

Arm Pad opened

KNEE PADS





564

closure straps

Leather knee pad with heavy rubber insert

562



ALUMINIZED MATERIALS

Aluminized Rayon (AR) Great heat reflection, not good for heavy spatter

Aluminized Carbon Kevlar[®] (ACK) Most resistant material to heat. sparks and spatter

> All back-hand pads sold in eaches



5210

- Designed to protect forearm with 1/2" closed cell foam on bottom for protection from heat when resting arm on pipe being welded
- Specially tanned leather provides greater heat resistance and protection from sparks and spatter
- Interior elastic bands keeps pad in place
- Hook and loop closure for adjustable fit
- 5210SL Left arm pad
- 5210SR Right arm pad

Rubber knee pads with elastic / hook/loop



565

- Foam knee pads
- Rugged polypropylene cap
- Elastic/hook/loop closure straps

Welding Accessories HEAD GEAR PADS





566

• Cowhide split leather

8" H x 8" W

helmet bib with metal clips

560
 Sheepskin headgear pad 6 3/4"H x 4 1/4"W

561

Sheepskin headgear pad with ratchet adjustor hole 7"H x 5"W



567

8"H x 8"W

• Cowhide split leather helmet

bib with hook/loop closure

Welding Accessories CABLE COVERS



STORAGE

520 Helmet Bag

9

520

520

- coated polyester
- with drawstring closure
- safety shields
- Front pocket with hook/loop closure
- 18"H x 12"W x 12"D

HELMET BIBS



Helmet shown with 566 helmet bib with metal clips attached.

ROD HOLDERS







581, 582- Heavy duty snaps on entire length of cover 581V, 582V- Hook and loop on entire length

Leather Cable **Cover Models**

Part # Di	ameter	Length
581-12.5	1 1/4 "	12.5 ft.
581-22.5	1 1/4"	22.5 ft.
581-25	1 1/4"	25 ft.
581-50	1 1/4"	50 ft.
581-100	1 1/4"	100 ft. roll
581C	1 1/4"	Custom
581V Hook/Loop Closure	1 1/4"	Custom
582-12.5	1 3/4"	12.5 ft.
582-22.5	1 3/4"	22.5 ft.
582-25	1 3/4"	25 ft.
582-50	1 3/4"	50 ft.
582-100	1 3/4"	100 ft. roll
582C	1 3/4"	Custom
582V Hook/Loop Closure	1 3/4"	Custom





• Two mesh side pockets for welding gloves, small tools





ONYX SERIOUSLY POWERFUL PROTECTION

Welders tell us they want gear that's tough, rugged, and dare we say, a bit badass, just like them. So, like we have done for over 80 years, we delivered...**ONYX**. Featuring all black premium protection by using only top grain leathers and the industry's first, all black, 100%, flame retardant cotton. Designed for the welding purist, who puts quality, proven design, and classic styling as their "must have".

JACKETS

3930

- Premium, all black, top grain cowhide provides increased durability against wear and tear
- Underarm gussets allow for easier movement
- Satin lined sleeves allow for easier on/off
- Sewn entirely with Kevlar[®] thread for heat resistance and strength
- Soapstone and outside pockets offer storage for key items
- Size- M, L, XL, 2X, 3X

3930


Heavy-Duty Top Grain Cowhide 30" Jacket

9260 **Medium-Duty** Leather/FR Cotton **30" Jacket**

9060 **Light-Duty FR Cotton 30" Jacket**

9060

- Black, 9 oz., Westex Proban® FR7A®, flame retardant cotton
- FR cotton maintains flame resistance for up to 50 home or 25 commercial washings
- Soapstone pocket on each sleeve and outside pocket for easier access
- Black color helps hide dirt
- Size- M, L, XL, 2X, 3X



Designed for optimum coolness

and protection

9260

- Black, 9 oz., Westex Proban® FR7A[®], flame retardant cotton torso with black top grain cowhide sleeves
- Outside pocket for easier access and soapstone pockets on sleeves
- Size- M, L, XL, 2X, 3X

ONYX ATTITUDE WITH PROTECTION

Three bold designs reflect the drive, dedication and soul of America's welder.

Visit www.jtillman.com for larger pictures of jackets

Weld or Die

9061 **Backbone of** America

THREE BOLD DESIGNS

- 9062- Weld or Die
- 9063- Weld. Work. Win

- flame retardant cotton
- washings
- Black color helps hide dirt
- Size- M, L, XL, 2X, 3X

42



9061, 9062, 9063

• 9061- Backbone of America

ALL JACKETS FEATURE

Black, 9 oz., Westex Proban[®] FR7A[®],


• FR cotton maintains flame resistance for up to 50 home or 25 commercial

Soapstone pocket on each sleeve and outside pocket on front for small item storage and easier access

43

Premium Import Leather Clothing

Tillman leather clothing has set the standard with the highest quality, longest lasting products in the industry.




Import Leather Clothing

Tillman's import leather line is 100% inspected in the USA and offers exceptional quality and value.

JACKETS

SIZE

MODELS	BOURBON BROWN	SIZE
26" jacket	3260	S, M, L, XL, 2X, 3X
30" jacket	3280	S, M, L, XL, 2X, 3X, 4X, 5X
	2480W*	M, L, XL, 2X, 3X
36" jacket	3285	S, M, L, XL, 2X, 3X
48" jacket	2488	S, M, L, XL, 2X, 3X, 4X
*Wool-lined		



All seams double lock stitched with Kevlar[®]

All button snaps black anodized to prevent arc flashback

Soft, pliable, durable side split leather, specially tanned for heat resistance

> All stress points rivet reinforced

CAPE SLEEVES. BIBS

	OURBON BROWN
ape Sleeve	3221
Bib*	3114
" Bib*	3120
" Bib*	3124
" Bib*	3130
ape Sleeve 14" Bib	3221-14
ape SLeeve 20" Bib	3221-20
ape Sleeve ZE	M, L, XL, 2X, 3X, 4X, 5X
os available	in size 2X and

20 24 30 Ca + Ca + Ca SI

All button snaps black anodized to prevent arc flashback

All hardware plated to prevent rust

> Adjustable snaps at wrist

BIDS	avallabi	e în size	2X and	5/
seve bib	man off eral dif lengths to 30"	ferent	T T	- Comment
14'	I	13	1	1
20'	1	V	- Mar	17
24"				
30"	l		1	-

ie.

30" Leather Jacket

3221

Cape Sleeve

All hardware plated to prevent rust

> Soapstone pocket on each sleeve

Underarm gusset allows for easier movement

All button snaps leather reinforced

Adjustable snaps at wrists and back

Convenient outside pocket for small item storage

All seams double lock stitched with Kevlar®

All button snaps leather reinforced

> All stress points rivet reinforced

-Soapstone pocket on each sleeve

Soft, pliable, durable side split leather, specially tanned for heat resistance



Premium Import Leather Aprons

Proven designs and detailed craftsmanship make these aprons true classics.



- heat resistance and added protection from sparks and spatter
- Cotton crossed back straps for comfort
- Durable molded side release buckles can be operated with gloves for easy on/off
- Two chest pockets
- Split leg aprons incorporate side release buckles down the legs and metal D-rings on front

Waist Aprons



Import Leather Aprons BENCH, BIB, WAIST, SPLIT LEG, CHAPS





5320

- 24" x 28"
- Apron flares to 30" at bottom for greater protection
- Two chest pockets
- One waist D-ring

KEY BIB AND SPLIT LEG APRON FEATURES

- Made from specially tanned bourbon brown side split cowhide, provides greater heat resistance and added protection from sparks and spatter
- Cotton crossed back straps for comfort
- Durable molded side release buckles can be operated with gloves for easy on/off
- Two chest pockets

Two chest pockets

reinforced crotch

• Three adjustable straps

on back of each leg

• One waist D-ring

Double leather

• Split leg aprons incorporate side release buckles down the leas


Waist Aprons 4124




Waist

Apron

- Made from premium side split cowhide
- Heavy duty waist strap secures apron comfortably
- Size 4118 24" x 18" 4124 24" x 24' 4436 24" x 36" (split leg) 4440 24" x 40" (split leg)





46

Split Leg **Bib** Aprons

Adjustable crossed back



Adjustable leg straps

5300

- 24" x 54"
- Heavy duty crossed back straps for comfort
- Two chest pockets
- Double leather reinforced crotch
- One waist D-ring
- 3 adjustable straps on each leg
- ALSO AVAILABLE IN: • 5300ALS - All leather straps
- **Bib Aprons**

1242 Size **4230** - 24" x 30"

4242 - 24" x 42"

4248 - 24" x 48"

4236 - 24" x 36"

5330

• 24" x 38" split leg waist apron (chaps)

5330

Chaps

Unique double

reinforced

crotch design

- Double reinforced crotch
- Heavy duty adjustable waist strap
- 3 adjustable straps on each legs

ALSO AVAILABLE IN: • 5330ALS - All leather straps

Split Leg **Bib** Aprons



Size	
• 4336 -	24" x 36"
• 4342 -	24" x 42"
• 4348 -	24" x 48"

Leather Clothing

Tillman's leather sleeves, overalls, pants and helmet are designed to protect arms, legs and head, using specially tanned leathers for heat resistance.

SLEEVES, HELMET, PANTS, OVERALLS

Leather Sleeves

5218, 5218E

- Specially tanned side split cowhide
- Kevlar® sewn

adjustment at top

- Protects above elbow down to wrist 5218 - snap closure at wrist, slide
- **5218E** 2 1/4" elastic at both ends



Leather

Adjustable headgear

5000

Helmet

5000

• Made from premium side split cowhide

• Designed to protect head and face

Screen vents on top of helmet

• 2" x 4 1/4" lift. lens not included

5200



5200, 5200L

- Made from premium bourbon brown side split cowhide
- Leather protects top of shoulder down to wrist
- Adjustable leather neck straps

5218

- 3825 25" length, dark brown leather (pair)
- 5200 23" length (pair)
- **5200L** 25" length (pair)
- 5200SR 23" single right sleeve
- 5200SL 23" single left sleeve
- 5200LL 25" single left sleeve
- 5200LR 25" single right sleeve

Leather Pants and Overalls

Custom made here in the USA to exacting details and finish. For the welder that requires the best.

5350

Leather Pants

5350

- Made from premium side split cowhide
- Leather belt loops
- Waist D-ring
- Fly with snap closures
- Leather hammer loop
- Rear pocket

CUSTOM SIZE

Please advise waist and inseam measurements



5400 **Leather Bib Overalls**

5400

- Made from premium side split cowhide
- Waist D-ring
- Fly with snap closures
- Leather hammer loop
- Rear pocket

CUSTOM SIZE

Please advise waist and inseam measurements



Foot and Leg Protection SPATS AND SHOE PROTECTORS

527CL





SPATS AND LEGGING MATERIALS

Leather Premium side split cowhide

Aluminized Carbon Kevlar® Oak Tan Flare Covers the entire shoe or boot with thicker leather Most resistant material to heat, sparks and spatter that has been specially tanned to be stiffer, making it more resistant to sparks and spatter

WARNING: Leather will not protect from heavy molten metal spatter or spills. Be cautious of hot debris falling between leather protection and body.

LEGGINGS

Side Bar







Side Bar Aluminum bar runs length of legging and tucks into side to keep legging from



	Length	Closure	Leather	Oak Tan Flare	Aluminized Rayon	Aluminized Carbon Kevlar®
526	Ankle High	Leather Straps/ Snaps	526	-	-	-
527	7"	Hook/Loop	527CL	527	527AR	527ACK
528	15"	Hook/Loop Top Side Bar	528CL	528	528AR	528ACK
529	15"	Spring Steel Clip	529CL	529	529AR	529ACK
530	14"	Hook/Loop	530CL	530	520AR	530ACK

All spats, shoe protectors and leggings are sewn with Kevlar[®] thread







Can be ordered in any style spats or legging

Oak Tanned Flare Full shoe coverage with thick, spark and spatter resistant leather

Aluminized Ravon Great heat reflector



Hook/Loop





Bicycle Style Spring Steel Clip Leather tucks into spring

steel, which forms sturdy frame around leg to keep legging in position



Hook/Loop Closure

Two 14" Hook/Loop strips keep legging snug to leg

Freedom Flex Protective Clothing

New stretch FR fabric back panel inserts and raglan sleeve provide superior fit and movement.

FREEDOM FLEX MEDIUM WEIGHT JACKETS- Freedom to Move



Leather front, **Stretch FR back**



FR cotton body, Leather sleeves



Raglan Sleeve- designed to follow the natural shape of the shoulder providing more freedom and better overall movement



Westex Indura® Stretch FR Fabric Back- designed to maximize garment stretch while reaching and bending. Minimizes overall weight and maximizes coolness while still maintaining flame retardancy

20% LIGHTER

Leather/Indura® Stretch

3360

- Premium dark brown side split cowhide leather specially tanned for heat resistance. Dark color hides dirt and stains
- Full back panel made of 10.5 oz Westex Indura[®] stretch material significantly reduces jacket weight, increases comfort and coolness
- Raglan sleeves with satin lining for greater overall shoulder and arm movement
- 30" length
- Double layer of leather for front snaps with rivet reinforced key stress points
- Outside pocket for small item storage
- Soapstone pocket on each sleeve
- Kevlar[®] stitched for added strength and heat resistance
- Size M, L, XL, 2X, 3X

Westex Indura® Stretch FR Fabric- placed to maximize garment stretch while reaching and bending



FR Cotton/Leather/Indura® Stretch

9360

- Leather protects most critical areas, FR cotton provides less weight and coolness- the ideal combination for comfort and protection
- Torso made from royal blue, 9 oz. Westex Proban® FR7A® flame retardant cotton
- Side split cowhide leather raglan sleeves integrated with 10.5 oz. Westex Indura[®] stretch FR inserts strategically placed to allow maximum garment flex when reaching and moving allowing greater overall shoulder and arm movement
- 30" length
- Inside pocket for small item storage
- Soapstone pocket on each sleeve
- Kevlar[®] stitched for added strength and heat resistance Size - M, L, XL, 2X, 3X

Freedom Flex Protective Clothing

New stretch FR fabric panel inserts and raglan sleeve provide superior fit and movement.

FREEDOM FLEX LIGHTWEIGHT JACKETS- Freedom to Move





movement



6360

- 9 oz. green Westex Proban® FR7A® fabric. Machine washable up to 50 times
- Raglan sleeves allow for greater overall shoulder and arm movement
- Added 10.5 oz. Westex Indura[®] stretch FR inserts strategically placed to allow maximum garment flex when reaching and moving
- Spacious inside pocket for small item storage
- 30" length
- Size M, L, XL, 2X, 3X

Leather and flame retardant cotton. The ideal combination for comfort and protection. WARNING: Light duty welding only




Raglan Sleeve- designed to follow the natural shape of the shoulder providing more freedom and better overall



Westex Indura® Stretch FR Cotton Inserts- placed to maximize garment stretch while reaching and bending





- Raglan sleeves allow for greater overall shoulder and arm movement
- Added 10.5 oz. Westex Indura[®] stretch FR inserts strategically placed to allow maximum garment flex when reaching and movina
- Spacious inside pocket for small item storage
- 30" length
- Size M, L, XL, 2X, 3X

Medium Weight Protective Clothing SIDE SPLIT LEATHER/FR COTTON

LEATHER SLEEVES, FR COTTON BODY





9230D Orange 30" Jacket



30" Jacket

9630

Green

9240 **Royal Blue 30" Jacket**



9240

Same features as the 9230 but with top grain cowhide sleeves for added protection

Size - M, L, XL, 2X, 3X

9230, 9230D, 9630

BODY

- 9 oz., 100% cotton, Proban® FR7A®
- 9230- royal blue
- 9230D- orange
- 9630- green
- Relaxed fit for easy movement
- Resists sudden flame and sparks
- Spacious inside pocket for small item storage
- Anodized button snaps prevent arc flashback

SLEEVES

• Premium quality side split cowhide specially tanned for heat resistance

9230

Roval Blue

30" Jacket

- All seams double lock-stitched with Keylar[®] thread
- Key stress points rivet reinforced
- Double leather reinforced button snaps
- Soapstone pocket on each sleeve
- Size 9230- S, M, L, XL, 2X, 3X, 4X, 5X 9630- M, L, XL, 2X, 3X 9230D- M, L, XL, 2X, 3X, 4X

ALSO AVAILABLE IN: 9230-36 – 36" length royal blue body **Lightweight Protective Clothing** FLAME RETARDANT COTTON JACKETS

ALL JACKETS 100% FR COTTON

12 OZ. WHIPCORD FR COTTON 30" JACKET

Heavier weight offers additional protection



6230WC

- Made from 12 oz., 100% cotton Proban® FR7A®
- Inside pocket
- Anodized button snap closure
- Size S, M, L, XL, 2X, 3X, 4X

6230WC Green

6230 Green

6230V Hook/Loop Closure, **Snaps at Wrists**











Red

9030 **We Weld America**

9 OZ. FR COTTON 30" JACKETS 6230**B** Navy

See page 54 for all color/size/feature options



FLAME RETARDANT **COTTON MATERIALS**

Tillman uses only USA made, Westex Proban[®] FR7A[®], 100% cotton, flame retardant fabric. Proban® FR7A® is designed to self extinguish when exposed to flame or thermal ignition sources, and will not shrink, melt or drip molten residues.

This treatment offers:

- Economical protection for light duty welding activity only
- It is cool, comfortable, and washable
- Maintains flame resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F Available in:

9 oz.- Lightest weight, most popular

12 oz.- Heavier weight, greater protection

Lightweight Protective Clothing FLAME RETARDANT COTTON JACKETS

9 OZ. HI-VIS FR COTTON

6230D Orange



6230DRT **Orange with FR reflective stripes**



High Visibility Safety Orange

9 oz.Flame Retardant Cotton Jacket Models

Color Closure Length Size 6230 Green Snap 30" S, M, L, XL, 2X, 3X, 4X, 5X 6230V 30" S, M, L, XL, 2X, 3X Green Hook/Loop 6230-36 Green 36" S, M, L, XL, 2X, 3X Snap 6232 Green Snap 32" (sleeves +2") L, XL, 2X, 3X, 4X 6230B S, M, L, XL, 2X, 3X 30" Navy Snap 6230R Red 30" S, M, L, XL, 2X, 3X Snap 9030 Green 30" M, L, XL, 2X, 3X Snap 6230D Orange Snap 30" S, M, L, XL, 2X, 3X, 4X 6230DRT Orange with Snap 30" S, M, L, XL, 2X, 3X, 4X Yellow Flame Retardant Reflective Stripes 6230DRQ Orange with 30" S, M, L, XL, 2X, 3X Snap Silver/Yellow Reflective Tape

Lightweight Protective Clothing FLAME RETARDANT SHOP COATS, HOODS

9 OZ. SHOP COATS





6250 **Includes inside** pocket

HOODS

6640B

	Color	Closure	Length	Size
6250	Green	Snap	50"	S, M, L, XL, 2X, 3X
6640B	Navy	Snap	40"	M, L, XL, 2X, 3X
6640R	Red	Snap	40"	M, L, XL, 2X, 3X

100% cotton material.



Full hood with neck and chest drape

Hook/loop closure down front for

easy on/off



6011

- helmet or hard hat Size - S, M, L

WHY USE WESTEX **PROBAN®** FR7A® FABRIC?

- USA made
- More than 50 years of experience with specialty cotton fabrics
- Continuous technical and laboratory testing provides superior quality
- Each fabric lot thoroughly examined to ensure consistency in weight and flammability standards

*6640B and 6640R include one outside chest pocket and two outside waist pockets



6640R

9 oz.Flame Retardant Cotton Jacket Models

Three different styles protect the wearer from sparks, light spatter, and sun rays in the head and neck area. All hoods are made from 9 oz. green Westex Proban[°] FR7A[°],

> Skull cape with neck drape Designed to be worn under welding



6012, 6013

- 6012- internal hook/loop attachment with neck drape
- 6013- snap attachment
- Both attach to headgear inside of standard welding and hard hats
- Two part hook and loop closure provided

Lightweight Protective Clothing FLAME RETARDANT COTTON CAPE SLEEVES, BIBS

Cape Sleeve 9 oz. Green



6221- Green Cape Sleeve 6120- Bib

OTHER 9 OZ. COLORS



6221V

6221B Navy Cape Sleeve 6120B Navy 20" Bib



Green Cape Sleeve 6120V Green 20" Bib





6221WC Green Cape Sleeve 6120WC Green 20" Bib

LEATHER/

9 oz. Green

6120

Bib



9221 Leather, Royal Blue Cape Sleeve 9120 Royal Blue 20" Bib

CAPE SLEEVES

- Designed for protection on front of body, arms and shoulders with increased ventilation on back
- 100% cotton Westex Proban® FR7A®
- Anodized button snap closure (except 6221V)

	9 oz. Green	9 oz. Navy	12 oz. Green	Leather / Cotton	Closure	Size
Cape Sleeve	6221 6221V	6221B	6221WC	9221	Snap Hook/Loop	S, M, L, XL 2X, 3X, 4X
14" Bib	6114	6114B		9114	Snap	Available in Larger Sizes
20" Bib	6120 6120V	6120B	6120WC	9120	Snap Hook/Loop	Available in Larger Sizes
24" Bib	6124 6124V	6124B			Snap Hook/Loop	Available in Larger Sizes
30" Bib	6130 6130V				Snap Hook/Loop	Available in Larger Sizes

WARNING: Light duty welding only

Lightweight Protective Clothing FLAME RETARDANT COVERALLS, PANTS, APRONS

COVERALLS

BIB APRONS

6236

Size

• 9 oz. Green FR cotton

6236 - 24" x 36"

6242 - 24" x 42"

6248 - 24" x 48"

6236WC - 24" x 36" 12 oz.

green whipcord

6236

Indura® Contractor's **Fabric Coverall**

6950B

- guaranteed flame resistant for the life of the garment
- Fabric meets the requirements of NFPA 2112, 70E, ASTM F1506. F1002 and OSHA 1910.269
- Indura[®] material covers all snaps and zippers limiting heat transfer
- Tapered back with built in "bellowing pleats" for added sizing and movement
- "huilt-in helt'
- Waist pockets on each side with pass through pocket with snap
- Two chest and rear pockets
- 22" brass/Nomex[®] zippers allows access at any point up or down
- All key areas double stitched
- Heavy-duty thread used throughout
- Size S, M, L, XL, 2X, 3X, 4X

ALSO AVAILABLE IN: 6950T- tan color

SPLIT LEG




6342

- 9 oz. Green FR cotton
- Adjustable shoulder straps Adjustable shoulder straps
 - Snap closure leg straps
 - Size 6336 - 24" x 36" 6342 - 24" x 42"
 - 6348 24" x 48"

56

Made from 9 oz. navy, Westex Indura[®] contractor's fabric,

• Reinforced waist band with elastic sections on back forms



6950T







6900

- Made from 9 oz. flame retardant cotton. Westex Proban® FR7A®
- Rugged snap closures
- Two breast pockets
- Two rear pockets
- Two front inset pockets
- Made extra large to fit over clothes
- Size S, M, L, XL, 2X, 3X
- Colors 6900 9 oz. Green 6900B - 9 oz. Navy 6900D - 9 oz. Orange 6900WC - 12 oz. Green whipcord

6700

- 9 oz. Green FR cotton, 9 oz. navy, or 12 oz. green whipcord
- Zipper closure
- Belt loops
- Two rear pockets
- Two front inset pockets
- Size Waist - specify Inseam - 32", 34", 36", 38"

TO ORDER USE:

6700 waist + inseam - 9 oz. green 6700B waist + inseam - 9 oz. navy 6700WC waist + inseam - 12 oz. green

WARNING: Light duty welding only, must keep clean to insure protection.

Lightweight Protective Clothing FLAME RETARDANT SLEEVES



215

Top Grain Goatskin/ FR Cotton

9215

• Made from top grain goatskin for key exposure areas

- Goatskin leather offers added protection from sparks and spatter with less bulk
- Royal blue 9 oz. Westex Proban® FR7A® flame retardant fabric for upper sleeve
- 2 1/4" external elastic at both ends secures sleeve to arm

6218

6218

standard elastic

• 6218 - 18". 9 oz. Green

• 6218B - 18", 9 oz. Navy

• 6200E - 23", 9 oz. Green

Green whipcord

• 6219 - 18", 9 oz. Green, elastic, snap at wrist

• 6202 - 23", 9 oz. Green, elastic,

snap at wrist

• 6218WC - 18", 12 oz.

at both ends

• 18" leather cotton length, 22" overall length



6217 R cotton sleeves with 2¹/4" elastic it both ends

	Weight/ Color	FR Cotton Length	Total Length w/Elastic
6216	9 oz. Green	14"	18"
6217	9 oz. Green	18"	22"
6217B	9 oz. Navy	18"	22"
6217WC	12 oz. Green	18"	22"
6201	9 oz. Green	23"	27"

6200 **FR** cotton sleeves with adjustable shoulder straps



9818

Kevlar[®] knit sleeves



9818 9818 – 18" sleeves with thumb slot, double ply, 100% Kevlar®

9824 - 24" sleeves with thumb slot, double ply, 100% Kevlar®

Additional Protective Clothing

All FD material is heavyweight 12 oz. cotton. Economical FR protection. Material will lose flame resistance after washing.

NON-DURABLE PROTECTIVE CLOTHING, KEVLAR®, NOMEX®, INDURA®

12 oz. Non-Durable, Flame Proof Cotton (FD)



5217FD 6217FD, 6218FD

• 6217FD - 18" sleeves with 2 1/4" wide elastic at both ends

• 6218FD - 18" sleeves with standard elastic at both ends

9 oz. Flame Proof Duck (FPD)



6218FPD - Sleeves 6236FPD - Apron

WHITE NON-DURABLE FLAME PROOF DUCK

6218FPD. 6236FPD

Made of 9 oz. fabric. Inexpensive. Recommended for aprons and sleeves. Material will lose flame resistance after washing.

TO ORDER USE:

6218FPD - 18" sleeves, elastic at both ends 6236FPD - 24" x 36" bib apron

6230K

KEVLAR

9 oz. Blue Cotton (BD)

6236BD

BLUE COTTON ECONOMY SHOP APRON

6236BD

9 oz., inexpensive cotton material, no flame retardant treatment

- Two chest pockets 1 1/2" x 5", 5" x 5"
- One waist pocket 6 1/2" x 6

Overall size 27" x 38"

ALSO AVAILABLE IN: 6236BDX economy version

AVAILABLE IN: 6230K - 30" jacket Size- S,M,L,XL,2X,3X 6218K - 18" sleeves

cuts and sharp objects.

6230K

Yellow twill.

6200 - 23", 9 oz. Green

6200

58

6218FC



Apron Sizes

- 6236FDLP 24" x 36" bib apron • 6242FDLP - 24" x 42" bib apron
- 6248FDLP 24" x 48" bib apron
- 6336FDLP 24" x 36"
- split leg bib apron • 6342FDLP - 24" x 42"
- split leg bib apron
- 6348FDLP 24" x 48" split leg bib apron



6242FDLP **APRONS (COTTON** LEATHER PATCH

Permanent Flame Resistance Kevlar[®], Nomex[®], Indura[®] Protective Clothing

6230NX NOMEX®



Kevlar[®] - 8 1/2 oz. Permanently flame resistant and excellent for protection against



6230NX

Nomex[®] - 10 oz. Steel green Nomex[®]. Inherently flame resistant for the life of the garment. Nomex[®] will outwear polyester/cotton at least 4 to 1.

AVAILABLE IN: 6230NX - 30" jacket Size- S,M,L,XL,2X,3X

6230I INDUR/



6230i

Indura[®] - 9 oz. cotton, permanent flame resistant for the life of the garment.

AVAILABLE IN: 6230i - 30" jacket Size- S,M,L,XL,2X,3X 6217i - 18" sleeves with 2 1/4" wide elastic on both ends 6218i - 18" sleeves with standard elastic on both ends

Aluminized Protective Clothing JACKETS, APRONS, SLEEVES, PANTS, LEGGINGS, HOODS

16 oz. Aluminized Rayon (AR)

• Not recommended for molten metal

• Protects against radiant heat

• Lightweight version of ACK

• Lightweight

ALUMINIZED MATERIAL

19 oz. Aluminized Carbon Kevlar[®] (ACK)

• High temperature asbestos replacement

• Protects against radiant heat and molten metal

13 oz. Aluminized Carbon Kevlar[®] (ACKT)

Item / Size	Aluminized Rayon (AR)	Aluminized Carbon Kevlar° (ACK)	Aluminized Carbon Kevla (ACKT)
Hood with 7" x 11" clear window	7000	8000	8000T
Hood with 7" x 11" gold window	7006	8006	8006T
14" bib	7114	8114	8114T
20" bib	7120	8120	8120T
23" sleeves	7200	8200	8200T
18" sleeves	7218	8218	8218T
Cape sleeve	7221	8221	8221T
30" jacket	7230	8230	8230T
36" jacket	7236	8236	8236T
40" jacket	7240	8240	8240T
50" jacket	7250	8250	8250T
24" x 24" waist apron	7324	8324	8324T
24" x 30" bib apron	7430	8430	8430T
24" x 36" bib apron	7436	8436	8436T
24" x 42" bib apron	7442	8442	8442T
24" x 48" bib apron	7448	8448	8448T
24" x 36" bib split leg apron	7536	8536	8536T
24" x 42" bib split leg apron	7542	8542	8542T
24" x 48" bib split leg apron	7548	8548	8548T
24" x 36" split leg waist apron	7636	8636	8636T
Chaps (provide waist and inseam)	7656	8656	8656T
Pants (provide waist and inseam)	7700	8700	8700T
7" spats with hook/loop closure	527AR	527ACK	-
15" side bar leggings	528AR	528ACK	-
15" spring steel leggings	529AR	529ACK	-
14" leggings with hook/loop closu	re only 530AR	530ACK	-

Temperatures and applications are intended as guidelines and not as guarantees of performance. It is the user's responsibility to monitor their activity at all times.

WARNING: Tillman's aluminized clothing is designed to protect against radiant high heat and/or molten metal for short durations ONLY. Prolonged exposure to high heat and/or molten metal may result in serious injury or death to the worker. DO NOT use this clothing without contacting a safety professional. Do not use this clothing for entry into enclosed spaces.

Blankets and Roll Goods

Welding blankets are great for covering objects that need to be protected from sparks and spatter.

WELDING BLANKET SELECTION CRITERIA

Please consider the following when choosing a welding blanket:

- What type of work will you be doing?
 - Light Duty general welding, light sparks and spatter
 - Medium Duty heavier welding applications, sparks, spatter, light slag
- Heavy Duty heavy sparks, spatter, slag, molten metal 3
- **Extreme Duty** extra heavy spatter, slag, molten metal

Stress Relief - non-coated materials only • 0° F to 1000° F – non-coated fiberglass materials

- 1000° F or more silica and vermiculite products

OTHER IMPORTANT INFORMATION ON WELDING BLANKETS

- All blankets have grommets on 18" centers except when noted
- All blankets are sewn with 1000°F melt temperature fiberglass thread (except 599- leather, which uses Kevlar[®], 615- ThermoFelt • Actual finished size may vary 3" in height and width no stitching)

LIGHT DUTY

584 18 oz. White No Coa	Fiberglass		Acrylic Fiberglass	617 17 oz. Silver S Coated	Silicone Fiberglass	Red Silicone	619 14 oz. Salmon Acrylic Coated Fiberglass
	Weight	Description	Use	Temp. Rating	Thickness	Roll Slzes/ Weight (approx)	Stock Blanket Size
584	18 oz.	White fiberglass no coating	Sparks, vertical plane protection	1000°F	.03"	40" wide, 50 yards per roll, 70 lbs. 60" wide, 50 yards per roll, 104 lbs	6' x 6', 6' x 8', 8' x 8' 6' x 10', 8' x 10', 10' x 10', custom
585	16 oz.	Salmon acrylic coated fiberglass	Sparks, vertical plane protection	1000°F	.016"	38" wide, 50 yards per roll, 62 lbs. 60" wide, 50 yards per roll, 90 lbs.	Custom only
617	17 oz.	Silver silicone coated fiberglass	Sparks, spatter, abrasion, vertical plane protection	1000°F	.015"	60" wide, 50 yards per roll, 99 lbs.	Custom only
618	17 oz.	Red silicone coated fiberglass	Sparks, spatter, abrasion, vertical plane protection	1000°F	.015"	38" wide, 50 yards per roll, 57 lbs. 60" wide, 50 yards per roll, 104 lbs	Custom only
619	14 oz.	Salmon acrylic coated fiberglass	Sparks, vertical plane protection	1000°F	.013"	38" wide, 50 yards per roll, 52 lbs. 60" wide, 50 yards per roll, 89 lbs.	Custom Only

Temperatures and applications are intended as guidelines and not as guarantees of performance. Please be advised that molten metal temperatures exceed 1500°F. Acrylic and silicone coated blankets are not recommended for stress relief and close proximity or direct contact with temperatures of 200°F or more may result in smoking and/or burning.

> It is the user's responsibility to monitor their activity and use of all blankets and roll goods at all times.

60



- 2. Is your welding application vertical or flat?
 - Vertical application materials can be lighter weight and lower melt temperatures
 - **Flat** application materials need to be heavier weight and higher melt temperatures
- Which material stiffness and thickness is appropriate?
- **Stiff materials** are coated to allow spatter and slag to roll off easier, **softer materials** work well for wrapping objects for stress relief • **Thicker materials** take longer to burn through
- 4. Does your application involve abrasion?
 - If so, consider stiffer, coated materials
- Borders are hemmed for extra durability (except 599- leather,
- 615- ThermoFelt)








Blankets and Roll Goods MEDIUM DUTY



24 oz. White Fiberglass **No Coating**



32 oz. **Red Silicone Coated Fiberglass**



White Fiberglass **No Coating**



24 oz. 32 oz. **Orange Fiberglass** Light Coating




24 oz. **Gold Acrylic Coated Fiberglass**



Leather **Specially Heat** Treated



Gold Acrylic Coated Fiberglass



16 oz. ThermoFelt

Roll Sizes/ Stock Blanket



HEAVY DUTY



Bronze Silica

	Weight	Description	Use	Temp. Rating	Thickness	Roll Sizes/ Weight (approx)	Stock Blanket Size
594	18 oz.	Bronze silica	Sparks, spatter, molten metal	1800°F – working temp. 3000°F – melt. temp.	.03"	36" wide, 50 yards per roll, 63 lbs.	3' x 3', 6' x 6', 6' x 8', 9' x 10', custom
596	25 oz.	Black vermiculite impregnated fiberglass	Sparks, spatter, slag, stiff material	1200°F – flat surface 1700°F – vertical plane	.06"	40" wide, 50 yards per roll, 115 lbs. 60" wide, 50 yards per roll, 150 lbs.	3'x3', 6' x 6', 6' x 8', 8'x8', 8'x10', 10'x10', custom

	Weight	Description	Use	Temp. Rating	Thicknes	Roll Sizes/ ss Weight (approx)	Stock Blanket Size
586	24 oz.	White fiberglass no coating	Sparks, spatter	1000°F	.05"	40" wide, 50 yard roll, 87 lbs. 60" wide, 50 yard roll, 138 lbs.	Custom only
587	24 oz.	Safety orange fiberglass light coating	Sparks, spatter	1000°F	.04"	40" wide, 50 yard roll, 88 lbs.	Rolls only
589	35 oz.	White fiberglass no coating	Sparks, spatter, great for stress relief	1000°F	.08"	40" wide, 50 yard roll, 131 lbs. 60" wide, 50 yard roll, 195 lbs.	6' x 6', 6' x 8', 10' x 10', custom
590 ¹	24 oz.	Gold acrylic coated fiberglass	Sparks, spatter, abrasion, most popular blanket	1000°F	.034"	40" wide, 50 yard roll, 86 lbs. 60" wide, 50 yard roll, 146 lbs.	3' x 3', 6' x 6', 6' x 8', 8' x 8', 8' x 10', 10' x 10', custom
591 ¹	30 oz.	Gold acrylic coated fiberglass	General purpose welding, sparks, spatter, abrasion	1000°F	.053"	40" wide, 50 yard roll, 110 lbs. 60" wide, 50 yard roll, 160 lbs.	3' x 3', 6' x 6', 6' x 8', 8' x 8', 8' x 10', 10' x 10', custom
593 ¹	32 oz.	Red silicone coated fiberglass	Sparks, spatter, abrasion	1000°F	.035"	36" wide, 50 yard roll, 110 lbs. 60" wide, 50 yard roll, 182 lbs.	Custom only
598 ¹	32 oz.	Safety orange fiberglass light coating	Sparks, spatter	1000°F	.06"	40" wide, 50 yard roll, 135 lbs.	Rolls only
599	-	Leather	Sparks, spatter, superior abrasion and flexibility, excellent for auto body shops, no grommets	-	-	Not available	6' x 6', 6' x 8', custom
6151	16 oz.	ThermoFelt	Non-flammable, non-melting, non- shrinking, scratch free, general purpose welding, light sparks, spatter. Smoking and loss of tensile strength will occur when subject to molten metal.	1800°F working temp.	.15"20"	36" wide, 25 yard roll, 26 lbs., 60" wide, 25 yard roll, 39 lbs.	3' x 3', 6' x 6', 6' x 8', custom 615-PAD: plumbers pad, 1' x 1'

EXTREME DUTY



Bronze Silica

	Weight	Description	Use	Temp. Rating	Thickness	Roll Sizes/ Weight (approx)	Stock Blanket Size
595	36 oz.	Bronze silica	Sparks, heavy spatter, molten metal	1800°F – working temp. 3000°F – melt temp.	.054"	36" wide, 50 yards per roll, 110 lbs.	3' x 3', 6' x 6', 6' x 8', 9' x 10', custom
597	-	Triple layer stress relief - Vertex [®] outer shell with fiberglass insert	Not used for welding spatter protection, provides the ultimate stress relief	2000°F	1.5"	_	Custom only in 3' or 6' widths only



25 oz. **Black Vermiculite Impregnated Fiberglass**



Stress relief for flat surfaces only

Triple Layer, Vertex Outer Shell, Fiberglass insert

Welding Curtains

Don't risk exposure. Tillman stocks a full range of curtain materials that will protect the casual passerby from harmful radiation.

TRANSPARENT VINYLS

14 mil Flame-Retardant Transparent Vinyls

600, 601, 602, 603, 604, 606

Product provides optical protection when visibility is required for the casual viewer or passerby. It is formulated to disperse arc image and allow light back into work area. CFM approved.

The following numbers designate the vinyl color. Please insert in place of the parenthesis when ordering

600 = GRAY: 601 = YELLOW: 602 = GREEN: 603 = ORANGE; 604 = BLUE; 606 = SHADE 8

Stock Sizes

-) R64 6' x 4' Replacement curtain
-) R66 6' x 6' Replacement curtain
-) R68 6' x 8' Replacement curtain
-) R610 6' x 10' Replacement curtain

Custom Sizes (specify height x width)

-) C Custom curtain grommets along top
-) R Custom curtain grommets all around

Roll Goods

-) 64 64" wide, 100 yd. roll, 146 lbs. per roll
-) 74 74" wide, 86 yd. roll, 150 lbs. per roll

14 mil Flame-Retardant Transparent Vinyl Pre-Grommeted Rolls


600, 601, 602, 603, 604, 606


Easy to use 25 yard long rolls are pre-grommeted every 12". Designed for temporary use only. Two widths are available; 64" or 74". Available in all 14 mil transparent vinyl colors:

600 = GRAY; 601 = YELLOW; 602 = GREEN; 603 = ORANGE; 604 = BLUE; 606 = SHADE 8

Roll Goods

-) 2564, 64" wide, 25 yd, pre-grommeted roll, 48 lbs. per roll
-) 2574, 74" wide, 25 yd, pre-grommeted roll, 54 lbs. per roll





Blue

Orange

Visit www.jtillman.com for technical details on each color.



PLEASE NOTE:

When ordering curtains, order height then width. Fractions of a foot will be billed to next full foot. Be sure to add 10% to width for proper drape.

Actual finished size may vary 3" in height and width.

GROMMET PLACEMENT:

- On curtains (C) grommets are set every 12" along top and at each corner.
- On replacement curtains for screens (R) measuring less than 50 sq. ft., grommets are set on 12" centers on all sides. For over 50 sq. ft., grommets are set on top and two sides.

Welding Curtains TRANSPARENT VINYLS

16 mil Fire-Retardant Transparent Clear Vinyl

605

• UV blocking, but not recommended for welding

• CFM approved

Custom Sizes

605 - C Custom curtain grommets along top 605 - R Custom curtain grommets all around

Roll Goods

605-72 72" wide. 53 vd. roll. 100 lbs. per roll

605 Clear

NON-TRANSPARENT CANVAS VINYLS

12 oz. Olive Drab Duck Canvas

583

- General purpose material resists flame, water, and mildew
- Most economical
- Meets CPAI-84

Stock Sizes

583-R64 6' x 4' Replacement curtain 583 - R66 6' x 6' Replacement curtain 6' x 8' Replacement curtain 583-R68

583-R610 6' x 10' Replacement curtain

Custom Sizes

583 - C Custom curtain grommets along top Custom curtain grommets all around 583 - R

Roll Goods

583-60 60" wide, 100 yd. roll, 220 lbs. per roll 583-72 72" wide, 100 yd. roll, 290 lbs. per roll

13 mil Fire-Retardant Vinyl Coated Polyester

611, 612, 614

Strong lightweight material resists flame, water, mildew, and most acids. Ideal for welding applications, privacy, dividers, spray areas, and draft control. CFM approved.

611=YELLOW; 612=DARK GREEN; 614=BLUE

Custom Sizes

-) C Custom curtain grommets along top
-) R Custom curtain grommets all around

Roll Goods

(

) - 61 61" wide, 75 yd. roll, 116 lbs. per roll





40 mil Fire-Retardant **Transparent Orange Vinyl**

623

- Used in high abrasion applications
- Excellent protection from ultra-violet rays and welding flash
- CFM approved

Custom Sizes

- 623 C Custom curtain grommets along top
- 623 R Custom curtain grommets all around

623

Orange

Roll Goods

623-48 48" wide, 33 yd. roll, 107 lbs. per roll













Portable Welding Screens

Tillman welding screens offer safety, spark containment, durability, portability, temperature, and noise control.

Four Pane

SINGLE, TWO, THREE, FOUR PANELS

Features

- Strong 1", 18 gauge tubular steel frames. Black enamel, rust resistant finish
- Easy assembly, frames slip together quickly, no tools required
- Unique fastening system secures tubes and prevents slipping and twisting
- 24" platform legs ensure stability and balance
- 4" bottom clearance for better ventilation
- Multi-panel screens feature one piece "wrap around" curtain designed to prevent sparks and flash from escaping between hinged panels
- Hinged panels permit easy handling and compact storage
- Curtains are held by strong adjustable ties through heavyduty grommets on 12" centers and hemmed with strong, flame resistant Kevlar® thread


How to Order

Select material from page 64 and 65 and insert into parenthesis by the size and number of panels you need.

()-1045 O	ne panel 4' x 5' screen
()-1055 O	ne panel 5' x 5' screen
()-1064 O	ne panel 6' x 4' screen
()-1066 O	ne panel 6' x 6' screen
()-1068 O	ne panel 6' x 8' screen
(ne panel 8' x 8' screen
() - 10610 O	ne panel 6' x 10' screen
() - 2055 Tı	vo panel 5' x 5' screen
(vo panel 6' x 4' screen
() - 2066 Tv	vo panel 6' x 6' screen
() - 2068 Tv	vo panel 6' x 8' screen
() - 2088 Tv	vo panel 8' x 8' screen
() - 3464 TI	nree panel 6' x 4' screen
() - 3555 Tl	ree panel 5' x 5' screen
() - 3666 TI	ree panel 6' x 6' screen
()-3868 TI	nree panel 6' x 8' screen
()-4666 Fo	our panel 6' x 6' screen
()-4868 Fo	our panel 6' x 8' screen

Welding Screen Accessories

- A. CC3001 1" S Hook each
- B. CC3002 2" S Hook each
- C. CC3003 Hem weight chain
- D. WS2001 Casters each
- E. WS2002 Adjustable curtain ties each
- F. WS2003 Spring clips for joining screens pair



Track Mounted Rolling Curtains

A quick and inexpensive way of creating permanent work area dividers. Curtains roll effortlessly on nylon or steel rollers inside a protected closed track. By combining tracks, virtually any size and configuration can be attained.


MOUNTS, TRACKS, ACCESSORIES


Selecting and ordering rolling curtain hardware and accessories:

1) Select mounting option (wall, ceiling, suspension, or floor) **2** Determine shape of layout (straight, curved, etc) **3)** Determine dimensions CONFIGURATIONS AND HARDWARE STRAIGHT TRACKS RC1004 - 4' Track RC1005 - 5' Track RC1006 - 6' Track RC1007 - 7' Track RC1008 - 8' Track RC1010 - 10' Track* **RC1025** *10' track cannot be shipped via UPS,

must ship common carrier


WALL MOUNT






(down) RC1052 Straight connector wall mount

SUSPENSION MOUNT





Strip Curtains

Tillman's clear transparent vinyl strip curtains are designed to save energy, protect workers, and reduce noise in warehouse and factory applications. Strip curtains are constructed of a series of interlocking, fire retardant, heavy-duty vinyl strips.

CLEAR TRANSPARENT VINYL STRIPS

CLEAR - WAREHOUSE

Clear vinyl is designed to protect against drafts, air loss and sound. Great for light to heavy traffic areas. Clear vinyl strips are available in three widths and thicknesses:

VINYL STRIPS WIDTH AND THICKNESS

- 8" wide, .08" thick Protects against drafts, reduces air loss, for doors up to 8ft.
- 12" wide, .12" thick Interior/exterior, heavy traffic, sound, and temperature control, for doors 8ft. to 14ft.
- 16" wide, .16" thick Designed for heavy truck traffic for doors 8ft. to 14ft.

Ordering Instructions For All Vinyl Strips

To figure out number of strips and total linear feet to cover desired area:

- 1. Calculate height and width of desired area.
- 2. Select width of strip and overlap

Width of Strips	Partial Overlap	Full Overlap
8"	2.0	3.0
12"	1.5	2.0
16"	1.0	1.5

3. Multiply total sq. footage of area by desired overlap in chart to determine total linear footage

4. Divide total linear footage by height of area to determine total number of strips



Clear Transparent Vinyl Strips

Strip Curtains

Tillman's tinted transparent vinyl strip curtains are designed to save energy, protect workers, and reduce noise in welding applications. Strip curtains are constructed of a series of interlocking, fire retardant, heavy-duty vinyl strips.

TINTED TRANSPARENT VINYL STRIPS

TINTED WELDING

Designed to protect individuals from ultraviolet radiation, sparks, and spatter. Great for traffic areas that need to be accessed regularly but still require protection. Appropriate eye protection must still be worn. Bronze tinted transparent vinyl strips are available in two widths and thicknesses.

Order strip curtains by area, by individual strips, or rolls:

		Color	Strip Width	Strip Thickness	Length
	634-300	Blue	8"	.08"	300 ft. roll
ual	634R*	Blue	8"	.08"	Cut to length holes punched
vid Bo	635-300	Bronze	8"	.08"	300 ft. roll
n d iv		Bronze	8"	.08"	Cut to length holes punched
	636-300	Orange	8"	.08"	300 ft. roll
nte	636R*	Orange	8"	.08"	Cut to length holes punched
i i i	637-200	Bronze	12"	.12"	200 ft. roll
	637R*	Bronze	12"	.12"	Cut to length hole punched

UNIVERSAL HARDWARE MOUNTING

14 gauge galvanized steel, 1/4" studs, 2" centers, complete with cover plate and lock nuts. Holes punched for flush or suspended mounting. Available in 640-3 (3ft. section), 640-4 (4ft. section), 640-5 (5ft. section). Combine any of the above for wider spaces.



Order strip curtains by area, by individual strips, or rolls:

	Strip Width	Strip Thickness	Length
Cle	ear Vinyl	Strip Curtai	ns By Area*
630-300	8"	.08"	300 ft. roll
630R*	8"	.08"	Cut to length holes punched
631-200	12"	.12"	200 ft. roll
631R*	12"	.12"	Cut to length holes punched
632-100	16"	.16"	100 ft. roll
632R*	16"	.16"	Cut to length holes punched

* Specify both height x width and partial or full overlap

* Specify both height x width and partial or full overlap




Tinted Transparent Vinyl Strips

Merchandising and Display Aids

MERCHANDISING AIDS THAT ATTRACT CUSTOMERS

YearRounder™ **Glove Display** Part# YEARR



Banner 30"x 48" **Part# BANNE**





Header Sign 8"x 36" Part# SIGN

Merchandising and Display Aids MERCHANDISING AIDS THAT ATTRACT CUSTOMERS



Display with product (Fixture not available from Tillman)







Sample Tillman Packaging Cards





Counter Top Glove Display Part# DRACK

Marketing Materials



