




- Eye Protection
- Respiratory Protection
- Fall Protection
- Head & Face Protection
- Toe Protection
- Prescription Safety Eyewear Programs





Eye Protection - General Purpose

Solaris™



Clear - 97101
 Gray - 97102
 Silver Mirror - 97104
 I/O - 97105

Blackstone 934™



Clear - 93401
 Gray - 93402
 Blue Mirror - 93407

Blackstone 936™



Clear - 93601
 Gray - 93602
 Gold Mirror - 93608

Blackstone 955™



Clear - 95501
 Gray - 95502
 Gold Mirror - 95508

Catalina 926™



Clear - 92601
 Brown - 92607
 Gold Mirror - 92608
 I/O - 92605

Sentinel™



Clear - 90801
 Gray - 90802
 Yellow - 90803
 Blue - 90809
 Blue Mirror - 90804
 I/O - 90805
 Clear AF - 90806
 Gray AF - 90807

Citation 931™



Clear - 93101
 Gray - 93102
 Yellow - 93103
 Blue Mirror - 93104
 I/O - 93105
 Clear AF - 93106
 Gray AF - 93107

Citation 931DX™



Clear AF - 93101DX
 Gray AF - 93102DX
 Foam Carrier - 93190DX

Citation 932™



Clear - 93201
 Gray - 93202
 Yellow - 93203
 Blue Mirror - 93204
 I/O - 93205
 Clear AF - 93206

Citation 937™



Black, Clear - 93701
 Black, Gray - 93702
 Black, Yellow - 93703
 Black, Blue Mirror - 93704
 Black, I/O - 93705
 Silver, I/O - 93708
 Red, Clear - 93761
 Red, Blue Mirror - 93764
 Red, I/O - 93765
 Blue, Blue Mirror - 93784
 Blue, I/O - 93785

*SEE "READERS"
 NEXT PAGE

Citation 939™



Clear - 93901
 Gray - 93902
 Yellow - 93903
 Blue Mirror - 93904
 I/O - 93905

Columbia 222™



Clear - 92221
 Gray - 92222
 Blue mirror - 92224
 I/O - 92225

Focus™



Clear - 93501
 Gray - 93502
 Yellow - 93503
 Blue Mirror - 93504
 I/O - 93505

Hunter 610™



Clear - 61001
 Gray - 61002
 Silver Mirror - 61006
 I/O - 61005

Marlin™



Black, Clear - 93004
 Translucent, Clear - 93001
 Translucent, Gray - 93002

MEIV™



Clear - 96001
 Gray - 96002
 Brown - 96108
 Yellow - 96103
 Silver Mirror - 96004
 I/O - 96005

Blaze™



Black, Clear - 91001
 Black, Gray - 91003
 Black, Gray AF - 91004
 RWB, Clear - 91005
 RWB, Clear AF - 91006

Shadow™



Clear - 92501
 Gray - 92502
 Yellow - 92503
 Blue Mirror - 92504
 Clear AF - 92506

Aston™



Clear - 258000B
 Gray - 258400B
 Yellow - 258500B

Sphere™



Clear - 93801
 Gray - 93802
 Yellow - 93803
 I/O - 93805

Eye Protection - Dust & Debris

Versio DX™



Complete Package - 90909
 Clear AF - 90901
 Gray AF - 90902
 Replacement Clear Lens - 90901L
 Replacement Gray Lens - 90902L
 Replacement Yellow Lens - 90903L
 Replacement Foam Carrier - 90916

Hornet DX™



Clear AF - 90701
 Gray AF - 90702

Legend XT™



Clear AF - 2244060

Pantera™



Black, Clear AF - 90101
 Black, Gray AF - 90102
 Clear, Clear AF - 90101AP

Sand Viper™



Clear AF - 90501
 Gray AF - 90502
 Blue Mirror AF - 90504



QS - Black, Clear AF - 90111
 QS - Black, Gray AF - 90112

*SEE "READERS"
 NEXT PAGE



Eye Protection - Infrared Radiation

Blaze™



IR Shade 3.0 - 91030
IR Shade 5.0 - 91050

Citation 931™



IR Shade 3.0 - 93130
IR Shade 5.0 - 93150

Infraspec™



IR Shade 2.0 - 90202
IR Shade 3.0 - 90203
IR Shade 5.0 - 90205

Solaris™



IR Shade 3.0 - 91730



Visit www.ussafety.com to download a free white paper on "IR Hazards In The Workplace".

Protection Icon Legend

Anti-Fog	Splash	PVC Free
Impact	Non-Conductive	Environmentally Friendly
Infrared	Anti-Slip	Made in USA
UVA & UVB	Toe Protection	
Bright Sun	Chemical Resistant	
Dust	Rxable	

Note: Icons indicate features available within a product range. Information on individual product features is available at www.ussafety.com or contact your U.S. Safety Representative, 1-800-821-5218, option 2.

Eye Protection - Splash & Impact

Bradley™



Indirect Vent, Clear AF - 22600
Indirect Vent, Gray AF - 22640
Neoprene strap available

Cambridge™



Indirect Vent, Clear AF - 22521
Neoprene strap available

Safety-Flex™



Direct Vent, Clear - 221501
No Vent, Clear AF - 223540
Indirect Vent, Clear AF - 223547

MEETS
ANSI
Z87.1

All U.S. Safety Eye & Face Protection products meet the ANSI Z87.1 Standard.

Eye Protection - Readers

Peeper Cheaters™



Clear +1.50 - 250150
Clear +2.00 - 250200
Clear +2.50 - 250250
Brown +1.50 - 259150
Brown +2.00 - 259200
Brown +2.50 - 259250

Sentinel™



Clear +1.50 - 90815
Clear +2.00 - 90820
Clear +2.50 - 90825

Sand Viper™



Clear AF +1.50 - 90515
Clear AF +2.00 - 90520
Clear AF +2.50 - 90525



Founded in 1935 by A.F. Parmelee on the principle of better worker protection, U.S. Safety is among the world leaders in personal protective equipment.

U.S. Safety's unmatched reputation for customer value is based on our unique combination of personalized service with cost-effective, innovative solutions to workplace hazards.

We welcome you to the many Fortune 500 and small businesses alike that have chosen U.S. Safety as their partner for a safer workplace.

Prescription Safety Eyewear Programs

Passport Rx™



Affordable prescription safety eyewear, made easy. A complete program with everything you need to protect your employees in one all-inclusive price.

SEMS™



Safety Eligibility Management System. Track eligibility for prescription eyewear, electronically. Eliminates the need to maintain paper records and files.

IOMS™



Internet Order Management System. Enter and track orders in real time. Fully customizable. Saves time and money.



Face Protection - Faceshields

Matrix™



Headgear - 482000
 Acetate Clear Window - 485400
 Acetate Green Window - 485420
 Polycarbonate Clear Window - 487400
 Polyester Clear Window - 486400

ValuGard™



Headgear - 426000
 PETG Clear Window - 486500
 Acetate Clear Window - 485500
 Acetate Green Window - 485520
 Polycarbonate Clear Window - 487500

Double Matrix™



Headgear - 483000
 Acetate Clear Window - 494400
 Acetate Green Window - 494420
 Acetate Shade 5.0 Window - 4945206
 Polycarbonate Clear Window - 494700
 Polycarbonate Clear Duo-Coat - 494704AFHC
 Polyester Clear Window - 494800

Multi-Fit™ Window



PETG Clear Window - 486500
 Acetate Clear Window - 485500
 Acetate Green Window - 485520
 Polycarbonate Clear Window - 487500

Cap Attachment



Matrix with Cap Attachment - 482CAPO
 Double Matrix with Cap Attachment - 483CAPO

Go to www.ussafety.com
 for a list of compatible headgear.

Respiratory Protection - NIOSH Approved

Comfort-Air™ Series 100 Half-Mask



Silicone
 Three sizes - S/M/L
 Replaceable Parts

Comfort-Air™ Series 300 Half-Mask



Thermoplastic
 Two sizes - SM/ML
 Replaceable Parts

Comfort-Ease™ Series 400 Half-Mask



Elastomeric
 Two sizes - SM/ML

Comfort-Air™ Series Fullface



Series 120 - Silicone
 Series 520 - Thermoplastic
 Component Accessories

Air-Supplied Respirators



Series 121 - Silicone
 Series 521 - Neoprene
 Component Accessories

Cartridges & Filter Pads



Saf-Twist™ Gas/Vapor Cartridges
 Saf-Twist™ P100 Gas/Filter Combinations
 N95 & N99 Filter Pads

Diskit™ Filter



Diskit™ P100 Filter
 Sparkshield™
 Adapters & Spacers

Disposable N95 Respirators



AD2N95B240 - Non-Valved
 AD2N95VB144 - Valved
 AD2N95VB240 - Organic Vapor

Flat-Fold N95 Respirators



AD4N95B240 - Non-Valved
 AD4N95VB120 - Valved
 Individually Wrapped



Other Protection Products

Welding Helmets



Lift Front, w/Shade 10 Plate - 451010AR
 Wide Vision, w/Shade 10 Plate - 451003AR

Welding Goggles



Flip Front, w/Shade 5 circle - 236815
 Wide Vision, w/Shade 5 Plate - 235345

Safety-Toes™



XX Small - 87001
 X Small - 87002
 Small - 87003
 Medium - 87004
 Large - 87005
 X Large - 87006
 XX Large - 87007
 Starter Kit - 87008

Hard Hats



White - 756170R/756270R
 Red - 756120R/756220R
 Yellow - 756130R/756230R
 Orange - 756140R/756240R
 Blue - 756150R/756250R
 Green - 756160R/756260R





Fall Protection - Harnesses

Axiom™ Parachute Style



High-density polyester, kevlar, or high-visibility webbing
QuickFit or grommet adjustment
Standard D-ring configurations

Ion™ Crossover Style



High-density polyester webbing
Grommet adjustment
Standard D-ring configurations

Gamma™ Women's Comfort



High-density polyester or high-visibility webbing
QuickFit or grommet adjustment
Standard D-ring configurations

Maximus™ 386 lb Capacity



High-density polyester webbing
Grommet adjustment
Standard D-ring configurations

Fall Protection - Lanyards & Lifelines

Energy Absorbing Single Leg/Bypass Lanyards



High-Density polyester or kevlar
E4 and E6 rated
Up to 42" deploy length
Abrasion resistant

Dorsal Extension & Non-Energy Absorbing Lanyards



High-density polyester or kevlar
E4 & E6 rated
Permanently attached, snap hook or pass through loop connection styles

Retractable Lanyards



Locks at approx. 10" 8' total deploy length

Lifelines



Durable Polysteel® 3-strand 5/8" rope
Minimum tensile strength of 10,000 lbs.
Chemical and UV resistant

Horizontal Lifelines



3/8" GAC with thimble eye spliced into 3/4" x 12" jaw & jaw turnbuckle
30', 60' and 100' lengths

SRL and Personal Fall Arrest Devices



SRLs available in 30', 50', 100' web OR cable
TwinCam™ Personal Fall Arrest Devices
Available in all snap-hook configurations

Confined Space



7' and 10' collapsible tri-pod
Component parts available separately

MEETS
ANSI
Z359.1-2007
CSA
Z259-10-06

MEETS
OSHA
29 CFR
1926.501(b)(13)

All Fallogic™ products comply with OSHA, CSA and ANSI fall protection requirements.

Fall Protection - Kits & Accessories

Kits



Roofers Kits
Rescue Kits
Components available separately

Identification & Control



Custom Embroidery
Block Letters
Bold Colors
Up to 15 Characters

Cleaning & Inspection



Broken Stretched


Annual Tune-Up™ included with all Fallogic™ soft goods.

Cleaning Services
Inspection Services

Comfort and Convenience



Pro-Pad™ Comfort Pad
Tool Leash
Removable Shoulder Pads
Stuff Sacks
Trauma Suspension Straps



Serving companies of all sizes in....

- *Manufacturing*
- *Transportation*
- *Utilities*
- *Construction*
- *Petrochemical*
- *Healthcare*
- *Laboratory*
- *Agriculture*
- *Defense*
- *Aerospace*

...and more.



8101 Lenexa Drive P.O. Box 15965 Lenexa, KS 66285-5965

Tel: 800-821-5218 Fax: 800-252-5002

www.ussafety.com



ML-344 10/11

