




## 1528(UNC)


Hand Tap



UNC	TPI	l <sub>1</sub> Inch	l <sub>2</sub> Inch	d <sub>2</sub> Inch	$\frac{\square}{R}$ a Inch	l <sub>3</sub> Inch	# of Flutes	Limits	Chamfer	e-code	USD
1	64	1.11/16	3/8	0.1410	0.1100	3/16	2	H1	T	15281-64H12FL NO1	23.90
1	64	1.11/16	3/8	0.1410	0.1100	3/16	2	H1	P	15281-64H12FL NO2	23.90
1	64	1.11/16	3/8	0.1410	0.1100	3/16	2	H1	B	15281-64H12FL NO3	23.90
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H1	T	15282-56H13FL NO1	22.35
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H1	P	15282-56H13FL NO2	22.35
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H1	B	15282-56H13FL NO3	22.35
2	56	1.3/4	7/16	0.1410	0.1100	3/16	2	H2	P	15282-56H22FL NO2	22.35
2	56	1.3/4	7/16	0.1410	0.1100	3/16	2	H2	B	15282-56H22FL NO3	22.35
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H2	T	15282-56H23FL NO1	21.00
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H2	P	15282-56H23FL NO2	21.00
2	56	1.3/4	7/16	0.1410	0.1100	3/16	3	H2	B	15282-56H23FL NO3	21.00
3	48	1.13/16	1/2	0.1410	0.1100	3/16	2	H2	P	15283-48H22FL NO2	17.75
3	48	1.13/16	1/2	0.1410	0.1100	3/16	3	H2	T	15283-48H23FL NO1	15.85
3	48	1.13/16	1/2	0.1410	0.1100	3/16	3	H2	P	15283-48H23FL NO2	15.85
3	48	1.13/16	1/2	0.1410	0.1100	3/16	3	H2	B	15283-48H23FL NO3	15.85

UNC	TPI	l <sub>1</sub> Inch	l <sub>2</sub> Inch	d <sub>2</sub> R Inch	 a Inch	l <sub>3</sub> Inch	# of Flutes	Limits	Chamfer	e-code	USD
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H1	T	15284-40H13FL NO1	14.05
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H1	P	15284-40H13FL NO2	14.05
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H1	B	15284-40H13FL NO3	14.05
4	40	1.7/8	9/16	0.1410	0.1100	3/16	2	H2	P	15284-40H22FL NO2	14.05
4	40	1.7/8	9/16	0.1410	0.1100	3/16	2	H2	B	15284-40H22FL NO3	14.05
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H2	T	15284-40H23FL NO1	13.10
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H2	P	15284-40H23FL NO2	13.10
4	40	1.7/8	9/16	0.1410	0.1100	3/16	3	H2	B	15284-40H23FL NO3	13.10
5	40	1.15/16	5/8	0.1410	0.1100	3/16	3	H2	T	15285-40H23FL NO1	13.10
5	40	1.15/16	5/8	0.1410	0.1100	3/16	3	H2	P	15285-40H23FL NO2	13.10
5	40	1.15/16	5/8	0.1410	0.1100	3/16	3	H2	B	15285-40H23FL NO3	13.10
6	32	2"	11/16	0.1410	0.1100	3/16	3	H1	T	15286-32H13FL NO1	12.25
6	32	2"	11/16	0.1410	0.1100	3/16	3	H1	P	15286-32H13FL NO2	12.25
6	32	2"	11/16	0.1410	0.1100	3/16	3	H1	B	15286-32H13FL NO3	12.25
6	32	2"	11/16	0.1410	0.1100	3/16	2	H2	B	15286-32H22FL NO3	12.25
6	32	2"	11/16	0.1410	0.1100	3/16	3	H3	T	15286-32H33FL NO1	10.00
6	32	2"	11/16	0.1410	0.1100	3/16	2	H2	P	15286-32H22FL NO2	12.25
6	32	2"	11/16	0.1410	0.1100	3/16	3	H3	P	15286-32H33FL NO2	10.00
6	32	2"	11/16	0.1410	0.1100	3/16	3	H2	B	15286-32H23FL NO3	10.50
6	32	2"	11/16	0.1410	0.1100	3/16	3	H3	B	15286-32H33FL NO3	10.00
6	32	2"	11/16	0.1410	0.1100	3/16	2	H3	P	15286-32H32FL NO2	10.50
6	32	2"	11/16	0.1410	0.1100	3/16	3	H2	T	15286-32H23FL NO1	10.50
6	32	2"	11/16	0.1410	0.1100	3/16	3	H2	P	15286-32H23FL NO2	10.50
6	32	2"	11/16	0.1410	0.1100	3/16	2	H3	B	15286-32H32FL NO3	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	3	H2	B	15288-32H23FL NO3	12.25

UNC	TPI	l <sub>1</sub> Inch	l <sub>2</sub> Inch	d <sub>2</sub> R Inch	 a Inch	l <sub>3</sub> Inch	# of Flutes	Limits	Chamfer	e-code	USD
8	32	2.1/8	3/4	0.1680	0.1310	1/4	3	H2	P	15288-32H23FL NO2	12.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H2	B	15288-32H24FL NO3	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H2	P	15288-32H24FL NO2	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H2	T	15288-32H24FL NO1	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	2	H3	B	15288-32H32FL NO3	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	2	H3	P	15288-32H32FL NO2	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	2	H2	P	15288-32H22FL NO2	12.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	3	H3	B	15288-32H33FL NO3	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	3	H3	P	15288-32H33FL NO2	10.50
8	32	2.1/8	3/4	0.1680	0.1310	1/4	2	H2	B	15288-32H22FL NO3	12.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H1	P	15288-32H14FL NO2	12.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H3	B	15288-32H34FL NO3	10.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H3	P	15288-32H34FL NO2	10.25
8	32	2.1/8	3/4	0.1680	0.1310	1/4	4	H3	T	15288-32H34FL NO1	10.25
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H1	P	152810-24H14F LNO2	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	2	H2	B	152810-24H22F LNO3	12.25
10	24	2.3/8	7/8	0.1940	0.1520	1/4	2	H2	P	152810-24H22F LNO2	12.25
10	24	2.3/8	7/8	0.1940	0.1520	1/4	3	H2	P	152810-24H23F LNO2	12.25
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H2	B	152810-24H24F LNO3	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H2	P	152810-24H24F LNO2	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H2	T	152810-24H24F LNO1	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	2	H3	B	152810-24H32F LNO3	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	2	H3	P	152810-24H32F LNO2	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	3	H3	B	152810-24H33F LNO3	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	3	H3	P	152810-24H33F LNO2	10.85

UNC	TPI	l <sub>1</sub> Inch	l <sub>2</sub> Inch	d <sub>2</sub> R Inch	 a Inch	l <sub>3</sub> Inch	# of Flutes	Limits	Chamfer	e-code	USD
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H3	B	152810-24H34F LNO3	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H3	T	152810-24H34F LNO1	10.85
10	24	2.3/8	7/8	0.1940	0.1520	1/4	4	H3	P	152810-24H34F LNO2	10.85
12	24	2.3/8	15/16	0.2200	0.1650	9/32	4	H3	B	152812-24H34F LNO3	11.15
12	24	2.3/8	15/16	0.2200	0.1650	9/32	4	H3	P	152812-24H34F LNO2	11.15
12	24	2.3/8	15/16	0.2200	0.1650	9/32	4	H3	T	152812-24H34F LNO1	11.15