

# SAFETY DATA SHEET

# **SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION**

Product Name: E-WELD 4 Aerosol

**SDS No:** L-177 E

**Product Code:** 53-F 402 (400 mL)

 Revision Date:
 Jul 04, 2024
 Date Printed:
 Jul 05, 2024

 Version:
 2.0
 Supersedes Date:
 Jan 15, 2020

Manufacturer's Name: United States - Walter Surface Technologies Inc.

Address: 810 Day Hill Road Windsor, CT, US, 06095

Emergency Phone: 1-800-535-5053. International call collect: 1-352-323-3500 24 hours/day, 7 days/week.

Information Phone Number: (860) 298-1100

Fax:

**Product/Recommended Uses:** 

# **SECTION 2) HAZARDS IDENTIFICATION**

### Classification

Aerosols - Category 3

Gases Under Pressure Liquefied Gas

Safety data sheet prepared in accordance to the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

#### **Pictograms**



# **Signal Word**

Warning

# **Hazardous Statements - Physical**

H229 - Pressurised container: May burst if heated

H280 - Contains gas under pressure; may explode if heated

# **Precautionary Statements - Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 - Do not pierce or burn, even after use.

### **Precautionary Statements - Response**

No precautionary statement available.

### **Precautionary Statements - Storage**

P412 - Do not expose to temperatures exceeding 50 °C/122 °F.

P410 + P403 - Protect from sunlight. Store in a well-ventilated place.

**Precautionary Statements - Disposal** 

E-WELD 4 Aerosol www.walter.com Page 1 of 7

# **SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS**

CAS	Chemical Name	% By Weight
0025322-68-3	POLYETHYLENE GYLCOL	1.00% - 5.00%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

### **SECTION 4) FIRST-AID MEASURES**

#### **Inhalation**

Eliminate all ignition sources if safe to do so. Remove source of exposure or move person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment is urgent (see First-Aid on this label). If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

#### **Eye Contact**

If eye irritation persists: Remove source of exposure. Immediately call a POISON CENTER/doctor and follow their advice. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Specific treatment is urgent (see First-Aid on this label).

#### **Skin Contact**

Take off immediately contaminated clothing. Rinse skin with water/shower and mild soap for 5 minutes or until product is removed. Store contaminated clothing under water and wash before re-use or discard. Remove source of exposure. For brief contact with a small amount: Rewarm with body heat. Get immediate medical advice/attention. For extensive contact or a large amount: Immediately call a POISON CENTER/doctor and follow their advice. Specific treatment is urgent (see First-Aid on this label).

## Ingestion

Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. Immediately call a POISON CENTER or doctor.

#### Most important symptoms and effects, both acute and delayed

No data available.

### Indication of any immediate medical attention and special treatment needed

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Treatment should be supportive and based on the judgement of the physician in response to the reaction of the patient.

# **SECTION 5) FIRE-FIGHTING MEASURES**

# **Suitable Extinguishing Media**

Small Fire: Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcohol-resistant foam.

### **Unsuitable Extinguishing Media**

Do not use straight stream of water.

### **Specific Hazards Arising from the Chemical**

Fire will produce irritating gases. Contents under pressure. May be ignited by friction, heat, sparks or flames. Containers can explode in a fire. Containers exposed to heat and flames may rupture with violent force. Cylinders exposed to fire may vent and release gas through pressure relief devices. Vapors from liquefied gas are initially heavier than air and spread along the ground. Vapors may travel to source of ignition and flash back.

### **Precautions for Firefighters**

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# **Special Protective Equipment**

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## **SECTION 6) ACCIDENTAL RELEASE MEASURES**

E-WELD 4 Aerosol www.walter.com Page 2 of 7

### **Emergency Procedure**

Evacuate and isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Ventilate closed spaces before entering. Isolate area until aerosol has dispersed. Do not walk through released material. A vapor-suppressing foam may be used to reduce vapors. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

### **Protective Equipment**

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Wear thermal protective clothing when handling refrigerated/cryogenic liquids.

#### **Personal Precautions**

Avoid breathing aerosol. Avoid contact with skin, eye or clothing.

#### **Environmental Precautions**

Stop spill/release if it can be done safely. Suppress aerosol with water spray jet. Avoid allowing water runoff to contact spilled material. Prevent spreading of vapors through sewers, ventilation systems and confined areas. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

### Methods and Materials for Containment and Cleaning up

Rinse away with water. Dispose of contaminated materials according to federal, state and local regulations. Ventilate area after clean-up is complete. Allow substance to evaporate.

# **SECTION 7) HANDLING AND STORAGE**

#### **General**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wash hands after use. Avoid contact with skin, eye or clothing. Avoid breathing vapor or mist. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. All containers must be properly labelled.

### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source. Report ventilation failures immediately.

# **Storage Room Requirements**

Store in cool, dry, well-ventilated areas away from heat, direct sunlight and strong oxidizers. Store in approved containers and protect against physical damage. Containers that have been opened must be carefully resealed to prevent leakage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Take precautionary measures against electrostatic discharge. To avoid fire or explosion, dissipate static electricity during transfer by ground and bonding containers and equipment before transferring material. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Empty containers retain residue and may be dangerous.

## **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Eye protection**

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids.

# **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

# **Respiratory protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

# **Appropriate Engineering Controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

E-WELD 4 Aerosol www.walter.com Page 3 of 7

The information in this Section does not list non-hazardous components that might have relevant ACGIH TLV Basis, ACGIH Notations, NIOSH TWA (ppm), NIOSH TWA (mg/m3), ACGIH Carcinogen, NIOSH Carcinogen, OSHA Tables (Z1, Z2, Z3), OSHA Carcinogen, OSHA TWA (ppm), ACGIH TWA (ppm) regulatory values, if they are present at less than 1%. Please contact manufacturer for more information.

# **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

 Density
 0.99 g/ml

 % Solids By Weight
 0.00%

 % VOC
 0.00%

Appearance White milky liquid

Odor Threshold N/A
Odor Description Citrus
pH 9.00
Flammability N/A
Flash Point N/A

Low Boiling Point 208.4°F (98°C)

N/A

N/A

 Freezing Point
 32°F (0°C)

 Vapor Pressure
 N/A

 Vapor Density
 N/A

 Evaporation Rate
 N/A

 Upper Explosion Limit
 N/A

 Lower Explosion Limit
 N/A

Water Soluble in water

Coefficient Water/Oil

N/A

Viscosity

N/A

Kinematic Viscosity

Temperature

N/A

Decomposition Point

N/A

# **SECTION 10) STABILITY AND REACTIVITY**

#### Reactivity

No data available.

High Boiling Point

Auto Ignition Temp

# **Chemical Stability**

Stable under normal storage and handling conditions.

## Possibility of Hazardous Reactions/Polymerization

Will not occur.

# **Conditions To Avoid**

Avoid all possible sources of ignition, heat, sparks, flame, build up of static electricity and contact with incompatible materials.

# **Incompatible Materials**

Strong bases, acids, and oxidizing agents.

### **Hazardous Decomposition Products**

Oxides of carbon.

E-WELD 4 Aerosol www.walter.com Page 4 of 7

# **SECTION 11) TOXICOLOGICAL INFORMATION**

### **Acute Toxicity**

Based on available data, the classification criteria are not met.

### **Aspiration Hazard**

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

## **Germ Cell Mutagenicity**

Based on available data, the classification criteria are not met.

### **Reproductive Toxicity**

Based on available data, the classification criteria are not met.

### **Respiratory/Skin Sensitization**

Based on available data, the classification criteria are not met.

## **Serious Eye Damage/Irritation**

Based on available data, the classification criteria are not met.

#### **Skin Corrosion/Irritation**

Based on available data, the classification criteria are not met.

# **Specific Target Organ Toxicity - Repeated Exposure**

Based on available data, the classification criteria are not met.

# **Specific Target Organ Toxicity - Single Exposure**

Based on available data, the classification criteria are not met.

### **Likely Routes of Exposure**

Inhalation, Ingestion, Skin contact, Eye contact

# **Chronic Exposure**

Based on available data, the classification criteria are not met.

### **Potential Health Effects - Miscellaneous**

Based on available data, the classification criteria are not met.

## **SECTION 12) ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Based on available data, the classification criteria are not met.

# **Persistence and Degradability**

No data available.

### **Bioaccumulative Potential**

No data available.

# **Mobility in Soil**

No data available.

# **Other Adverse Effects**

No data available.

E-WELD 4 Aerosol www.walter.com Page 5 of 7

### **SECTION 13) DISPOSAL CONSIDERATIONS**

### **Waste Disposal**

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, state and local laws. Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes.

# **SECTION 14) TRANSPORT INFORMATION**

	IATA Information	IMDG Information	U.S. DOT Information
UN Number:	UN1950	UN1950	UN1950
UN proper shipping name:  Aerosols, non-flammable, (each not exceeding 1 L capacity)		Aerosols, non-flammable, (each not exceeding 1 L capacity)	Aerosols, non-flammable, (each not exceeding 1 L capacity)
Transport Hazard class(es)	2.1	2.1	2.1
Packing group	NA	NA	NA
Environmental hazards	No Data Available	No Data Available No Data Available	
Special precautions for user	No Data Available	No Data Available	No Data Available
Transport in bulk according to Annex II of MARPOL and the IBC code		No Data Available	No Data Available

# **SECTION 15) REGULATORY INFORMATION**



**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE which is known to the State of California to cause cancer, and ETHYLENE OXIDE which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

CAS	Chemical Name	% By Weight	Regulation List
0025322-68-3	POLYETHYLENE GYLCOL	1.00% - 5%	DSL - Domestic Substance List, SARA312, TSCA - Toxic Substances Control Act (TSCA)

The information in this Section does not list non-hazardous components that might have relevant CA\_Prop65 - California Proposition 65, CA\_Prop65\_Type\_Toxicity\_Cancer - CA\_Proposition65\_Type\_Toxicity\_Cancer, CA\_Prop65\_Type\_Toxicity\_Develop - CA\_Proposition65\_Type\_Toxicity\_Developmental, CA\_Prop65\_Type\_Toxicity\_Female - CA\_Proposition65\_Type\_Toxicity\_Female, CA\_Prop65\_Type\_Toxicity\_Male - CA\_Proposition65\_Type\_Toxicity\_Male, EHS, HAPS, IARCCarcinogen, MA\_RightToKnow - Massachusetts Right to Know, NEI - National Emissions Inventory, NJ\_RightToKnow\_HazSubList - New Jersey Right to Know Hazardous Substance List (RTKHSL), NTP\_Carcinogen - National Toxicology Program Carcinogens, SARA312, TSCA - Toxic Substances Control Act (TSCA), DSL - Domestic Substance List regulatory values, if they are present at less than 1%. Please contact manufacturer for more information.

# **SECTION 16) OTHER INFORMATION**

### **Glossary**

ACGIH - American Conference of Governmental Industrial Hygienists; CAS - Chemical Abstracts Service; Chemtrec - Chemical Transportation Emergency Center; DSL - Domestic Substances List; ESL- Effects screening levels; GHS - "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations; HMIS - Hazardous Material Information Service; IATA - Dangerous Goods Regulations (DGR) for the air transport (IATA); IMDG - International Maritime Dangerous Goods Code; LC - Lethal Concentration; LD - Lethal Dose; NFPA - National Fire Protection Association; OEL - Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL - Permissible Exposure Limit; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self Contained Breathing Apparatus; ppm - parts per million; STEL - Short-term exposure limit; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-weighted average; US DOT- US Department of Transportation.

E-WELD 4 Aerosol www.walter.com Page 6 of 7

### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

E-WELD 4 Aerosol www.walter.com Page 7 of 7