


METAL FABRICATION





WHY WEILER

If you think Weiler is an old fashioned wire brush manufacturing company, you'd be dead wrong. Today Weiler Abrasives is a global manufacturer of surface conditioning solutions with customers in over 80 countries and over 1,200 employees around the world.

Headquartered in the beautiful Pocono Mountains of Pennsylvania, we are proud of the fact that we have built a **progressive, innovative, and high growth** company headquartered right here in the USA. Our world-class products are designed and built by Weiler co-workers who embrace our commitment to customers, the community, and one another.

Weiler Abrasives Group's **heritage dates to 1879**. Today, the tradition of excellence continues under the leadership of the fourth generation, Chris Weiler, President/CEO. Having grown from a power brush manufacturer to a global surface conditioning problem-solver, Weiler Abrasives' mission is to partner with our customers and business partners to ensure their businesses stay productive and profitable. Our people, products, and our strong desire to win deliver a competitive edge that creates growth.



WORK FASTER:

Before, during and after the weld, Weiler products are **designed to provide superior performance through maximum aggression and long life**. That means you get your work done faster and more efficiently. Our extensive and knowledgeable field sales team works alongside your team to make sure you have the right product to get the job done right – and done fast.



See how Weiler gives you a competitive edge.
youtube.com/c/WeilerAbrasivesGroup

WORK SAFER:

Weiler products are designed and manufactured to the strictest standards to ensure the highest level of quality and safety. But safety doesn't stop there; raising awareness of basic safety practices and thinking about safety before the job starts – and after the job is complete – can help curb accidents and injuries in the shop. That's why Weiler offers customers a Safety Training Program based on the SPOT (Speed & Size, Pressure, Orientation, Time) methodology to help promote safe and proper product usage.

Deploying our **SPOT Safety Training Program** in your facility helps improve safety, regardless of your application or work environment.



WORK BETTER:

We partner with you to improve your productivity and drive cost out of your business. Our experts will evaluate and **quantify your consumable spend** and labor productivity. Our analysis provides hard data as to how product is used, how long it lasts and how productive it is, enabling our team to make recommendations to improve your operation.

In addition to our field sales support, Weiler provides world-class Customer Service (800-835-9999) and Application Assistance (888-299-2777).

If you have a problem that can be solved, we will solve it.

A recent study generated
\$70,000
in annual savings.

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES



INDUSTRIAL PRODUCTION



MRO

Weiler Abrasives works in various industrial settings across the globe to solve tough challenges, enabling businesses like yours to get more done, more efficiently.

General Fabrication

Transportation

Pipeline Construction

Ship Building

Power Generation

Building & Construction

Aerospace

Automotive

Foundry

Gear

Primary Metals

Facility Maintenance

Manufacturing



METAL FABRICATION



BEFORE, DURING, AND AFTER THE WELD, WE HAVE YOU COVERED

BONDED ABRASIVES

Weiler's line of bonded abrasives deliver consistency and performance to Metal Fabrication professionals. This high quality line includes cutting, grinding and combination wheels that are available in performance tiers, offering a choice between long life, fast cut, or both.

We have expanded our line of **Chop, High Speed, Stationary Cutting Wheels** for metal fabrication. The expansion offers more options in size and performance, including specialty wheels for stud cutting and rail cutting applications.

Bonded Selection Guide	8-9
Cutting Wheels	10-13
Small Diameter Wheels	12
Large Diameter Wheels	13
Grinding Wheels	14-15
Combo Wheels	16
Pipeline Wheels	17
Cups, Cones & Plugs	18-19
X-LOCK Bonded Abrasives	20
Accessories	15

COATED ABRASIVES

From the company that brought flap discs to the US, Weiler coated abrasive products continue to set the standard. Our Premium Tiger flap discs are engineered to conquer any material or application.

Our new **Tiger Aluminum Flap Discs** offer a paired flap design that delivers high performance grinding on aluminum. The top flaps are coated to eliminate loading and allow the disc to maintain a high cut-rate, while the alternating flaps aggressively remove material with self-sharpening zirconia aluminum grains.

X-LOCK Coated Abrasives	20
Flap Disc Selection Guide	22-23
Flap Discs	24-29
Flap Wheels	30-31
Resin Fiber Discs	32-34
Blending Discs	35

WIRE BRUSHES

Superior construction, the highest quality materials, state of the art manufacturing, and exacting quality standards deliver the most consistent brush performance. Each Weiler brush is designed to provide the best performance at the lowest cost-of-use.

Wire Brush Selection Guide	37
Weld Cleaning Brushes	38-40
Knot Wire Wheels	41
Wire Cup Brushes	42-43
Stem-Mounted End Brushes	44-45
Crimped Wire Wheels	46
Scratch Brushes	49-50
Chip & Oil Brushes	51


HOW CAN WE HELP YOU?

CONTACT US TODAY!

To place an order or locate a distributor in your area, contact our Customer Experience Team at 800-835-9999 or orders@weilerabrasives.com.

For more information and to schedule a consultation with a WPS expert visit: www.weilerabrasives.com/wps. To discuss specific requirements with a specialist call: 800-835.9999.

LEARN MORE:
WEILERABRASIVES.COM



SAFETY INFORMATION

All of Weiler's products are made to the strictest quality standards and specifications and are designed to provide superior work performance and safe operation when used properly.

WARNING: Failure to observe safety precautions may result in injury.

Many manufacturers mark some safety warnings, recommendations and usage restrictions directly on the product. However, it is not always practical to include even the most limited safety information on the product itself. Therefore, the operator **MUST READ** and **FOLLOW** all instructions supplied in or on the product container as well as those marked on the product.

SAFETY STANDARDS - ESTABLISHED BY THE AMERICAN NATIONAL STANDARDS INSTITUTE

Weiler power brushes and abrasives conform to the ANSI standards listed below. All operators of power brushes and abrasives must comply with these safety standards.

- ANSI B165.1 "Power Tools - Power Driven Brushing Tools - Safety Requirements for Design, Care and Use"
- ANSI B7.1 "Safety Requirements - For the Use, Care and Protection of Abrasive Wheels"

AVAILABILITY OF ANSI STANDARDS

Based on the collective experience of the American Brush Manufacturers Association Industrial Division members (ANSI B165.1) and the United Abrasives Manufacturers Association's Bonded Division (ANSI B7.1), both ANSI Standards are referenced and provided solely as a public service for the guidance of the users of the members' products. All Brush and Abrasive recommendations are not necessarily complete with respect to any particular application and common sense safety considerations should generally be followed. Any applicable federal, state, local law or regulation must be strictly adhered to and is controlling over any recommendation contained herein.

TOOL/WORK REST

On bench grinders, tool/work rests should be used to support the work-piece during use. It should have a maximum opening of 1/8" to the product face. Only adjust the rest when the product is not in motion.



Read Instructions



Safety Goggles



Face Shield



Protective Clothing



Hearing Protection



Gloves



Respiratory Protection

SAFETY TRAINING

Weiler products are designed and manufactured to the strictest standards to ensure the highest level of quality and safety. But safety doesn't stop there; raising awareness of basic safety practices and thinking about safety before the job starts — and after the job is complete — can help curb accidents and injuries in the shop. That's why Weiler offers customers a Safety Training Program based on the SPOT (Speed & Size, Pressure, Orientation, Time) methodology to help promote safe and proper product usage.

Deploying our **SPOT SAFETY TRAINING PROGRAM** in your facility helps improve safety, regardless of your application or work environment.

For more information contact your Weiler representative to request S.P.O.T. Training at your facility.

**THINK
SPOT.**
WHEN USING ABRASIVES & BRUSHES



BONDED ABRASIVES

CUTTING WHEELS | GRINDING WHEELS | COMBO WHEELS | PIPELINE WHEELS

SELECTING THE RIGHT WHEEL



Weiler's bonded abrasive wheels help Metal Fabrication professionals get the most demanding jobs done right, and done fast. Our high quality line helps you select the best solution for your toughest jobs. Whether you're looking for serious stock removal, beveling, grinding, notching, cutting or edge softening, Weiler will get it done for you.

<p>P MAX PERFORMANCE SUPERIOR LIFE & CUT</p>	<p>CUT RATE: ●●●●● LIFE: ●●●●●</p>	<p>TIGER® CERAMIC Self-sharpening and cool – grinds at lower temperatures with less friction and less effort, reducing heat discoloration of the work piece.</p>	<p>GRAIN TYPE Ceramic alumina</p> <p>CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE</p>	<p>BEST ON STEEL / METAL STAINLESS HARD-TO-GRIND</p> <p>Hard-to-Grind metals include tool steel, inconel, high nickel alloy, titanium and armored steel</p>	
	<p>TIGER® PIPELINE Designed for bead and angle grinding applications on the pipeline.</p>	<p>GRAIN TYPE Zirconia alumina + ceramic alumina infusion</p>	<p>BEST ON PIPELINE</p>		
<p>P HIGH PERFORMANCE FAST CUT & LONG LIFE</p>	<p>CUT RATE: ●●●●○ LIFE: ●●●●●</p>	<p>TIGER ZIRC Self-sharpening grains retain a high cut rate throughout the life of the wheel for exceptional performance.</p>	<p>GRAIN TYPE Cutting/Combo: Zirconia alumina Grinding/Pipeline: Zirconia alumina + ceramic alumina infusion</p>	<p>BEST ON STEEL / METAL</p> <p>includes structural steel and cast iron</p>	
	<p>TIGER INOX Tiger INOX wheels deliver a worry-free solution for stainless steel applications.</p>	<p>GRAIN TYPE White aluminum oxide</p> <p>INOX CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE</p>	<p>BEST ON STAINLESS</p> <p>and harder grade steel</p>		
	<p>TIGER ALUMINUM Weiler's non-loading formula delivers a fast and consistent cut rate on aluminum and soft alloys.</p>	<p>GRAIN TYPE Silicon carbide / aluminum oxide blend</p> <p>CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE</p>	<p>BEST ON ALUMINUM</p>		
<p>P PERFORMANCE LONG LIFE</p>	<p>CUT RATE: ●●●●○ LIFE: ●●●●●</p>	<p>TIGER AO Tiger wheels provide an even, sharp, clean cut and a hard bond extends wheel life.</p>	<p>GRAIN TYPE Aluminum oxide</p>	<p>BEST ON STEEL / METAL</p>	
	<p>V VALUE FAST CUT</p>	<p>CUT RATE: ●●●●○ LIFE: ●●●●○</p>	<p>WOLVERINE® Fast cut rate and consistent performance at a good value.</p>	<p>GRAIN TYPE Aluminum oxide</p>	<p>BEST ON STEEL / METAL</p>

Key:

P PERFORMANCE LINE Industrial Grade **V** VALUE LINE Professional Grade

Refer to ANSI B7.1 for storage & handling details

All products meet ANSI B7.1

PRODUCT FEATURES

Weiler offers a small hub on 4-1/2" wheels to keep it from gouging valuable parts as well as allowing for **30% more usable wheel area**




Small hub
Conventional hub size

UltraCut true 1mm thickness delivers precise, consistent cuts on thin metal
Smooth outer layer reduces friction which translates to an effortless cut with less kickback


Cut back provides instant aggressive grinding on new wheels

TYPE Selecting the best wheel type for your application increases wheel effectiveness and user productivity.


Cutting Type 1 (Flat) Type 27 (Depressed Center)








Grinding Type 28 (Depressed Center) Type 27 (Depressed Center)



Designed for increased aggression at lower working angles and increased access




Flat profile with depressed center allows for a wide range of grinding angles (0-45)



GRAIN / GRIT / GRADE

Selecting the best grain, grit and grade combination for your application can increase wheel effectiveness and user productivity. Use the charts below to help pick the right wheel for the job.



APPLICATION

When selecting a wheel, always choose the thinnest wheel that will perform the cut while maintaining desired product life.

ULTRA THIN WHEEL 1MM	THIN WHEEL .045"	THIN WHEEL .060"	CUTTING WHEEL 3/32"	PIPELINE NOTCHING WHEEL 1/8"	COMBO WHEEL 1/8"	PIPELINE NOTCHING WHEEL 1/8"	GRINDING WHEEL 1/4"	CONES & PLUGS	CUP WHEELS
Sheet metal, tubes, profiles and small cross-section rods	Tubes, bar stock and large cross-sections	Angle Iron, large cross-sections	Notching	Switching between cutting and grinding	For tough root pass notching & facing applications on the pipeline	Heavy stock, scale and weld removal, weld blending, edge beveling and torch-cut softening	I.D. cleaning, hole edge beveling, smoothing weld seams, removing gates & parting lines	Heavy metal removal, grinding, transitioning, rough beveling & removing crack & flaws	

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

CUTTING WHEELS



Weiler's diverse line of cutting wheels provide a consistent, well balanced, high quality solution. From our thin cutting wheels that slice through metal, to our large diameter wheels for the biggest cuts, professionals get the most demanding jobs done right and done fast.

FEATURES:

- **UltraCut 1mm** cutting wheels deliver lightning fast, super smooth, clean cuts on sheet metal, tubes, profiles, and small cross-section rods.
- **Smooth outer layer** on performance cutting wheels reduces friction that translates to an effortless cut and less kickback during operation.



Cutting a piece of bar stock with an UltraCut wheel.

TYPE 1 FOR GRINDERS

CASE STUDY: Learn how Tiger ZIRC reduced downtime and abrasives spend for a shipping container fabricator.



P HIGH PERFORMANCE THIN CUTTING

TYPE 1
7/8" Arbor

STEEL / METAL TIGER® ZIRC ULTRACUT 1MM / Fast Cut & Long Life

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	1 mm	Z60T	13,300	50	58005
5"	1 mm	Z60T	12,200	50	58006

STAINLESS TIGER INOX ULTRACUT 1MM / Contaminant-free*

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	1 mm	INOX60T	13,300	50	58130
5"	1 mm	INOX60T	12,200	50	58131

*Contaminant-free (Contains less than 0.1% Fe, S, Cl)

CUTS
20%
FASTER
than the closest
competitor

PROPRIETARY
**SOLID
CORE
TECHNOLOGY**

increases wheel density,
resulting in longer life,
reduced friction and
superior stability

A TRUE
**1MM
THICKNESS**

delivers precise, consistent
cuts you can count on



TRUE
1 MILLIMETER

STANDARD
.045"

TYPE 1 & 27 FOR GRINDERS

P MAX PERFORMANCE CUTTING

STEEL / METAL
STAINLESS
HARD-TO-CUT

TIGER® CERAMIC
Superior Life & Cut
Contaminant-free*

TYPE 1
7/8" Arbor

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	CER60S	13,300	25	58300	25	58305	10	58306
5"	.045"	CER60S	12,200	25	58301	25	58307	10	58308
6"	.045"	CER60S	10,200	25	58302	25	58309	10	58310
7"	.060"	CER60S	8,500	25	58303	25	58311	10	58312



58300

P HIGH PERFORMANCE CUTTING

STEEL / METAL

TIGER ZIRC / Fast Cut & Long Life

TYPE 1
7/8" Arbor

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	Z60T	13,300	25	58000	25	58020	10	58030
5"	.045"	Z60T	12,200	25	58001	25	58021	10	58031
6"	.045"	Z60T	10,200	25	58002	25	58022	10	58032
7"	.060"	Z60T	8,500	25	58003	25	58023	10	58033



58000

STAINLESS

TIGER INOX / Contaminant-free*

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	INOX60S	13,300	25	58100	25	58110	10	58109
5"	.045"	INOX60S	12,200	25	58101	25	58111	—	—
6"	.045"	INOX60S	10,200	25	58102	25	58112	10	58113
7"	.060"	INOX60S	8,500	25	58103	25	58107	—	—



58110

ALUMINUM

TIGER ALUMINUM / Non-loading / Contaminant-free*

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	ALU60S	13,300	25	58200	25	58205	10	58206
5"	.045"	ALU60S	12,200	25	58201	25	58207	10	58208
6"	.045"	ALU60S	10,200	25	58202	25	58209	10	58210
7"	.060"	ALU60S	8,500	25	58203	25	58211	10	58212



58206

P PERFORMANCE CUTTING

STEEL / METAL

TIGER AO / Long Life

TYPE 1
7/8" Arbor

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	A60T	13,300	25	57020	25	57041	10	57040
	1/16"	A36T		—	57061	—	—	—	—
	3/32"	A36S		—	—	25	57081	10	57080
5"	.045"	A60T	12,200	25	57021	25	57043	10	57042
	3/32"	A36S		—	—	25	57083	10	57082
6"	.045"	A60T	10,200	25	57022	25	57045	10	57044
7"	.060"	A60T	8,500	25	57023	25	57046	10	57048
9"	1/16"	A60T	6,600	—	—	25	57047	10	57049



57040

* Non-stock product, contact Customer Service for lead times and minimum order quantities.

V CUTTING

STEEL / METAL

WOLVERINE AO / Fast Cutting

TYPE 1
5/8" Arbor

TYPE 27
5/8" Arbor

Dia.	Thickness	Grade	Max. RPM	Pack	Item #	Pack	Item #
4"	.035"	A60T	19,000	25	56271	—	—
	3/32"	A24T	15,200	—	—	25	56474
5"	.035"	A60T	12,200	25	56108	—	—



56474

V CUTTING

STEEL / METAL

WOLVERINE® AO / Fast Cutting

TYPE 1
7/8" Arbor

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	.045"	A60T	13,300	25	56281	—	—	—	—
	.045"	A60S		—	—	25	56393	—	—
	1/16"	A60T		25	56103	—	—	—	—
	3/32"	A24T		—	—	25	56475	10	56385
5"	.045"	A60S	12,200	—	—	25	56392	—	—
	1/16"	A36T		25	56118	—	—	—	—
	3/32"	A24T		—	—	25	56476	10	56384
6"	.040"	A60T	10,200	25	56282	—	—	—	—
	.045"	A60T		25	56273	—	—	—	—
	.045"	A60S		—	—	25	56283	—	—
	3/32"	A24R		—	—	25	56277	10	56278
7"	.045"	A60T	8,500	25	56275	—	—	—	—
	.060"	A60S		—	—	25	56391	—	—
	3/32"	A24R		—	—	25	56383	10	56477



56103

*Contaminant-free (Contains less than 0.1% Fe, S, Cl)

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES

TYPE 1 CUTTING WHEELS FOR DIE GRINDERS



58348



58011



57070



56128

P MAX PERFORMANCE CUTTING

STEEL / METAL TIGER® CERAMIC
STAINLESS Superior Life & Cut
HARD-TO-CUT Contaminant-free*

Dia.	Thickness	Grade	Max. RPM	TYPE 1 1/4" Arbor		TYPE 1 3/8" Arbor	
				Pack	Item #	Pack	Item #
3"	1/16"	CER36T	25,000	100	58345	100	58342
4"	1/16"	CER36T	19,000	25	58351	25	58348

P HIGH PERFORMANCE CUTTING

STEEL / METAL TIGER ZIRC / Fast Cut & Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 1 1/4" Arbor		TYPE 1 3/8" Arbor	
				Pack	Item #	Pack	Item #
3"	.035"	Z60T	25,000	100	58012	100	58011
4"	.035"	Z60T	19,000	25	58014	25	58013

P PERFORMANCE CUTTING

STEEL / METAL TIGER AO / Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 1 1/4" Arbor		TYPE 1 3/8" Arbor	
				Pack	Item #	Pack	Item #
2"	.035"	A60T	30,000	100	57014	100	57010
	1/16"	A36T			57015		57011
	1/8"	A36T			57016		57012
3"	.035"	A60T	25,000	100	57065	100	57001
	1/16"	A36T			57066		57060
	1/8"	A36T			57068		57063
4"	.035"	A60T	19,000	25	57075	25	57070
	1/16"	A36T			57076		57071
	1/8"	A36T			57077		57072

V VALUE CUTTING

STEEL / METAL WOLVERINE® AO / Fast Cut

Dia.	Thickness	Grade	Max. RPM	TYPE 1 1/4" Arbor		TYPE 1 3/8" Arbor			
				Pack	Item #	Pack	Item #		
2"	.035"	A60T	30,000	100	56013	100	56128		
	1/16"	A36T			56015		56129		
	1/8"	A36S			56022		56130		
3"	.035"	A60T	25,000	100	56061	100	56062		
	1/16"	A36T			56065		56068		
	1/16"	A60T			-		100	56070	
	1/8"	A36T			100		56270	100	56076
	1/8"	A36S			50		56060	-	-
	1/8"	A36S			25		56165	25	56080
4"	.035"	A60T	19,000	25	56165	25	56080		
	1/16"	A36T			56166		56086		
	1/8"	A36T			-		25	56099	
	1/8"	A36S			25		56167	-	-

SNAGGING WHEELS FOR DIE GRINDERS



57064



56064



57074

P PERFORMANCE SNAGGING

STEEL / METAL TIGER® AO / Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 1 1/4" Arbor		TYPE 1 3/8" Arbor	
				Pack	Item #	Pack	Item #
3"	1/4"	A24T	25,000	40	57069	40	57064
4"	1/4"	A24T	15,300	10	57078	10	57073

V VALUE SNAGGING

STEEL / METAL WOLVERINE® AO / Fast Cutting

Dia.	Thickness	Grade	Max. RPM	TYPE 1 3/8" Arbor	
				Pack	Item #
2"	1/4"	A60T	30,000	40	56131
3"	1/4"	A24T	25,000	40	56064
4"	1/4"	A36T	15,300	40	56163

P PERFORMANCE SNAGGING

STEEL / METAL TIGER AO / Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 27 3/8" Arbor	
				Pack	Item #
4"	1/4"	A24T	15,300	10	57074

TYPE 1 FOR CHOP SAWS

NEW!



P PERFORMANCE CUTTING

STEEL / METAL TIGER AO / Long Life

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
12"	3/32"	1"	A36T	Long Life Cutting	5,100	25	57090
14"	3/32"	1"	A36T	Long Life Cutting	4,400	10	57092
14"	3/32"	1"	A36R	Smooth Cutting	4,400	10	57093 ◆
14"	3/32"	1"	A36P	Single Center Reinforcement For + Speed	4,400	10	57084
14"	3/32"	1"	A36P	Stud Cutting	4,400	10	57085
14"	3/32"	1"	EA36T	Fast Cut & Long Life	4,400	10	57086
16"	3/32"	1"	A36P	Long Life Cutting	3,850	10	57087

TYPE 1

◆ Softer bond for smoother, faster cutting.

V CUTTING

STEEL / METAL WOLVERINE AO / Fast Cutting

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
12"	3/32"	1"	A46T	Fast Cutting	5,100	25	56239
14"	3/32"	1"	A46T	Fast Cutting	4,400	10	56240
14"	3/32"	1"	A46T	Single Center Reinforcement For + Speed	4,400	10	56247

TYPE 1

TYPE 1 FOR HIGH SPEED SAWS

NEW!



P HIGH PERFORMANCE CUTTING

STEEL / METAL TIGER ZIRC / Fast Cut & Long Life / Rail Cutting

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
14"	1/8"	1"	Z24U	Rail Cutting	5,500	10	58028
16"	1/8"	1"	Z24U	Rail Cutting	4,800	10	58029

TYPE 1

P PERFORMANCE CUTTING

STEEL / METAL TIGER AO / Long Life

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
12"	1/8"	1"	A30T	Long Life Cutting	6,400	25	57030
12"	1/8"	20 mm	A30T	Long Life Cutting	6,400	25	57031
14"	1/8"	1"	A30T	Long Life Cutting	5,500	10	57032
14"	1/8"	20 mm	A30T	Long Life Cutting	5,500	10	57094
14"	1/8"	1"	A30T	Triple Reinforcement For + Support	5,500	10	57034
14"	1/8"	20 mm	A30T	Triple Reinforcement For + Support	5,500	10	57035

TYPE 1

TYPE 1 FOR STATIONARY SAWS

NEW!



P PERFORMANCE CUTTING

STEEL / METAL TIGER AO / Long Life

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
14"	1/8"	1"	A30R	Long Life Cutting	4,400	10	57091
16"	1/8"	1"	A30S	Long Life Cutting	3,850	10	57089
20"	1/8"	1"	A30S	Long Life Cutting	3,100	10	57097

TYPE 1

V CUTTING

STEEL / METAL WOLVERINE AO / Fast Cutting

Diameter	Thickness	Arbor	Grade	Description	Max. RPM	Std. Pack	Item #
14"	1/8"	1"	A30R	Fast Cutting	4,400	10	56230

TYPE 1



GRINDING WHEELS 0 - 45°




Grinding on a platform for weld preparation.

Weiler's high quality line of grinding wheels help Metal Fabrication professionals get the most demanding jobs done right, and done fast.

FEATURES:

- Tiger type 27 grinding wheels are designed with fiberglass **cut back** from the edge to provide instant aggressive grinding on new wheels.
- Type 28 grinding wheels are designed for increased aggression at **lower working angles** and increased access to the work piece.

TYPE 27 FOR GRINDERS



58326



58079



58120



58225



57120

P MAX PERFORMANCE GRINDING

STEEL / METAL TIGER® CERAMIC / Superior Life & Cut
STAINLESS Contaminant-free*
HARD-TO-GRIND

Dia.	Thickness	Grade	Max. RPM	TYPE 27 5/8" Arbor		TYPE 27 7/8" Arbor		TYPE 27 5/8"-11 Hub	
				Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4"	1/4"	CER24R	15,300	10	58335	—	—	—	—
4-1/2"	1/4"	CER24R	13,300	—	—	10	58325	10	58326
5"	1/4"	CER24R	12,200	—	—	10	58327	10	58328
6"	1/4"	CER24R	10,200	—	—	10	58329	10	58330
7"	1/4"	CER24R	8,500	—	—	10	58331	10	58332
9"	1/4"	CER24R	6,600	—	—	10	58333	10	58334

P HIGH PERFORMANCE GRINDING

STEEL / METAL TIGER ZIRC / Ceramic-infused
Fast Cut & Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 27 5/8" Arbor		TYPE 27 7/8" Arbor		TYPE 27 5/8"-11 Hub	
				Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4"	1/4"	Z24T	15,300	10	58069	—	—	—	—
4-1/2"	1/4"	Z24T	13,300	—	—	10	58071	10	58070
5"	1/4"	Z24T	12,200	—	—	10	58073	10	58072
6"	1/4"	Z24T	10,200	—	—	10	58079	10	58078
7"	1/4"	Z24T	8,500	—	—	10	58075	10	58074
9"	1/4"	Z24T	6,600	—	—	10	58077	10	58076

STAINLESS TIGER INOX / Contaminant-free*

4-1/2"	1/4"	INOX24R	13,300	—	—	10	58121	10	58120
5"	1/4"	INOX24R	12,200	—	—	10	58123	10	58122
6"	1/4"	INOX24R	10,200	—	—	10	58129	10	58128
7"	1/4"	INOX24R	8,500	—	—	10	58125	10	58124
9"	1/4"	INOX24R	6,600	—	—	10	58127	10	58126

ALUMINUM TIGER ALUMINUM / Non-loading / Contaminant-free*

4-1/2"	1/4"	ALU24R	13,300	—	—	10	58225	10	58226
5"	1/4"	ALU24R	12,200	—	—	10	58227	10	58228
6"	1/4"	ALU24R	10,200	—	—	10	58229	10	58230
7"	1/4"	ALU24R	8,500	—	—	10	58231	10	58232
9"	1/4"	ALU24R	6,600	—	—	10	58233	10	58234

P PERFORMANCE GRINDING

STEEL / METAL TIGER AO / Long Life

Dia.	Thickness	Grade	Max. RPM	TYPE 27 5/8" Arbor		TYPE 27 7/8" Arbor		TYPE 27 5/8"-11 Hub	
				Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4"	1/4"	A24R	15,300	10	57119	—	—	—	—
4-1/2"	1/4"	A24R	13,300	—	—	10	57121	10	57120
5"	1/4"	A24R	12,200	—	—	10	57123	10	57122
6"	1/4"	A24R	10,200	—	—	10	57129	10	57128
7"	1/4"	A24R	8,500	—	—	10	57125	10	57124
9"	1/4"	A24R	6,600	—	—	10	57127	10	57126

Key:

P PERFORMANCE LINE Industrial Grade **V** VALUE LINE Professional Grade

*Contaminant-free (Contains less than 0.1% Fe, S, Cl)

CASE STUDY: Learn how Tiger Ceramic increased productivity and reduced cost for a steel fabrication company.



V GRINDING

STEEL / METAL WOLVERINE[®] AO / Fast Cutting


Diameter	Thickness	Grade	Max. RPM	TYPE 27 5/8" Arbor		TYPE 27 7/8" Arbor		TYPE 27 5/8" Arbor	
				Std. Pack	Item #	Std. Pack	Item #	Std. Pack	Item #
4"	1/4"	A24R	15,200	25	56473	—	—	—	—
4-1/2"	1/4"	A24R	13,300	—	—	25	56464	10	56454
4-1/2"	1/4"	A24N	13,300	—	—	25	56457	10	56455
5"	1/4"	A24R	12,200	—	—	25	56466	10	56449
6"	1/4"	A24R	10,200	—	—	25	56280	10	56279
7"	1/4"	A24R	8,500	—	—	25	56467	10	56468
9"	1/4"	A24R	6,600	—	—	25	56469	10	56470



56473

WHY WEILER

TYPE 28 FOR GRINDERS



P HIGH PERFORMANCE GRINDING

STEEL / METAL TIGER[®] ZIRC / Ceramic-infused

Fast Cut & Long Life

Diameter	Thickness	Grade	Max. RPM	TYPE 28 7/8" Arbor		TYPE 28 5/8"-11 Hub	
				Std. Pack	Item #	Std. Pack	Item #
7"	1/4"	Z24T	8,500	10	58081	10	58080
9"	1/4"	Z24T	6,600	10	58083	10	58082



58081

57134

P PERFORMANCE GRINDING

STEEL / METAL TIGER AO / Long Life

Diameter	Thickness	Grade	Max. RPM	TYPE 28 7/8" Arbor		TYPE 28 5/8"-11 Hub	
				Std. Pack	Item #	Std. Pack	Item #
7"	1/4"	A24R	8,500	10	57135	10	57134
9"	1/4"	A24R	6,600	10	57137	10	57136



ACCESSORIES

ADAPTING NUTS & SPANNER WRENCH For 4-1/2" - 9" Angle Grinders.

Description	Adapts To	Min. Wheel Thickness	Standard Pack	Item Number
Adapting Nuts	5/8" to 3/8"-24	1/16"	1	56484
Adapting Nuts	7/8" to 5/8"-11	1/16"	1	56494
Spanner Wrench	—	—	1	56495



56494

56495

MOUNTING MANDRELS 1/4" Stem. For Type 1 Wheels Only.

Arbor Size	Wheel Thickness	Standard Pack	Item Number
1/4"	1/8" to 1/4"	10	56489
3/8"	1/8" to 1/4"	10	56490
1/4", 3/8" *	1/8" to 1/4"	10	56491*

*Combination pack



56489

ADAPTER for mounting Large Cutting Wheels onto a 20mm arbor.

For Arbor Hole Size	Adapted Arbor Hole Size	Standard Pack	Item Number
1"	20mm	10	04455



04455

BRUSHES

COMBO WHEELS



Weld removal with Tiger combo wheel.

Weiler's Combination Wheels offer flexibility and efficiency when switching between cutting and grinding applications. Our **Tiger reinforcement technology** provides the strength to hold up when grinding, while maintaining a fast cut.

TYPE 27 FOR GRINDERS

P

MAX PERFORMANCE CUT / GRIND COMBO

STEEL / METAL
STAINLESS
HARD-TO-GRIND

TIGER® CERAMIC
Superior Life & Cut
Contaminant-free*

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	CER30T	13,300	25	58315	10	58316
5"	1/8"	CER30T	12,200	25	58317	10	58318
6"	1/8"	CER30T	10,200	25	58319	10	58320
7"	1/8"	CER30T	8,500	25	58321	10	58322
9"	1/8"	CER30T	6,600	25	58323	10	58324



58315

P

HIGH PERFORMANCE CUT / GRIND COMBO

STEEL / METAL **TIGER ZIRC** / Fast Cut & Long Life

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	Z30T	13,300	25	58051	10	58050
5"	1/8"	Z30T	12,200	25	58053	10	58052
6"	1/8"	Z30T	10,200	25	58064	10	58054
7"	1/8"	Z30T	8,500	25	58056	10	58055
9"	1/8"	Z30T	6,600	25	58058	10	58057

STAINLESS **TIGER INOX** / Contaminant-free*

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	INOX30T	13,300	25	58115	10	58114
7"	1/8"	INOX30T	8,500	25	58117	10	58116
9"	1/8"	INOX30T	6,600	25	58119	10	58118

ALUMINUM **TIGER ALUMINUM** / Non-loading / Contaminant-free*

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	ALU30T	13,300	25	58215	10	58216
5"	1/8"	ALU30T	12,200	25	58217	10	58218
6"	1/8"	ALU30T	10,200	25	58219	10	58220
7"	1/8"	ALU30T	8,500	25	58221	10	58222



58054



58114



58215

P

PERFORMANCE CUT / GRIND COMBO

STEEL / METAL **TIGER AO** / Long Life

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	A30S	13,300	25	57101	10	57100
5"	1/8"	A30S	12,200	25	57103	10	57102
6"	1/8"	A30S	10,200	25	57109	10	57108
7"	1/8"	A30S	8,500	25	57105	10	57104
9"	1/8"	A30S	6,600	25	57107	10	57106



57100

V

CUT / GRIND COMBO

STEEL / METAL **WOLVERINE® AO** / Fast Cutting

TYPE 27
7/8" Arbor

TYPE 27
5/8" Arbor

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #	Std. Pack	Item #
4-1/2"	1/8"	A24T	13,300	25	56430	10	56429
5"	1/8"	A24T	12,200	25	56428	10	56427
7"	1/8"	A24T	8,500	25	56426	10	56425
9"	1/8"	A24T	6,600	25	56424	10	56423



56425

*Contaminant-free (Contains less than 0.1% Fe, S, Cl)

TYPE 27 FOR PIPELINE

Fast grinding and long life on the line and in the fab yard.

NEW: Weiler's Pipeline Grinding Wheels are designed specifically for pipeline applications. Whether grinding a bead, facing the land, prepping transitions, or fabricating in the yard, this wheel is ready to work out of the box, delivering consistent, aggressive grinding throughout the life of the wheel, eliminating the need to chip it.

FEATURES & BENEFITS:


Do NOT Chip

(Operators will no longer feel the need to chip the wheel to get it to bite.)

Reduced Chatter

Superior Cut & Life

One Wheel for



GRINDING

NOTCHING

NEW



58090



58094

P HIGH PERFORMANCE PIPELINE GRINDING WHEELS

STEEL / METAL TIGER® ZIRC / Ceramic-infused / Fast Grinding & Long Life on Pipe

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	1/8"	Z30T	13,300	10	58090
6"	1/8"	Z30T	10,200	10	58092
7"	1/8"	Z30T	8,500	10	58094
9"	1/8"	Z30T	6,600	10	58095

TYPE 27
5/8"-11 Arbor

TYPE 27 FOR MECHANIZED PIPE WELDING

NEW: Weiler's Tiger Mech Wheels are designed for notching applications on mechanical pipe welds. These high-performance wheels are thinner than standard pipe notching wheels, allowing the operator to grind the bead without widening or scarring the bevel.

FEATURES & BENEFITS:

Designed to Fit

Tiger Mech reaches the bead without widening the bevel

Optimized Performance

Designed specifically to grind starts and stops on J and K bevels

Superior Cut & Life



NOTCHING

NEW



58066



58067

P HIGH PERFORMANCE MECH NOTCHING WHEELS

STEEL / METAL TIGER ZIRC / Ceramic-infused / Notching Mechanized Pipe Welds

Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	3/32"+	Z30T	13,300	10	58066
5"	3/32"+	Z30T	12,200	10	58067
7"	3/32"+	Z30T	8,500	10	58068

TYPE 27
5/8"-11 Arbor

+ Specific size for mechanized pipe welds

**RISE 'N
GRIND™**



CUPS, CONES & PLUGS



Type 11 Cup Rock for snagging and heavy stock removal.

Weiler Tiger AO cups, cones and plugs deliver the right combination of performance and value. Aluminum oxide grains in combination with a strong bond deliver long product life and a consistent cut-rate for grinding metal. Whether you are in a fab shop, foundry, or shipyard you can count on Tiger AO to get the job done fast and done right.

TYPE 11 FOR GRINDERS

AVAILABLE MAY 2021

BEST ON: Carbon steel, stainless steel, cast iron and ductile iron.

CUP FEATURES:

- **Precision balanced** to ensure smooth vibration free operation and reduced operator fatigue
- **Zinc plated nut** prevents oxidation, eliminating contamination and allowing for easy mounting
- **Unique anchored safety nut** locks the nut in place to increase safety and prevent product breakage

APPLICATION:

Ideal for heavy metal removal, grinding, transitioning, rough beveling and removing cracks/flaws



68356

NEW!


P

PERFORMANCE GRINDING

TIGER AO / Long Life

Diameter (D / J)	Thickness (T)	Arbor (H)	Rim (W)	Back (E)	Grade	Max. RPM	Std. Pack	Item #
4" / 3"	2"	5/8"-11	3/4"	3/4"	A16Q	9,070	5	68350
5" / 3-3/4"	2"	5/8"-11	1"	3/4"	A16Q	7,260	5	68353
6" / 4-3/4"	2"	5/8"-11	1"	3/4"	A16Q	6,000	5	68356
6" / 4-3/4"	2"	5/8"-11	1-1/2"	3/4"	A16Q	6,000	5	68359

*Reinforced metal back



73054


CUP WHEEL MOUNTING FLANGE - Fits over 5/8"-11 spindles

Diameter	Thickness	Std. Pack	Item #
2"	1/4"	1	73054

ANCHORED NUT INCREASES SAFETY

4" & 5"

6"



CONES AND PLUGS

FOR STRAIGHT & DIE GRINDERS



BEST ON: Carbon steel, stainless steel, cast iron and ductile iron.

CONE & PLUG FEATURES:

- **Open face design** provides aggressive cut-rate right out of the box
- **Anchored hexagon nut** secures the abrasive to the tool to increase safety and prevent product breakage
- **Zinc plated nut** prevents oxidation, eliminating contamination and allowing for easy mounting
- **Precision balanced** to ensure smooth, vibration free operation and reduced operator fatigue

APPLICATION:

Ideal for ID cleaning, hole edge beveling, smoothing weld seams, removing gates and parting lines and cleaning castings in hard-to-reach places

ANCHORED NUT INCREASES SAFETY



Type 18R plug used to grind I.D. bevels and flatten surface on rail frog section.



AVAILABLE MAY 2021

NEW! TYPE 16 CONES

P PERFORMANCE GRINDING

TIGER AO / Long Life

Diameter (D)	Thickness (T)	Arbor (Thread)	Grade	Max. RPM	Std. Pack	Item #
1"	3"	3/8"-24 Nut	A24R	36,290	12	68300
1-1/2"	2-1/2"	3/8"-24 Nut	A24R	24,190	12	68302
1-1/2"	2-1/2"	5/8"-11 Nut	A24R	24,190	12	68303
1-1/2"	3"	3/8"-24 Nut	A24R	24,190	12	68305
1-1/2"	3"	5/8"-11 Nut	A24R	24,190	12	68307
2"	3"	3/8"-24 Nut	A24R	18,145	12	68309
2"	3"	5/8"-11 Nut	A24R	18,145	12	68310
2-3/4"	3"	5/8"-11 Nut	A24R	13,195	12	68312
3"	3"	5/8"-11 Nut	A24R	12,100	12	68314




NEW! TYPE 17 CONES

P PERFORMANCE GRINDING

TIGER AO / Long Life

Diameter (D)	Thickness (T)	Arbor (Thread)	Grade	Max. RPM	Std. Pack	Item #
1-1/2"	3"	3/8"-24 Nut	A24R	24,190	12	68315
1-3/4"	3"	5/8"-11 Nut	A24R	20,740	12	68316
2"	3"	5/8"-11 Nut	A24R	18,145	12	68317





NEW! TYPE 18 PLUGS

P PERFORMANCE GRINDING

TIGER AO / Long Life

Diameter (D)	Thickness (T)	Arbor (Thread)	Grade	Max. RPM	Std. Pack	Item #
1-1/2"	2-1/2"	3/8"-24 Nut	A24R	24,190	12	68318
1-1/2"	2-1/2"	5/8"-11 Nut	A24R	24,190	12	68319
1-1/2"	3"	5/8"-11 Nut	A24R	24,190	12	68321
2"	3"	5/8"-11 Nut	A24R	18,145	12	68323




NEW! TYPE 18R PLUGS

P PERFORMANCE GRINDING

TIGER AO / Long Life

Diameter (D)	Thickness (T)	Arbor (Thread)	Grade	Max. RPM	Std. Pack	Item #
1-1/2"	3"	3/8"-24 Nut	A24R	24,190	12	68325
1-1/2"	3"	5/8"-11 Nut	A24R	24,190	12	68327
2"	3"	5/8"-11 Nut	A24R	18,145	12	68329
3"	3"	5/8"-11 Nut	A24R	12,100	12	68331



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES



Industrial Performance in a Quick-Change X-LOCK Arbor

Weiler's line of Tiger abrasives are now available with an X-LOCK quick connection for Bosch grinders. Available in 4-1/2" sizes, this select offering of cutting wheels, grinding wheels, and flap discs deliver the performance needed in the most demanding metal fabrication applications.



XLOCK	✓
M14 / Ø 22,23	✓



58340

MAX PERFORMANCE CUTTING

STEEL / METAL **TIGER CERAMIC**
STAINLESS Superior Life & Cut
HARD-TO-CUT Contaminant-free*



Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	.045"	CER60S	13,300	25	58340



58040

HIGH PERFORMANCE CUTTING

STEEL / METAL **TIGER ZIRC** / Fast Cut & Long Life



Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	.045"	Z60T	13,300	25	58040



58140

STAINLESS **TIGER INOX** / Contaminant-free*

4-1/2"	.045"	INOX60S	13,300	25	58140
--------	-------	---------	--------	----	-------



57140

PERFORMANCE CUTTING

STEEL / METAL **TIGER AO** / Long Life



Diameter	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	.045"	A60T	13,300	25	57140



57145

PERFORMANCE GRINDING

STEEL / METAL **TIGER AO** / Long Life



Dia.	Thickness	Grade	Max. RPM	Std. Pack	Item #
4-1/2"	1/4"	A24R	13,300	10	57145



50197

MAX PERFORMANCE / TIGER® CERAMIC

Top coated for cool grinding / Ceramic Alumina
 Phenolic Backing / Contaminant-free*

STEEL / METAL **STAINLESS** **HARD-TO-GROUND** **ALUMINUM**



Diameter	Grit Size	Maximum RPM	Standard Pack	Item Number
4-1/2"	40	13,000	10	50196
	60			50197



51245

PERFORMANCE / TIGER® PAW

Aggressive stock removal for edge grinding / 100% Zirconia Alumina
 Phenolic Backing / Contaminant-free*

STEEL / METAL **STAINLESS**



Diameter	Grit Size	Maximum RPM	Standard Pack	Item Number
4-1/2"	40	13,000	10	51245
	60			51246

*Contaminant-free (Contains less than 0.1% Fe, S, Cl)

COATED ABRASIVES



FLAP DISCS | FLAP WHEELS | RESIN FIBER DISCS | AL-TRA CUT™ DISCS | BLENDING DISCS

SELECTING THE RIGHT FLAP DISC

Weiler's abrasive flap discs grind and finish in one step, saving you time and money. There's no switching from a type 27 grinding wheel to a resin fiber disc.



P MAX PERFORMANCE	TIGER® CERAMIC <ul style="list-style-type: none"> • TOP COAT for cool grinding • Protects from heat discoloration • Prevents loading on soft alloys 	GRAIN TYPE Ceramic alumina CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE	STYLES  	BEST ON STEEL / METAL ALUMINUM STAINLESS HARD-TO-GRIND (Hard-to-grind metals include tool steel, inconel, high nickel alloy, titanium and armored steel)
P HIGH PERFORMANCE	TIGER X <ul style="list-style-type: none"> • FLAT SURFACE GRINDING • Less effort required • Fast grinding & long life 	GRAIN TYPE Ceramic & zirconia alumina CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE	STYLES    *Big Cat	BEST ON STEEL / METAL STAINLESS (Metal includes structural steel and cast iron)
P PERFORMANCE	TIGER PAW™ <ul style="list-style-type: none"> • SUPERIOR EDGE GRINDING • Aggressive stock removal 	GRAIN TYPE 100% zirconia alumina CONTAMINANT FREE CONTAIN LESS THAN 0.1% IRON, SULFUR & CHLORINE	STYLES   	BEST ON STEEL / METAL STAINLESS (Metal includes structural steel and cast iron)
V VALUE	WOLVERINE® <ul style="list-style-type: none"> • Fast stock removal • Consistent performance 	GRAIN TYPE Zirconia alumina	STYLES   	BEST ON STEEL / METAL

*Big Cat is a zirconia alumina flap disc and does not contain any ceramic alumina.

SPECIALTY FLAP DISCS

			
	MAX PERFORMANCE	HIGH PERFORMANCE	PERFORMANCE
ANGLED (Fillet Welds)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TRIMMABLE (Non-Marking)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ALUMINUM BACK (Rigid Support)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ALUMINUM (Non-Loading)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MINI (Tight Spaces)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Bobcat)

Refer to ANSI B7.1 for storage & handling details

KEY: PERFORMANCE LINE VALUE LINE

All products meet ANSI B7.1

STYLE



CONICAL (Type 29)
15° – 35°



Angled flaps maximize surface contact for aggressive stock removal on flat surfaces.



FLAT (Type 27)
0° – 15°



Smooth grinding, blending and finishing on flat surfaces and slight contours.



HIGH DENSITY (Type 27)
0° – 15°



Conformable to irregular surfaces. Smooth grinding, blending and finishing on flat surfaces.




ANGLED (Type 27 / Hybrid)
0° – 35°



Curved flaps for grinding fillet welds, T-joints and hard-to-reach areas.

GRIT



GRAIN



CERAMIC ALUMINA (CA)

- Self-sharpening micro fracturing crystals expose sharp edges
- Maintains a high cut-rate for the life of the grain
- Longest cutting life under moderate to high pressure
- Exceptional performance on hard-to-grind metals



ZIRCONIA ALUMINA (ZA)

- Self-sharpening crystals
- Holds up under high temperatures and extreme pressure
- Sharp, fast cutting, long lasting grain




ALUMINUM OXIDE (AO)

- Single crystal that dulls during use
- Good initial cut rate
- Hard, durable grain

BACKING

PHENOLIC



Prevents backing from scratching the workpiece.

ALUMINUM



Rigid support for maximum aggression; recyclable.

COMPOSITE*



Trimnable, non-marking backing; allows access to hard-to-reach areas.

*BobCat™ Discs are not Trimnable.

ARBOR

5/8" - 11 NUT

- Quick change over
- Eliminates cross-threading experienced with plastic backs
- Metal nut eliminates the disc from sticking to the grinder due to heat build up



OPEN ARBOR

- Requires adapting nuts
- 5/8" option for 4" grinders
- 7/8" option for 4-1/2" and larger grinders



MOUNTING DISCS WITH OPEN ARBORS



- Adapting Nut
- Abrasive Flap Disc
- Adapting Nut
- Right Angle Grinder

MANDRELS & METAL HUB PADS

- For quick-change on tools with 1/4" collets



- Type R hub pad + mandrel
- Type S hub pad + mandrel
- Type S mandrel

STANDARD DENSITY FLAP DISCS



MADE IN
USA
WITH GLOBAL
MATERIALS



Weiler's Tiger discs are engineered to maximize productivity and minimize operating costs for professionals who demand more. Get the right flap disc for your application and **get more done with Tiger.**



Grinding & blending a weld between two Steel plates.

P MAX PERFORMANCE / TIGER® CERAMIC (SABER TOOTH)

Top Coated for Cool Grinding / Ceramic Alumina / Phenolic Back / **Contaminant-free***



50106

STEEL / METAL	STAINLESS	HARD-TO-GRIND	ALUMINUM	TYPE 29	
				7/8" Arbor	5/8"-11 Hub
Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #
4-1/2"	36	13,000	10	50100	50104*
	40			50101	50105*
	60			50102	50106*
	80			50103	50107*
5"	40	12,000	10	50538 •	—
	60			50539 •	—
	80			50540 •	—
7"	36	8,600	10	50108	50112*
	40			50109	50113*
	60			50110	50114*
	80			50111	50115*

P HIGH PERFORMANCE / TIGER X

Fast Grinding & Long Life on Flat Surfaces / Ceramic & Zirconia Alumina / Phenolic Back / **Contaminant-free***



51205

STEEL / METAL	STAINLESS	TYPE 29		TYPE 29		TYPE 27	
		7/8" Arbor	5/8"-11 Hub	7/8" Arbor	5/8"-11 Hub		
Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #
4-1/2"	36	13,000	10	51200	51204*	—	—
	40			51201	51205*	51223	51226*
	60			51202	51206*	51224	51227*
	80			51203	51207*	51225	51228*
5"	36	12,000	10	51208	—	—	—
	40			51209	51212*	—	—
	60			51210	51213*	—	—
	80			51211	51214*	—	—
6"	40	10,200	10	51237	51241*	—	—
	60			51238	51242*	—	—
	80			51239 •	51243 •	—	—
	—			—	—	—	
7"	36	8,600	10	51215	51219*	—	—
	40			51216	51220*	51229	51232*
	60			51217	51221*	51230	51233*
	80			51218	51222*	51231	51234*

P PERFORMANCE / ORIGINAL TIGER

High cut rate & long life / Zirconia Alumina / Phenolic Back / **Contaminant-free***



50601

STEEL / METAL	STAINLESS	TYPE 29		TYPE 29		TYPE 29		TYPE 27	
		5/8" Arbor	7/8" Arbor	5/8"-11 Hub	5/8" Arbor	7/8" Arbor	5/8"-11 Hub		
Dia.	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #	Item #	Item #
4"	36	15,000	10	50592	—	—	—	—	—
	40			50593	—	50693	—	—	
	60			50594	—	50694	—	—	
	80			50595	—	50695	—	—	
4-1/2"	24	13,000	10	—	50601	—	—	—	—
	120			—	50606	—	50706	50699*	
5"	40	12,000	10	—	—	—	—	50713	—
	60			—	—	—	50714	—	
	80			—	—	—	50715	—	
	120			—	50616	—	—	—	
6"	40	10,200	10	—	50649	50659	—	—	—
	60			—	50650	50660	—	—	
	80			—	50651	50661	—	—	
7"	120	8,600	10	—	—	—	—	50746* •	

• Non-stock product, contact Customer Service for lead times and minimum order quantities.

P

PERFORMANCE / TIGER PAW™

Aggressive Stock Removal for Edge Grinding / 100% Zirconia Alumina / Phenolic Back / **Contaminant-free***

STEEL / METAL		STAINLESS		TYPE 29 5/8" Arbor	TYPE 29 7/8" Arbor	TYPE 29 5/8"-11 Hub	TYPE 27 5/8" Arbor	TYPE 27 7/8" Arbor	TYPE 27 5/8"-11 Hub
Dia.	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #	Item #	Item #
4"	40	15,000	10	51104	-	-	51101	-	-
	60			51105	-	-	51102	-	-
4-1/2"	36	13,000	10	-	51118	51123*	-	51107	51112*
	40			-	51119	51124*	-	51108	51113*
	60			-	51120	51125*	-	51109	51114*
	80			-	51121	51126*	-	51110	51115*
5"	36	12,000	10	-	51128	51153*	-	51182	51155*
	40			-	51129	51132*	-	51134	51156*
	60			-	51130	51133*	-	51135	51157*
	80			-	51131	51154*	-	51183	51158*
6"	40	10,200	10	-	51175	51179*	-	-	-
	60			-	51176	51180*	-	-	-
	80			-	51177 •	51181* •	-	-	-
7"	36	8,600	10	-	-	51149*	-	-	51139*
	40			-	51145	51146*	-	51137	51140*
	60			-	51150	51147*	-	51138	51142*
	80			-	-	51148*	-	-	51143*



51126

51140

BONDED ABRASIVES

V

WOLVERINE®

Consistent Performance / Zirconia Alumina / Phenolic Back

STEEL / METAL				TYPE 29 5/8" Arbor	TYPE 29 7/8" Arbor	TYPE 29 5/8"-11 Hub	TYPE 27 7/8" Arbor	TYPE 27 5/8"-11 Hub
Dia.	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #	Item #
4"	36	15,000	10	31337	-	-	-	-
	40			31338	-	-	-	-
	60			31339	-	-	-	-
	80			31340	-	-	-	-
4-1/2"	36	13,000	10	-	31343	31349*	31401	31407*
	40			-	31344	31350*	31402	31408*
	60			-	31345	31351*	31403	31409*
	80			-	31346	31352*	31404	31410*
	120			-	31347	31353*	-	-
5"	36	12,000	10	-	31355	-	-	-
	40			-	31356	-	-	-
	60			-	31357	-	-	-
	80			-	31358	-	-	-
6"	40	10,200	10	-	31447 •	31451* •	-	-
	60			-	31448 •	31452* •	-	-
	80			-	31449 •	31453* •	-	-
7"	36	8,600	10	-	31361	31367*	-	31419*
	40			-	31362	31368*	31414	31420*
	60			-	31363	31369*	31415	31421*
	80			-	31364	31370*	-	31422*



31338

31343

COATED ABRASIVES

BRUSHES

Key:

P

PERFORMANCE LINE
Industrial Grade

V

VALUE LINE
Professional Grade

• Non-stock product, contact Customer Service for lead times and minimum order quantities.

*Patent # 6,945,863 B1

HIGH DENSITY FLAP DISCS



Blending and finishing a weld with a Big Cat flap disc.

High density flap discs last up to 40% longer than standard density. They are ideal for grinding and blending uneven or irregular surfaces.



INDUSTRY-LEADING FOOTPRINT

30mm flaps on Big Cat and Tiger Paw increases surface area grinding

MADE IN USA
WITH GLOBAL MATERIALS



50134



50804



51165



31388

P MAX PERFORMANCE / TIGER® CERAMIC HD (SABER TOOTH)

Top Coated for Cool Grinding on Irregular Surfaces / Ceramic Alumina / Phenolic Back
Contaminant-free*

STEEL / METAL STAINLESS HARD-TO-GRIND ALUMINUM

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #
4-1/2"	40	12,000	10	50130	50133*
	60			50131	50134*
	80			50132	50135*
7"	40	8,600	10	50136	50139*
	60			50137	50140*
	80			50138	50141*

P HIGH PERFORMANCE / TIGER BIG CAT® HD

Fast Grinding & Long Life on Irregular Surfaces / Zirconia Alumina / Phenolic Back
Contaminant-free*

STEEL / METAL STAINLESS

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #
4-1/2"	40	12,000	10	50803	50808*
	60			50804	50809*
	80			50805	50810*
	120			50806	—
7"	40	8,600	10	50823	50843*
	60			50824	50844*
	80			50825	50845*
	120			—	50846*

P PERFORMANCE / TIGER PAW™ HD

Aggressive Stock Removal on Irregular Surfaces
100% Zirconia Alumina / Phenolic Back
Contaminant-free*

STEEL / METAL STAINLESS

TYPE 29
7/8" Arbor

TYPE 29
5/8"-11 Hub

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #
4-1/2"	36	12,000	10	51060 •	51064* •	51160	51164*
	40			51061	51065*	51161	51165*
	60			51062 •	51066* •	51162	51166*
	80			51063 •	51067* •	51163	51167*
	—			—	—	—	
5"	40	12,000	10	—	—	51195 •	—
	60			—	—	51196 •	—
	80			—	—	51197 •	—
6"	40	10,200	10	—	—	51199 •	51187 •
	60			—	—	51184 •	51188 •
	80			—	—	51185 •	51189 •
7"	40	8,600	10	—	—	51170	51168*
	60			—	—	51171	51169*

V WOLVERINE® HD

Consistent Performance on Irregular Surfaces / Zirconia Alumina / Phenolic Back

STEEL / METAL

TYPE 27
7/8" Arbor

TYPE 27
5/8"-11 Hub

Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #
4-1/2"	40	12,000	10	31387	31390*
	60			31388	31391*
	80			31389	31392*
6"	40	10,200	10	31439 •	31443* •
	60			31440 •	31444* •
	80			31441 •	31445* •

* Non-stock product, contact Customer Service for lead times and minimum order quantities.

* Patent # 6,945,863 B1

SPECIALTY FLAP DISCS



ALUMINUM BACK

Aluminum backed flap discs are ideal for demanding applications that require extra strength and rigid support. The aluminum backing plate is also 100% recyclable.

MADE IN USA
WITH GLOBAL MATERIALS



Blending fillet welds to ensure proper penetration prior to inspection.

P HIGH PERFORMANCE / TIGER® ALUMINUM BACK

Fast Grinding & Long Life / Zirconia Alumina / Backing Plate Provides Rigid Support / **Contaminant-free***

STEEL / METAL	STAINLESS	Max. RPM	Std. Pack	TYPE 29	TYPE 29	TYPE 29
				5/8" Arbor	7/8" Arbor	5/8"-11 Hub
Diameter	Grit			Item #	Item #	Item #
4"	36	15,000	10	50502	-	-
	40			50503	-	-
	60			50504	-	-
	80			50505	-	-
	120			50506	-	-
4-1/2"	24	13,000	10	-	50511	50510
	36			50512	50517	
	40			50513	50518	
	60			50514	50519	
	80			50515	50520	
5"	36	12,000	10	-	50522	-
	40			50523	-	
	60			50524	-	
	80			50525	-	
	120			50526	-	
7"	24	8,600	10	-	-	50541
	36			50532	50542	
	40			50533	50543	
	60			50534	50544	
	80			-	50545	
120	-	50546				



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

FOR ALUMINUM

NEW!

Tiger Aluminum flap discs offer an innovative paired flap design that delivers high performance grinding on aluminum. The top flaps have a calcium stearate coating that eliminates loading and allows the disc to maintain a high cut-rate, while the alternating flaps aggressively remove material with self-sharpening zirconia aluminum grains.

CONICAL



P HIGH PERFORMANCE / TIGER ALUMINUM

Non-Loading / Contaminant-free / Zirconia Alumina / Phenolic Back **Contaminant-free***

ALUMINUM	Diameter	Grit	Max. RPM	Std. Pack	TYPE 29	TYPE 29
					7/8" Arbor	5/8"-11 Hub
					Item #	Item #
4-1/2"		36	13,000	10	51250	51254
		60			51251	51255

FLAT



P HIGH PERFORMANCE / TIGER ALUMINUM

Non-Loading / Contaminant-free / Zirconia Alumina / Phenolic Back **Contaminant-free***

ALUMINUM	Diameter	Grit	Max. RPM	Std. Pack	TYPE 27	TYPE 27
					7/8" Arbor	5/8"-11 Hub
					Item #	Item #
4-1/2"		36	13,000	10	51252	51256
		60			51253	51257



BRUSHES

Key:



PERFORMANCE LINE
Industrial Grade



VALUE LINE
Professional Grade

ANGLED DISCS

The 90° angled flap design is ideal for grinding fillet welds, T-joints and other hard-to-reach places. The flaps wrap around the edge of the backing plate, optimizing flap-to-metal contact and providing exceptional feel and control while grinding.



Angled flaps are ideal for fillet welds and hard-to-reach places



51313

P MAX PERFORMANCE / TIGER® CERAMIC ANGLED

Top Coated for Cool Grinding on Fillet Welds / Ceramic Alumina / Phenolic Back
Contaminant-free*

		STEEL / METAL		STAINLESS		HARD-TO-GRIND		ALUMINUM		7/8" Arbor		5/8"-11 Hub	
Diameter	Grit									Item #	Item #		
4-1/2"	40									51312	51315		
	60									51313	51316		
	80									51314	51317		
5"	40									51318	51321		
	60									51319	51322		
	80									51320	51323		



51303

P HIGH PERFORMANCE / TIGER ANGLED

Fast Grinding & Long Life on Fillet Welds / Zirconia Alumina / Phenolic Back
Contaminant-free*

		STEEL / METAL		STAINLESS						7/8" Arbor		5/8"-11 Hub	
Diameter	Grit									Item #	Item #		
4-1/2"	40									51300	51303		
	60									51301	51304		
	80									51302	51305		
5"	40									51306	51309		
	60									51307	51310		
	80									51308	51311		

TRIMMABLE DISCS

A trimmable backing plate allows the operator to increase flap overhang. This feature provides the versatility to adjust for hard-to-reach areas such as fillet welds and irregular shapes.

MADE IN USA
WITH GLOBAL MATERIALS



50121

P MAX PERFORMANCE / TIGER CERAMIC TRIM (SABER TOOTH)

Top Coated for Cool Grinding / Ceramic Alumina / Trimmable Composite Back for Versatility / Contaminant-free*

		STEEL / METAL		STAINLESS		HARD-TO-GRIND		ALUMINUM		TYPE 29 7/8" Arbor		TYPE 29 5/8"-11 Hub	
Diameter	Grit									Item #	Item #		
4-1/2"	40									50117	50121*		
	60									50118	50122*		
	80									50119	50123*		



50003

P PERFORMANCE / TIGER TRIM

Long Grinding Life / Zirconia Alumina / Trimmable Composite Back for Versatility / Contaminant-free*

		STEEL / METAL		STAINLESS						TYPE 29 7/8" Arbor		TYPE 29 5/8"-11 Hub	
Diameter	Grit									Item #	Item #		
4-1/2"	40									50002	50006*		
	60									50003	50007*		
	80									50004	50008*		
	120									50005	50009*		
5"	40									50010	50014		
	60									50011	50015		
	80									50012	50016		



MINI DISCS

The expanded mini flap disc line now offers a threaded button R mount in addition to the current S mount for greater versatility to fit the most popular styles of hub pads. These discs are designed for use on die grinders to provide smooth grinding and enhanced conformability in tight areas.

NEW! Weiler BobCat Mini Flap Discs are designed and compatible for use on both industry standard hub pads.



S Mount



R Mount



Edge chamfering a fabricated stainless component.

P PERFORMANCE / TIGER® BOBCAT™

Grinding Hard-to-Reach Places / Zirconia Alumina / Composite Back / Contaminant-free*

STEEL / METAL		STAINLESS		S MOUNT* TYPE 29		S MOUNT* TYPE 27		R MOUNT+ TYPE 29		R MOUNT+ TYPE 27	
Diameter	Grit	Max. RPM	Std. Pack	Item #	Item #	Item #	Item #	Item #	Item #	Item #	Item #
2"	36	30,000	10	50922	50932	50946	50956	50923	50933	50947	50957
	40			50924	50934	50948	50958				
	60			50925	50935	50949	50959				
	80			50926	50936	50950	50960				
	120										
3"	36	20,000	10	50902	50912	50951	50961	50903	50913	50952	50962
	40			50904	50914	50953	50963				
	60			50905	50915	50954	50964				
	80			50906	50916	50955	50965				
	120										

* Back-up pad not required if used with S mount mandrel. 3" discs are compatible with Norton Speed-Lok® TS back-up pads.

+ Back-up pad required. Also compatible with 3M Roloc™ back-up pads.



WHY WEILER

BONDED ABRASIVES

ACCESSORIES

BOBCAT DRIVE MANDRELS & METAL HUB PADS

For quick-change on tools with 1/4" collets.

Description	Std. Pack	Item #
2" & 3" S mount mandrel	1	07766
2" S mount hub pad + mandrel	1	60508
3" S mount hub pad + mandrel	1	60509
2" R mount hub pad + mandrel	1	51551
3" R mount hub pad + mandrel	1	51552



COATED ABRASIVES



ADAPTING NUTS & SPANNER WRENCH

For use with standard, HD and specialty flap discs.

Description	Thread Size	For Use With	Std. Pack	Item #
Adapting Nuts	3/8" - 24	4" flap disc with 5/8" arbor hole (can be used with an adjustable or combination wrench)	1 Pair	56484
Adapting Nuts	5/8" - 11	4-1/2", 5" & 7" flap discs with 7/8" arbor hole	1 Pair	56494
Spanner Wrench	-	Item No. 56494 only	1	56495

When mounting, adapters must be nested, see illustration at right.



BRUSHES

Key:

P PERFORMANCE LINE Industrial Grade **V** VALUE LINE Professional Grade

ABRASIVE FLAP WHEELS



Weiler's abrasive flap wheels are designed with a solid hub construction that enables wheels to be rated at higher RPM's and provide more aggressive cutting action and increased productivity. They provide perfect balance leading to smooth, chatter-free finishing.

APPLICATIONS

- Internal diameter cleaning
- Finishing metal surfaces
- Deburring machined parts
- Cleaning and reconditioning pipe threads
- Polishing, blending & finishing
- Prepping surface for painting or plating
- Edge blending



Removing burrs from the inside diameter (ID) of a cut tube.




52010



52027

P TIGER® MOUNTED 1/4" STEM FLAP WHEELS


A premium line designed to provide long life. Ideal for medium to high production environments.



Diameter	Width	Grit Size	Max. RPM	Standard Pack	Item Number
					Aluminum Oxide
1"	1"	60	30,000	10	52003
		80			52004
		120			52005
1-1/2"	1"	60	25,000	10	52009
		80			52010
		120			52011
2"	1/2"	60	25,000	10	52366
2"	1"	80	25,000	10	52367
		60			52015
2-1/2"	1"	80	23,000	10	52016
		120			52017
		60			52486
3"	1/2"	80	23,000	10	52487
		60			52024
3"	1"	80	23,000	10	52025
		60			52027
		80			52028
		120			52029

P TIGER MOUNTED 1/4"-20 THREADED STEM FLAP WHEELS

A premium line designed to provide long life. Ideal for medium to high production environments.



52621

Diameter	Width	Grit Size	Max. RPM	Standard Pack	Item Number
					Aluminum Oxide
1"	1"	60	30,000	10	52601
		80			52603
		120			52605
2"	1"	60	25,000	10	52611
		80			52613
3"	1"	60	20,000	10	52621
		80			52623

Key:

- P** PERFORMANCE LINE Industrial Grade
- V** VALUE LINE Professional Grade



GREAT VALUE AT THE RIGHT PRICE

Wolverine Flap Wheels offer a high cut rate at a cost-effective price. The smart option for use in medium production environments.

APPLICATIONS

- Internal diameter cleaning
- Finishing metal surfaces
- Deburring machined parts
- Cleaning and reconditioning pipe threads
- Polishing, blending & finishing
- Prepping surface for painting or plating
- Edge blending



V WOLVERINE® 1/4" STEM MOUNTED FLAP WHEELS

Provide fast cutting action at a value price. Ideal for low to medium production environments.



Diameter	Width	Grit Size	Max. RPM	Standard Pack	Item Number
					Aluminum Oxide
5/8"	5/8"	40	30,000	10	30711
		60			30712
		80			30713
3/4"	3/4"	40	30,000	10	30715
		60			30716
		80			30717
1"	1"	40	30,000	10	30719
		60			30720
		80			30721
		120			30722
1-1/2"	1"	40	25,000	10	30771
		60			30772
		80			30773
		120			30774
2"	1"	40	25,000	10	30732
		60			30723
		80			30724
		120			30725
2-1/2"	1"	40	23,000	10	30778
3"	1"	40	23,000	10	30729
		60			30726
		80			30727
		120			30728



V WOLVERINE 1/4"-20 THREADED STEM MOUNTED FLAP WHEELS

Provide fast cutting action at a value price. Ideal for low to medium production environments.



Diameter	Width	Grit Size	Max. RPM	Standard Pack	Item Number
					Aluminum Oxide
1"	1"	60	30,000	10	30745
		80			30746
2"	1"	60	25,000	10	30737
		80			30738
3"	1"	60	20,000	10	30735
		80			30736



DRIVE ARBOR

For 1/4"-20 Thread Mounted Flap Wheels.

Thread Size	Adapted Size	Standard Pack	Item Number
1/4"-20	1/4"	5	07756



NOTE

- Drive arbor is to be used with Weiler flap wheels only.
- Stems must be fully chucked before using and should not be run above the maximum RPM listed.

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES

RESIN FIBER DISCS




Smoothing the edges of roller coaster track with a resin fiber disc.

NEW! Faced with the challenge of working on everything from pressure vessels to roller coasters, professionals need a solution they can count on. That's why we've expanded our line up to deliver the options needed to optimize grinding time on a wide variety of applications. With premium grain mixes that aggressively remove metal and a superior design that locks the grain in, Weiler Tiger and Wolverine RFDs are designed to deliver serious grinding solutions.

- Advanced grain formulas designed to maximize cut rate on metals.
- Superior design minimizes loading, glazing, and grain stripping.
- Heavy duty vulcanized fiber backing holds up to the toughest jobs.
- Quick change hub option reduces down time and eliminates interference from adapter rings.
- Spiral molded backing pad design runs cool by increasing airflow and fits on all right-angle grinders.

APPLICATIONS

- Heavy Stock Removal
- Edge Chamfering
- Weld Blending
- Grinding
- Surface Preparation & Finishing



TIGER® CERAMIC RESIN FIBER DISCS

Ceramic Alumina / Superior Life & Cut Rate on Metal
Self-sharpening Ceramic Alumina grain delivers a superior combination of life and cut rate.

Top coat grinds cool and eliminates loading. Ideal for stainless steel and other hard-to-grind metals.



Diameter	Grit Size	Standard Pack	TYPE 27	TYPE 27
			7/8" Arbor Item Number	5/8"-11 Hub Item Number
4-1/2"	24	25	69850	69880
	36		69851	69881
	50		69852	69882
	60		69853	69883
	80		69854	69884
5"	24	25	69857	69887
	36		69858	69888
	50		69859	69889
	60		69860	69890
	80		69861	69891
7"	24	25	69864	69894
	36		69865	69895
	50		69866	69896
	60		69867	69897
	80		69868	69898
9"	24	25	69871	69901
	36		69872	69902
	50		69873	69903
	60		69874	69904
	80		69875	69905

Do not exceed maximum RPM of back-up pad.

ADVANCED CERAMIC GRAIN
delivers greater stock removal with a finer scratch pattern

LESS PRESSURE
for consistent material removal, reducing operator fatigue

TOP COAT
grinds cool and eliminates loading, glazing & dulling

WIDE RANGE
of grit options professionals need to get a desired finish



TIGER® ALUMINUM RESIN FIBER DISCS Aluminum Oxide / Non-Loading on Non-Ferrous Metals

Specifically designed for high performance on ALUMINUM and other non-ferrous metals.

A top coating grinds cool and eliminates loading, which results in higher cut rates, long life and a superior finish.



P

Diameter	Grit Size	Standard Pack	TYPE 27	
			7/8" Arbor	5/8"-11 Hub
			Item Number	Item Number
4-1/2"	24	25	60400	60600
	36		60401	60601
	50		60402	60602
	60		60403	60603
	80		60404	60604
	120		60406	60606
5"	24	25	60410	60610
	36		60411	60611
	50		60412	60612
	60		60413	60613
	80		60414	60614
	120		60416	60616
7"	24	25	60420	60620
	36		60421	60621
	50		60422	60622
	60		60423	60623
	80		60424	60624
	120		60426	60626

Do not exceed maximum RPM of back-up pad.



WHY WEILER

TIGER ZIRC RESIN FIBER DISCS Zirconia Alumina / Ceramic Infused for Faster, Longer Grinding

A unique blend of self-sharpening Zirconia Alumina and Ceramic Alumina grains deliver a fast, consistent cut rate.

A superior design extends disc life by minimizing grain shedding and promotes cool grinding on steel and stainless.



P

Diameter	Grit Size	Standard Pack	TYPE 27	
			7/8" Arbor	5/8"-11 Hub
			Item Number	Item Number
4-1/2"	24	25	59731	59931
	36		59732	59932
	50		59733	59933
	60		59734	59934
	80		59735	59935
	100		59736	59936
	120		59737	59937
5"	24	25	59701	59901
	36		59702	59902
	50		59703	59903
	60		59704	59904
	80		59705	59905
	100		59706	59906
	120		59707	59907
7"	24	25	59711	59911
	36		59712	59912
	50		59713	59913
	60		59714	59914
	80		59715	59915
	100		59716	59916
	120		59717	59917

Do not exceed maximum RPM of back-up pad.



BONDED ABRASIVES

COATED ABRASIVES

ACCESSORIES FOR RESIN FIBER DISCS


Description	Thread Size	Max. RPM	Standard Pack	Item Number
4" Back-up Pad	5/8"-11*	12,000	1	59605
4-1/2" Back-up Pad	5/8"-11*	11,000	1	59611
5" Back-up Pad	5/8"-11*	10,000	1	59600
7" Back-up Pad	5/8"-11	8,500	1	59601
9" Back-up Pad	5/8"-11	6,500	1	59602
Spanner Wrench	-	-	1	59603
Disc Nut	5/8"-11	-	1	59604

* Other thread sizes available on special orders.



BRUSHES

62053



V


WOLVERINE® ZIRC RESIN FIBER DISCS Zirconia Alumina / Fast Grinding on Metal

Self-sharpening Zirconia Alumina grain delivers a fast cut rate and consistent performance over the life of the disc, resulting in a great value when grinding on steel and stainless.



Diameter	Grit Size	Standard Pack	TYPE 27			
			7/8" Arbor	5/8"-11 Hub		
			Item Number	Item Number		
4-1/2"	24	25	62002	62052		
	36		62003	62053		
	50		62004	62054		
	60		62005	62055		
	80		62006	62056		
	100		62007	62057		
	120		62008	62058		
5"	24	25	62012	62062		
	36		62013	62063		
	50		62014	62064		
	60		62015	62065		
	80		62016	62066		
	100		62017	62067		
	120		62018	62068		
7"	24	25	62022	62072		
	36		62023	62073		
	50		62024	62074		
	60		62025	62075		
	80		62026	62076		
	100		62027	62077		
	120		62028	62078		
	9"		24	25	62032	62082
			36		62033	62083
50		62034	62084			
60		62035	62085			
80		62036	62086			
100		62037	62087			
120		62038	62088			

Do not exceed maximum RPM of back-up pad.



62074

62013

V

WOLVERINE AO RESIN FIBER DISCS White Aluminum Oxide / Fast Grinding on Metal

Premium Aluminum Oxide grains provide an even, sharp, clean cut rate and consistent performance at a great value for every day, general purpose use on metal.



Diameter	Grit Size	Standard Pack	TYPE 27			
			7/8" Arbor	5/8"-11 Hub		
			Item Number	Item Number		
4"	24	25	TYPE 27 5/8" Arbor			
	36		Item Number			
	50		59491			
	60		59492			
	80		59493			
	100		59494			
	120		59495			
4-1/2"	24	25	TYPE 27 7/8" Arbor			
	36		Item Number			
	50		59571	59971		
	60		59573	59973		
	80		59575	59975		
	100		59576	59976		
	120		59577	59977		
	5"		16	25	TYPE 27 5/8"-11 Hub	
			24		Item Number	
			36		59500	-
			50		59501	61501
			60		59503	61503
			80		59505	61505
			100		59506	61506
120		59507	61507			
7"		16	25		TYPE 27 5/8"-11 Hub	
		24			Item Number	
	36	59508		61508		
	50	59509		61509		
	60	59520		-		
	80	59521		61521		
	100	59523		61523		
	120	59525		61525		
	9"	24		25	TYPE 27 5/8"-11 Hub	
		36			Item Number	
50		59526	61526			
60		59527	61527			
80		59528	61528			
100		59529	61529			
120		59541	61541			
9"		36	25		59543	61543
		50			59545	61545
	60	59546		61546		
	80	59547		61547		
	100	59548		61548		
	120	59549		61549		

Do not exceed maximum RPM of back-up pad.



59492



59973



59543

BLENDING DISCS

Weiler's cloth backed coated abrasive discs are for use on right angle air tools. Available with either a metal hub or a plastic button fastening system, the flexible back-up pads give the discs a great deal of conformability. Weiler's blending discs are suitable for a wide range of light fabrication, repair and maintenance applications.



Blending surface imperfections prior to painting.

P TIGER® CERAMIC ALUMINA BLENDING DISCS

For aluminum, stainless and other hard-to-grind metal applications.

Diameter	Grit Size	Standard Pack	Item Number	
			Type S Hub Style	Type R Hub Style
2"	36	50	60150	60170
	60		60151	60171
	80		60152	60172
3"	36	50	60155	60175
	60		60156	60176
	80		60157	60177

P TIGER BLENDING DISCS - Type S Hub Style

Compatible with Norton Speed-Lok® TS back-up pads.

Diameter	Grit Size	Standard Pack	Item Number	
			Zirconia Alumina	Aluminum Oxide
2"	36	100	60378	60040
	60		60381	60043
	80		60382	60044
	120		60384	60046 •
	3"		36	50
60	60394	60056		
80	60395	60057		
120	60397	60059		

• Non-stock product, contact Customer Service for lead times and minimum order quantities.

P TIGER BLENDING DISCS - Type R Hub Style - Compatible with 3M Roloc™ back-up pads.

Diameter	Grit Size	Standard Pack	Item Number - Aluminum Oxide
2"	36	100	60118
	60		60121
	80		60122
	120		60124
	3"		36
60	60134		
80	60135		
120	60137		

P TIGER ALUMINUM BLENDING DISCS - Aluminum Oxide

Diameter	Grit Size	Standard Pack	Item Number	
			Type R Hub Style*	Type S Hub Style +
2"	36	50	59806	59869
	60		59807	59870
	80		59808	59871
	120		59809	-
	3"		36	25
60	59812	59875		
80	59813	59876		
120	59814	59877 •		

• Non-stock product, contact Customer Service for lead times and minimum order quantities.

P BACK-UP PADS - 1/4" Stem

Diameter	Max. RPM	Std. Pack	Item Number	
			Type R Hub Style*	Type S Hub Style+
2"	25,000	1	51551	60508
3"	20,000	1	51552	60509

Do not exceed maximum RPM of back-up pad.

* Compatible with 3M Roloc™ back-up pads. (Roloc™ is a trademark of 3M.)


+ Compatible with Norton Speed-Lok® TS back-up pads. (Speed-Lok® TS is a registered trademark of Norton Co.)

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES





POWER BRUSHES

CLEANING BRUSHES | KNOT WIRE WHEELS | WIRE CUP BRUSHES | STEM MOUNTED END BRUSHES | CRIMPED WIRE WHEELS

SELECTING THE RIGHT BRUSH

Need to clean a surface without removing base material? Nothing beats a power-driven wire brush for cleaning hot welds. The high quality wheels, end and cup brushes from Weiler can effectively handle tube end, corrosion, scale removal, inter-pass weld cleaning, and many other jobs. The varied trim lengths, knot configurations and wire sizes in our lineup offer optimal speed and effectiveness for any job.

CONFIGURATIONS



Standard Twist
Provides some flexibility for use on irregular surfaces. Sharp wire tips make this knot aggressive right from the start.



Hurricane® Twist
Provides smoother operation but sacrifices much of the cleaning action.




Cable Twist
Provides very aggressive brushing action. Sharp wire tips make this knot aggressive right from the start.



Stringer Bead Twist
High-impact action, primarily for weld cleaning. Sharp wire tips make this knot aggressive right from the start.

BRUSH TYPES



Stringer Bead Wheels
For **root and hot pass weld cleaning**, heavy deburring, deflashing, surface prep, remove oxides and rust.



Bevel Brushes
For aggressive-yet-flexible brushing action for **cleaning fillet welds** and into corners.



Cup Brushes
For **weld prep on large surface areas**, heavy deburring, surface prep, remove oxides and rust.



End Brushes
For weld cleaning **applications in recessed areas**, heavy deburring, surface prep, remove oxides and rust.

THE BEST STRINGER BEAD BRUSHES

Weiler Stringer Bead brushes last longer and clean faster because they are made with the highest quality material and are engineered to optimize performance. Here's why:

BAR NONE

Weiler brush



Competitor brush

Stringer Bead Wheel Brushes tested for 30 minutes at 6,000 RPM against a piece of steel diamond plate using 12 lbs. of pressure.

SUPERIOR MATERIALS:

Weiler uses wire that is **harder, stronger, and more resistant to fatigue**. We utilize high tensile steel wire that is heat-treated to the most exacting standards for superior fatigue resistance and aggressive brushing. Every lot of wire is inspected and tested to ensure consistency and quality.

SUPERIOR DESIGN:

Brushes that are engineered to maximize performance in the field. Our sprocket design eliminates knot movement without pinching and weakening the wire, providing exceptional balance which eliminates brush vibration during operation. In addition, welded side plates further strengthen the construction which translates to more aggressive cleaning and longer brush life.

SUPERIOR CONSTRUCTION:

Sharp wire tips mean faster cleaning action. Trimmed wire ends ensure the wire tips are sharp and ready to work right out of the box. Also the greater knot twist delivers a more aggressive brush and increases brush life.

Refer to ANSI B7.1 for storage & handling details

WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES

WELD CLEANING BRUSHES

Weiler's stringer bead wheels are the most effective weld cleaning tools for the most demanding users. Our premium weld cleaning brushes are manufactured to the most stringent quality standards, utilizing the highest quality wire available. The twist puts all the sharp tips at the end of the knots, making them the fastest, most aggressive weld cleaning tools on the market.



UP TO
2X
THE LIFE



13138

ROUGHNECK MAX

MADE IN
USA
WITH GLOBAL
MATERIALS

Roughneck Max wheels have been re-engineered to MAXimize life, efficiency and consistency. But that is only a small part of what makes this brush better...

- **Smooth & Responsive** — Improved feel and comfort during use makes brush operation effortless
- **No Long Wire Breakage** — Stronger, sharper wire delivers consistency and performance you can count on
- **Cleans 40% Faster** — Unmatched cleaning power compared to competitors
- **Less Force Required** — The operator can apply less pressure to clean, letting the wire do the work

P **ROUGHNECK® MAX STRINGER BEAD WHEELS** deliver unmatched weld cleaning performance by maximizing life, efficiency and consistency. The 4" brushes are recommended for cleaning root pass welds, surface prep and other cleaning applications.



Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Thickness at Face Plates	Max. RPM	Std. Pack	Item Number	
									Steel	Stainless
4"	.020	5/8"-11 UNC	32	3/16"	7/8"	7/16"	20,000	5	13131 ■	13138 ■

■ Available in Display Pack. Add "P" to end of Item Number when placing order.

ROUGHNECK

MADE IN
USA
WITH GLOBAL
MATERIALS

P **ROUGHNECK STRINGER BEAD WHEELS** are the standard for high-performance weld cleaning brushes. Narrow face brushes are suitable for cleaning root and hot passes and reaching into corners; wider face wheels can be used for cleaning filler and cap passes as well as for other surface prep and cleaning applications.



Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Thickness at Face Plates	Max. RPM	Std. Pack	Item Number	
									Steel	Stainless
Root Pass Brushes										
4"	.020	1/2"-3/8" M10 x 1.25 M10 x 1.50 M14 x 2.0 3/8"-24 UNF 1/2"-13 UNC	32	3/16"	7/8"	7/16"	20,000	5	13124 13125 ■ 13126 13127 13128 13130	08954* 13132 — 13134 13135 13137
4-1/2"	.020	5/8"-11 UNC 7/8"	38	3/16"	13/16"	3/8"	15,000	5	13232 13234	13238 13249
5"	.020	5/8"-11 UNC 7/8"	38	3/16"	7/8"	3/8"	12,500	5	08756 08750	08806 —
6"	.020	5/8"-11 UNC	48 38 56 76	3/16"	1-1/8" 1-3/8" 1-1/8"	3/8" 3/8" 7/16"	12,500	10	08766† — 09400 ■	— 08786†• 09500
7"	.020	5/8"-11 UNC	56 76	3/16"	1-1/8"	7/16"	9,000	10	09000 ■ 09100	09200 —
Filler Pass Brushes										
5"	.023	5/8"-11 UNC	24	1/2"	7/8"	3/8"	12,500	5	09856	09866
6"	.023	5/8"-1/2" 5/8"-11 UNC 5/8"-11 UNC 5/8"-11 UNC	24 24 30 30	1/2" 1/2" 1/2" 5/16"	1-3/8" 1-3/8" 1-1/4" 1-3/8"	9/16" 9/16" 5/8" 1/2"	12,500	10	08775 08776 ■ 08916 09386	— 08796• 08926• 09396•

† Light Duty • Standard Pack 5 * Standard Pack 10

■ Available in Display Pack. Add "P" to end of Item Number when placing order.



13124



09000

08776

THE DUALLY® FROM WEILER

MADE IN
USA
WITH GLOBAL
MATERIALS

Featuring a unique dual-hex nut, this full line of weld cleaning brushes simplifies periodic flipping of the wheels for maximum cutting action, long life, and safer use.

These "Flip 'N Fast" Wheels offer:

- **Maximum Cleaning Action** — Featuring a knot twist with the most aggressive cutting action, the new dual-hex nut makes it easier for the user to regularly switch mounting position and keep the brush running at peak performance.
- **Long Wheel Life** — Utilizing the highest quality heat-treated Steel wire and construction that virtually eliminates knot movement, the Dually delivers smooth operation and long life for the lowest cleaning costs in demanding multi-pass welding applications such as pipeline construction.
- **Improved User Safety** — The one-piece, dual-hex nut is designed to provide adequate tool clearance so there is no need to remove the guard from the grinder in order to change the position of the wheel.



Removing weld slag before the next weld pass.



P **DUALLY® STRINGER BEAD WHEELS** feature a dual-hex nut design that simplifies periodic flipping of the wheel for maximum cleaning action, long life, and safer use.




Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Thickness at Face Plates	Max. RPM	Std. Pack	Item Number		
									Steel	Stainless	
Root Pass Brushes											
4-1/2"	.020	5/8"-11 UNC	38	3/16"	13/16"	3/8"	15,000	5	79801	79811	
5"	.020	5/8"-11 UNC	38	3/16"	7/8"	3/8"	12,500	5	79802	79812 •	
6"	.020	5/8"-11 UNC	56	3/16"	1-1/8"	7/16"	12,500	5	79805	79815	
7"	.020	5/8"-11 UNC	56	3/16"	1-1/8"	7/16"	9,000	5	79800	79810 •	
Filler Pass Brushes											
5"	.023	5/8"-11 UNC	24	1/2"	7/8"	3/8"	12,500	5	79803	79813 •	
6"	.023	5/8"-11 UNC	30	1/2"	1-1/4"	5/8"	12,500	5	79804	79814	

• Non-stock product, contact Customer Service for lead times and minimum order quantities.




79802



79804

The Dually features a wire twist that produces the fastest, most effective cleaning action right out of the box!

Competing knot styles feature much less effective knot twists. As the graph shows, it is only after these brushes have been used for a long enough period of time for wire breakage to occur that they go to work.



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES



35800



35216

P POLYFLEX™ ENCAPSULATED WELD CLEANING WHEELS Black Elastomer

Feature a heat-stabilized encapsulation that gradually wears away to expose a consistent short trim for higher aggression, controlled brushing action, and longer life; suitable for cleaning hot welds.



Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Thickness at Face Plates	Max. RPM	Standard Pack	Item Number	
									Steel	Steel
4"	.020	5/8"-11 UNC	32	3/16"	7/8"	7/16"	20,000	5	35800	▲
6"	.014	5/8"-11 UNC	—	3/16"	1-7/16"	3/8"	9,000	5	35206*	
7"	.020	5/8"-11 UNC	56	3/16"	1-1/8"	7/16"	9,000	10	35600	▲
	.014		—		1-15/16"				3/8"	5

*Crimped Wire ▲ Stringer Bead Wheels

WOLVERINE®

MADE IN USA
WITH GLOBAL MATERIALS

Wolverine wheels offer professional grade quality and performance at a great value. Re-engineered, these 32 knot wheels deliver 20% MORE life while maintaining aggressive cleaning power for weld cleaning applications.



36219

V WOLVERINE® STRINGER BEAD WHEELS have upgraded to 32 knots to deliver 20% longer life.

The 4" wheels are manufactured using similar product construction and to the same exacting standards as other Weiler weld cleaning brushes; they have been engineered for cost-effective use in less demanding cleaning applications.

Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Thickness at Face Plates	Max. RPM	Standard Pack	Item Number	
									Steel	Stainless
4"	.020	5/8"-11 UNC	32	3/16"	7/8"	7/16"	20,000	5	36218	36219



36225



36297

V WOLVERINE STRINGER BEAD WHEELS are manufactured using similar product

construction and to the same exacting standards as other Weiler weld cleaning brushes; they have been engineered for cost-effective use in less demanding applications.



Dia.	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Max. RPM	Item Number	
							Steel	Stainless
5"	.020	5/8"-11 UNC	38	3/16"	7/8"	12,500	36295	36296
6"	.020	5/8"-11 UNC	48	3/16"	1-1/4"	12,500	36225	—
			38		1-3/8"		36307†	—
7"	.020	5/8"-11 UNC	56	3/16"	1-1/8"	9,000	36297	—

† Light Duty

Key:

P PERFORMANCE LINE
Industrial Grade

V VALUE LINE
Professional Grade

KNOT WIRE WHEELS

Weiler's knot wire wheels with a threaded nut are intended for use primarily on small and large right angle grinders. Featuring Weiler's individual knot hole construction, these radial brushes are available in heat-treated Steel and Type 302 Stainless Steel wire for use in a wide variety of applications.

MADE IN USA
WITH GLOBAL MATERIALS



Cleaning a fillet weld with a bevel brush.

APPLICATIONS

- Removing powder-coating, epoxy-based paints, and rubberized coatings
- Weld preparation and cleaning
- Cleaning scale and heavy corrosion
- Removing heavy burrs from large pieces after cutting

P STANDARD TWIST BEVEL BRUSHES feature a tufted knot end and a saucer shaped radial wheel to provide an aggressive-yet-flexible brushing action for cleaning fillet welds and into corners.



Diameter	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Max. RPM	Std. Pack	Item Number	
								Steel	Stainless
4"	.014	5/8"-11 UNC	20	3/8"	3/4"	12,500	1	13406	13416
4"	.020	5/8"-11 UNC	20	3/8"	3/4"	12,500	1	13426	13436
4-1/2"	.014	5/8"-11 UNC	20	3/8"	1"	12,500	1	13456	13466
	.020							13476	13486



13456

P CABLE TWIST WHEELS provide maximum brushing action with minimal flexibility; ideal for demanding cleaning and surface preparation applications on relatively smooth surfaces.



Dia.	Wire Size	Arbor Hole	No. of Knots	Face Width	Trim Length	Max. AH Avail.	Thickness at Face Plates	Max. RPM	Std. Pack	Item Number	
										Steel	Stainless
4"	.020	5/8"-11 UNC	24	1/4"	7/8"	1/2"	7/16"	20,000	5	13266 ■	13276


■ Available in Display Pack. Add "P" to end of Item Number when placing order.



13266

"I have been in the business for 20+ years and I find Weiler to be the best I have ever used."

- **Andy Bettelli**, Pipeline Contractor, A B Welding



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

BRUSHES

WIRE CUP BRUSHES



Removing slag from a flame-cut steel plate.

MADE IN USA
WITH GLOBAL MATERIALS

Weiler's wire cup brushes are intended primarily for use on portable power tools for addressing larger surface areas more efficiently than a wheel brush. Cup brushes are designed for smooth, efficient operation on angle grinders to make quick work of large jobs.

Cup brushes are available in a variety of knot wire and crimped wire configurations for use in a broad range of surface cleaning applications, and they are manufactured with individual knot hole and solid ring construction for high performance and long life. Weiler's cup brushes are available in heat-treated Steel, Type 302 Stainless Steel, and Brass wire.

APPLICATIONS

- Removal of slag from the edges of plasma-cut or flame-cut plates
- Removing paint and coatings
- Cleaning rust, scale, and corrosion
- Deburring
- Weld prep and cleaning

CUP BRUSH SIZE SELECTION GUIDE

Brush Sizes	Angle Grinder Size
2-3/4" & 3"	4"
2-3/4", 3" & 3-1/2"	4-1/2"
2-3/4", 3" & 3-1/2"	5"
3-1/2" & 4"	6"
4", 5" & 6"	7"
4", 5" & 6"	9"



13021



13258



12316



12276



12376



KNOT WIRE CUP BRUSHES Single Row

Provide heavy-duty brushing action with some flexibility; ideal for demanding cleaning applications on relatively flat surfaces.



Diameter	Wire Size	Arbor Hole	Trim Length	Max. RPM	Standard Pack	Item Number		
						Steel	Stainless	Bronze
2-3/4"	.014	M10 x 1.25	1"	14,000	1	13015	—	—
		M14 x 2.0				13020	—	—
		3/8"-24 UNF				13021	—	—
		5/8"-11 UNC				13025 ■	—	—
2-3/4"	.020	M10 x 1.25	1"	14,000	1	13281 ■	13253	—
		M10 x 1.50				13282	—	—
		M14 x 2.0				13283	13255	—
		3/8"-24 UNF				13284	13256	—
		1/2"-13 UNC				13285	13257	—
		5/8"-11 UNC				13286 ■	13258	13299
3-1/2"	.023	M10 x 1.25	7/8"	13,300	1	13150	—	—
		M10 x 1.50				13151	—	—
		M14 x 2.0				13152	—	—
		3/8"-24 UNF				13153	13160	—
		1/2"-13 UNC				13155	—	—
5/8"-11 UNC	13156 ■	13163	—					
3-1/2"	.014 .020	5/8"-11 UNC	1-1/4"	9,000	1	12736	—	—
						12746	—	—
4"	.014 .020 .023 .035	5/8"-11 UNC	1-1/4"	10,200	1	12306	12406	—
						—	—	12776
						12316 ■	12416	—
						12326	—	—
4"	.023	5/8"-11 UNC	1-1/4"	10,200	1	12206 ♦	—	—
4"	.023	5/8"-11 UNC	1-1/4"	10,200	1	12826*	—	—
5"	.014 .023	5/8"-11 UNC	1-3/8"	7,000	1	12256*	—	—
						12276 ■*	—	—
6"	.014 .023 .035	5/8"-11 UNC	1-3/8"	6,600	1	12356	12456	—
						12376 ■	12476	—
						12396	—	—
6"	.023	5/8"-11 UNC	1-3/8"	6,600	1	12816*	—	—
6"	.014 .023 .035	5/8"-11 UNC	1-5/8"	6,000	1	12846	—	—
						12856	12886	—
						12866	—	—

* With internal nut

♦ Cable Twist

■ Available in Display Pack. Add "P" to end of Item Number when placing order.

V WOLVERINE® KNOT WIRE CUP BRUSHES Single Row

Provide an aggressive brushing action for general-purpose surface cleaning applications.

Diameter	Wire Size	Arbor Hole	Trim Length	Max. RPM	Standard Pack	Item Number	
						Steel	Stainless
2-3/4"	.020	5/8"-11 UNC	1"	14,000	1	36238	36239
4"	.025	5/8"-11 UNC	1-1/4"	10,200	1	36244	—
6"	.025	5/8"-11 UNC	1-3/8"	6,600	1	36245	—



P CRIMPED WIRE CUP BRUSHES

Provide very flexible brushing action and the most consistent performance for demanding light-duty cleaning applications; feature a threaded nut for use on angle grinders.

Diameter	Wire Size	Arbor Hole	Trim Length	Max. RPM	Standard Pack	Item Number		
						Steel	Stainless	Brass
3-1/2"	.014	M10 x 1.25	7/8"	13,300	1	13175	13182	—
		3/8"-24 UNF				13178	13185	—
		5/8"-11 UNC				13181	13188	—
4"	.0118	5/8"-11 UNC	1-3/8"	10,200	1	14016	—	—
	.014					14026	—	—
	.020					14036 ■▲	14126	—
5"	.014	5/8"-11 UNC	1-1/4"	8,000	1	—	—	14606
	.014					14206 ▲	—	—
	.020					14216	14256	—
6"	.014	5/8"-11 UNC	1-1/4"	6,600	1	14066 *▲	—	—
	.020					14076 ■*	14166*	—

* With internal nut
 ■ Available in Display Pack. Add "P" to end of Item Number when placing order.
 ▲ Available in non-sparking Bronze wire.



V WOLVERINE CRIMPED WIRE CUP BRUSHES

Provide flexible brushing action and cost-effective performance in general purpose cleaning applications.

Diameter	Wire Size	Arbor Hole	Trim Length	Max. RPM	Standard Pack	Item Number
						Steel
4"	.020	5/8"-11 UNC	1-1/8"	9,000	1	36236
6"	.020	5/8"-11 UNC	1-1/2"	6,600	1	36237*

* With internal nut



P THREADED ADAPTERS

For mounting brushes with a 5/8"-11 UNC nut to other threaded spindles.

Fixed Thread Size	Adapted Thread Size	Standard Pack	Item Number
5/8" - 11 UNC	M10 x 1.25	10	07771 ■
5/8" - 11 UNC	M10 x 1.50	10	07772 ■
5/8" - 11 UNC	3/8" - 16 UNC	10	07769
5/8" - 11 UNC	3/8" - 24 UNF	10	07746

■ Available in Display Pack. Add "P" to end of Item Number when placing order.



STEM-MOUNTED END BRUSHES



Cleaning hard-to-reach fillet welds with a Controlled Flare End Brush.

Weiler's wire end brushes are intended primarily for use on high-speed portable power tools for addressing smaller surfaces and recessed areas. End brushes feature an integral 1/4" Steel stem for safe operation at high speed and quick mounting into the collet or chuck of either electric or pneumatic die grinders.

MADE IN USA
WITH GLOBAL MATERIALS

End brushes are manufactured with the highest quality construction for smooth, efficient performance and long life. Weiler's end brushes are available in heat-treated Steel, Type 302 Stainless Steel, and Bronze wire.

APPLICATIONS

- Cleaning ID's, internal passages & recessed areas
- Removing die flash and excess molded material
- Deburring internal edges and cross-hole intersections
- Spot facing



P KNOT WIRE END BRUSHES

Features a hollow end and heavy-duty brushing action with some flexibility; ideal for more demanding cleaning applications in recessed areas.



Diameter	Wire Size	Trim Length	Max. RPM	Standard Pack	Item Number		
					Steel	Stainless	Bronze
1/2"	.006	1-1/8"	20,000	10	—	10215*	—
	.0104				10208	10216	—
	.014				10217	10218	—
3/4"	.006	1-1/8"	20,000	10	—	10220*	—
	.0104	7/8"	25,000		10210	10211	—
	.014				10025 ■	10029	—
	.020				10026 ■	10030	—
1-1/8"	.006	1"	20,000	10	10141 *	10142 •*	—
	.0104	1-1/8"			10212	10213	—
	.0118	7/8"	22,000		10187	—	—
	.014				10027 ■	10031	—
	.020				10028 ■	10032	10067

■ Available in Display Pack. Add "P" to end of Item # when placing order. • Coated Cup * Globally sourced product

V WOLVERINE® KNOT WIRE END BRUSHES

Features a similar hollow-end construction and provides heavy-duty brushing action, but have been engineered to provide cost-effective use for less demanding applications.



Diameter	Wire Size	Trim Length	Max. RPM	Standard Pack	Item Number
					Steel
3/4"	.014	7/8"	22,000	10	36286
	.020		22,000		36250
1"	.014	7/8"	22,000	10	36288
	.020		22,000		36251

P KNOT WIRE END BRUSHES Banded

Features a pair of bands around the fill to reduce the exposed trim length and limit brush flaring to provide a very aggressive, controlled brushing action.



Diameter	Wire Size	Trim* Length	Max. RPM	Standard Pack	Item Number
					Steel
1-1/8"	.014	3/8"	18,000	10	11140
	.020				11141

* Trim length from bands

P CRIMPED WIRE END BRUSHES

Features a solid end construction and very flexible brushing, ideal for more demanding light-duty cleaning applications in corners and hard-to-reach areas.



Diameter	Wire Size	Trim Length	Max. RPM	Standard Pack	Item Number	
					Steel	Stainless
1/2"	.006	7/8"	25,000	10	10001	10013
	.0104				10002	10014
	.014				10003	10015
	.020				10004	10016
3/4"	.006	7/8"	22,000	10	10005	10017
	.0104				10006	10018
	.014				10007	10019
	.020				10008	10020
1"	.006	1"	22,000	10	10009	10021
	.0104				10010	10022
	.014				10011	10023
	.020				10012	10024
		1-1/8"				

■ Available in Display Pack. Add "P" to end of Item Number when placing order.



WHY WELER

V WOLVERINE® CRIMPED WIRE END BRUSHES

Features similar solid end construction and flexible brushing action, but they have been engineered to provide cost-effective use for less demanding applications.



Diameter	Wire Size	Trim Length	Max. RPM	Standard Pack	Item Number	
					Steel	Stainless
1/2"	.0104	7/8"	25,000	10	36282	-
3/4"	.006				36247	36283
	.0104	36246	-			
	.014	36284	36285			
1"	.006	7/8"	22,000	10	36249	-
	.0104				36248	-
	.014					



BONDED ABRASIVES

P CONTROLLED FLARE END BRUSHES*

Features uniquely trimmed crimped wire fill for more effective brushing action and greatly enhanced durability when cleaning corners and fillet welds.



Diameter	Wire Size	Trim Length	Max. RPM	Standard Pack	Item Number	
					Steel	Stainless
1/2"	.0104	7/8"	25,000	10	10301	10313
	.014				10302	10314
	.020				10303	10315
3/4"	.0104	7/8"	22,000	10	10305	10317
	.014				10306	-
	.020				10307	10319
1"	.0104	1"	22,000	10	10309	10321
	.014				10310	10322
	.020				10311	10323
		1-1/8"				

*Patent #8,186,000 B2



COATED ABRASIVES

BRUSHES

Key:

P PERFORMANCE LINE Industrial Grade **V** VALUE LINE Professional Grade

CRIMPED WIRE WHEELS



Removing carbon build-up from an engine.

Identifiable by their copper center, crimped wire wheels are used on a variety of portable tools and stationary machines. These radial brushes are available in heat-treated Steel, Type 302 Stainless Steel and Brass wire.



APPLICATIONS

- Cleaning threads
- Cleaning and finishing ID's and recessed areas
- Paint removal and surface cleaning
- Light deburring
- Removing rust and light corrosion
- Removing carbon build-up and deposits

P SMALL DIAMETER WHEELS

Provides a flexible brushing action and consistent performance for light-duty cleaning and deburring applications requiring a small wheels.



15473



15533

Dia.	Wire Size	Arbor Hole	Face Width	Trim Length	Max. RPM	Std. Pack	Item Number	
							Steel	Stainless
2"	.006	1/2"	3/8"	1/2"	20,000	10	15433	—
	.0104	1/2"					15453	—
	.014	1/2"-3/8"					15473	—
3"	.006	1/2"-3/8"	5/8"	1"	20,000	10	15533	16933
	.006	5/8"		15/16"			15637	—
	.0104	1/2"		1"			15553	—
	.014	1/2"-3/8"		1"			15573	16973

THREADED SHAFT DRIVE ARBOR

For mounting small diameter wheels into a collet or chuck.



07721

Arbor Dia.	Stem Dia.	Stem Length	Length of Shaft	For Brushes w/ Max. Dia.	Max. RPM	Std. Pack	Item Number
1/2"	1/4"	7/8"	3/4"	3"	20,000	5	07721

P CONFLX BRUSHES

Small diameter copper center wheels permanently mounted onto a 1/4" stem to provide a very flexible brushing action.



17610



17641

Dia.	Wire Size	Face Width	Trim Length	Max. RPM	Std. Pack	Item Number		
						Steel	Stainless	Brass
2"	.006	3/8"	1/2"	20,000	10	17609	—	—
	.0118					17610	17611	—
3"	.008	1/2"	1"	20,000	10	17615 ■	—	—
	.0118					17616	—	17641
	.014					17617 ■	17618	—

■ Available in Display Pack. Add "P" to end of Item Number when placing order.

P WIDE FACE CONFLX BRUSHES

Small diameter copper center wheels permanently mounted onto a 1/4" stem to provide a very flexible brushing action.



17637

Dia.	Wire Size	Face Width	Trim Length	Max. RPM	Std. Pack	Item Number	
						Steel	Stainless
2"	.0118	3/4"	7/16"	20,000	10	17619	—
3"	.008	1"	15/16"	20,000	10	17621	17637
	.0118					17622	—
	.014					17623	—



HAND BRUSHES

SCRATCH BRUSHES | CHIP & OIL BRUSHES

SCRATCH BRUSHES

Weiler's extensive Scratch Brush offering includes many block and handle types and sizes. The wide variety of fill materials available assures the right brush for the right job. Common applications are cleaning dirt, rust, scale, chips and paint; plating and welding operations.



Cleaning surface rust in order to repair a weld.

P CURVED HANDLE SCRATCH BRUSHES Hardwood block

Ideal for cleaning and prepping surfaces.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
.012 Steel Wire					
13-3/4" x 1-1/8"	5-1/4"	3 x 14	1-1/4"	12	44594*
14" x 7/8"	5-1/2"	3 x 19	1-3/16"	12	44053
14" x 1-1/8"	6"	4 x 18	1-3/16"	12	44056
.012 Steel Wire with Scraper					
14" x 7/8"	5-1/2"	3 x 19	1-3/16"	12	44055
14" x 1-1/8"	6"	4 x 18	1-3/16"	12	44058
.012 Stainless Steel Wire					
13-3/4" x 1-1/8"	5-1/4"	3 x 14	1-1/4"	12	44432*
14" x 7/8"	5-1/2"	3 x 19	1-3/16"	12	44054
14" x 1-1/8"	6"	4 x 18	1-3/16"	12	44057

* V-Groove



V VORTEC PRO® CURVED HANDLE SCRATCH BRUSHES

Reliable and efficient brushes at a value price.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
.012 Steel Wire					
13-1/2" x 1"	6"	3 x 19	1"	12	25150
14" x 1-1/8"	6"	4 x 18	1"	12	25201
.012 Stainless Steel Wire					
13-1/2" x 1"	6"	3 x 19	1"	12	25154
14" x 1-1/8"	6"	4 x 18	1"	12	25202



P SHOE HANDLE SCRATCH BRUSHES Hardwood block

Ideal for cleaning and prepping surfaces.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
.012 Steel Wire					
10" x 3/8"	5"	1 x 17	1-1/16"	12	44100
10" x 5/8"	5"	2 x 17	1-3/16"	12	44061
10" x 1-1/8"	5"	4 x 16	1-3/16"	12	44063
11"	5"	4 x 16	1-3/16"	12	73217•
.012 Steel Wire with Scraper					
10" x 1-1/8"	5"	4 x 16	1-3/16"	12	44065
.012 Stainless Steel Wire					
10" x 3/8"	5"	1 x 17	1-1/16"	12	44101
10" x 3/8"	5"	1 x 17	3/4"	12	44235
10" x 5/8"	5"	2 x 17	1-3/16"	12	44062
10" x 1-1/8"	5"	4 x 16	1-3/16"	12	44064
11"	5"	4 x 16	1-3/16"	12	44299•
.012 Brass Wire					
11"	5"	4 x 16	1-1/4"	12	73218•

• Plastic block



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

HAND BRUSHES



25100



VORTEC PRO® SHOE HANDLE SCRATCH BRUSHES

Reliable and efficient brushes at a value price.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
.012 Steel Wire					
10" x 1"	5"	4 x 16	1"	12	25100
.012 Stainless Steel Wire					
10" x 1"	5"	4 x 16	1"	12	25104



44069



HEAVY-DUTY SCRATCH BRUSH WITH SCRAPER .012 Steel Wire

Ideal for cleaning and prepping surfaces.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
11-1/2" x 1-1/2"	5-1/2"	4 x 11	1-1/2"	12	44069



25211



VORTEC PRO HEAVY-DUTY SCRATCH BRUSH WITH SCRAPER .012 Steel Wire

Reliable and efficient brushes at a value price.

Block Size	Brush Length	Number of Rows	Trim Length	Standard Pack	Item Number
11-1/2" x 1-1/2"	5"	4 x 11	1-5/8"	12	25211



SMALL HAND SCRATCH BRUSHES

Ideal for cleaning and prepping surfaces.



44075



44551



44189



95151



99383



44732

*Wire drawn

Block Size	Block	Number of Rows	Wire Size	Trim Length	Standard Pack	Item Number
Stainless Steel Wire						
7-1/2" x 1/2"	Plastic	3 x 7	.006	1/2"	36	44075
7-1/2" x 1/2"	Wood	3 x 7	.006	1/2"	36	44167+
7-3/4" x 3/8"	Wood	3 x 7	.006	1/2"	36	44551*
8-3/4" x 1/2"	Wood	2 x 9	.006	5/8"	36	95013
Straight Brass Wire						
7-1/2" x 1/2"	Wood	3 x 7	.006	1/2"	36	44189
Crimped Brass Wire						
6" x 1/2"	Wood	3 x 10	.005	5/8"	72	44619
8-3/4" x 1/2"	Wood	2 x 9	.008	5/8"	36	95014
Crimped Aluminum						
6-3/4" x 1-5/8"	Wood	6 x 9	.008	5/8"	12	95151
8-3/4" x 1/2"	Wood	2 x 9	.008	5/8"	36	44251
Straight Black Nylon						
6-1/2" x 1/2"	Plastic	4 x 15	.010	1/2"	24	99383
7-1/2" x 1/2"	Wood	3 x 7	.012	1/2"	36	44637
White Nylon						
7-1/2" x 1/2"	Plastic	3 x 7	.016	1/2"	36	44609
Double-Sided Brass/White Nylon						
7-1/2" x 1/2"	Plastic	3 x 7	.006/.016	1/2"	24	44731
Double-Sided Brass/Stainless Steel						
7-1/2" x 1/2"	Plastic	3 x 7	.006/.016	1/2"	24	44732
Double-Sided Stainless Steel/White Nylon						
7-1/2" x 1/2"	Plastic	3 x 7	.006/.016	1/2"	24	44733

+ Countertop display available.

* Wire drawn



VORTEC PRO SMALL HAND SCRATCH BRUSHES

Reliable and efficient brushes at a value price.



44806

Block Size	Handle	Number of Rows	Trim Length	Standard Pack	Item Number
.006 Stainless Steel Wire					
7-1/2" x 1/2"	Wood	3 x 7	1/2"	36	44805
7-1/2" x 1/2"	Plastic	3 x 7	1/2"	36	44806
.006 Straight Brass Wire					
7-1/2" x 1/2"	Wood	3 x 7	1/2"	36	44810

CHIP AND OIL BRUSHES

Chip and Oil brushes are inexpensive, multi-purpose brushes for use in applications requiring disposable brushes.




Applying pipe coating to weld seams.

P CHIP AND OIL BRUSHES

High quality disposable brushes.


Width	Thickness	Bristle Length	Standard Pack	Item Number
White Bristle - Wood Handle				
1/2"	5/16"	1-1/2"	30	40065
1"	5/16"	1-1/2"	30	40066
1-1/2"	5/16"	1-1/2"	30	40067
2"	5/16"	1-1/2"	20	40068
2-1/2"	3/8"	1-1/2"	20	40069
3"	3/8"	1-1/2"	10	40070
4"	5/8"	1-5/8"	10	40071
	3/8"	2"		40076



V VORTEC PRO® CHIP AND OIL BRUSHES

Reliable and efficient brushes at a value price.

Width	Thickness	Bristle Length	Standard Pack	Item Number
White Bristle - Wood Handle				
1/2"	5/16"	1-1/2"	36	40177
1"	5/16"	1-1/2"	36	40179
1-1/2"	5/16"	1-1/2"	24	40180
2"	5/16"	1-1/2"	24	40181
2-1/2"	3/8"	1-1/2"	12	40182
3"	3/8"	1-1/2"	12	40183
4"	5/8"	1-3/4"	12	40184
	3/8"			40185
Black Bristle - Plastic Handle				
1/2"	1/4"	1-5/8"	30	40160
1"	5/16"	1-5/8"	30	40161
1-1/2"	5/16"	1-5/8"	30	40162
2"	5/16"	1-5/8"	20	40163
2-1/2"	3/8"	1-3/4"	20	40164
3"	3/8"	1-3/4"	10	40165
4"	11/16"	2"	10	40166
Grey China Bristle - Plastic Handle				
1/2"	1/4"	1-1/2"	48	40026
1"	5/16"	1-1/2"	36	40027
1-1/2"	5/16"	1-1/2"	24	40028
2"	3/8"	1-1/2"	24	40029
2-1/2"	1/2"	1-1/2"	12	40030
3"	1/2"	1-1/2"	12	40031
4"	11/16"	1-1/2"	12	40032
Black Synthetic - Red Plastic Handle				
1"	5/16"	1-3/4"	36	40137
2"	3/8"	1-3/4"	24	40139
3"	1/2"	1-3/4"	12	40140
4"	11/16"	2-3/4"	12	40141



WHY WEILER

BONDED ABRASIVES

COATED ABRASIVES

HAND BRUSHES

Key:

P PERFORMANCE LINE Industrial Grade **V** VALUE LINE Professional Grade

ITEM NUMBER INDEX

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
04455	15	12376	42	17622	46	35600	40	50009	28	50803	26	51149	25
07721	46	12396	42	17623	46	35800	40	50010	28	50804	26	51150	25
07746	43	12406	42	17637	46	36218	40	50011	28	50805	26	51153	25
07756	31	12416	42	17641	46	36219	40	50012	28	50806	26	51154	25
07766	29	12456	42	25100	50	36225	40	50014	28	50808	26	51155	25
07769	43	12476	42	25104	50	36236	43	50015	28	50809	26	51156	25
07771	43	12736	42	25150	49	36237	43	50016	28	50810	26	51157	25
07772	43	12746	42	25154	49	36238	43	50100	24	50823	26	51158	25
08750	38	12776	42	25201	49	36239	43	50101	24	50824	26	51160	26
08756	38	12816	42	25202	49	36244	43	50102	24	50825	26	51161	26
08766	38	12826	42	25211	50	36245	43	50103	24	50843	26	51162	26
08775	38	12846	42	30711	31	36246	45	50104	24	50844	26	51163	26
08776	38	12856	42	30712	31	36247	45	50105	24	50845	26	51164	26
08786	38	12866	42	30713	31	36248	45	50106	24	50846	26	51165	26
08796	38	12886	42	30715	31	36249	45	50107	24	50902	29	51166	26
08806	38	13015	42	30716	31	36250	44	50108	24	50903	29	51167	26
08916	38	13020	42	30717	31	36251	44	50109	24	50904	29	51168	26
08926	38	13021	42	30719	31	36282	45	50110	24	50905	29	51169	26
08954	38	13025	42	30720	31	36283	45	50111	24	50906	29	51170	26
09000	38	13124	38	30721	31	36284	45	50112	24	50912	29	51171	26
09100	38	13125	38	30722	31	36285	45	50113	24	50913	29	51175	25
09200	38	13126	38	30723	31	36286	44	50114	24	50914	29	51176	25
09386	38	13127	38	30724	31	36288	44	50115	24	50915	29	51177	25
09396	38	13128	38	30725	31	36295	40	50117	28	50916	29	51179	25
09400	38	13130	38	30726	31	36296	40	50118	28	50922	29	51180	25
09500	38	13131	38	30727	31	36297	40	50119	28	50923	29	51181	25
09856	38	13132	38	30728	31	36307	40	50121	28	50924	29	51182	25
09866	38	13134	38	30729	31	40026	51	50122	28	50925	29	51183	25
10001	45	13135	38	30732	31	40027	51	50123	28	50926	29	51184	26
10002	45	13137	38	30735	31	40028	51	50130	26	50932	29	51185	26
10003	45	13138	38	30736	31	40029	51	50131	26	50933	29	51187	26
10004	45	13150	42	30737	31	40030	51	50132	26	50934	29	51188	26
10005	45	13151	42	30738	31	40031	51	50133	26	50935	29	51189	26
10006	45	13152	42	30745	31	40032	51	50134	26	50936	29	51195	26
10007	45	13153	42	30746	31	40065	51	50135	26	50946	29	51196	26
10008	45	13155	42	30771	31	40066	51	50136	26	50947	29	51197	26
10009	45	13156	42	30772	31	40067	51	50137	26	50948	29	51199	26
10010	45	13160	42	30773	31	40068	51	50138	26	50949	29	51200	24
10011	45	13163	42	30774	31	40069	51	50139	26	50950	29	51201	24
10012	45	13175	43	30778	31	40070	51	50140	26	50951	29	51202	24
10013	45	13178	43	31337	25	40071	51	50141	26	50952	29	51203	24
10014	45	13181	43	31338	25	40076	51	50196	20	50953	29	51204	24
10015	45	13182	43	31339	25	40137	51	50197	20	50954	29	51205	24
10016	45	13185	43	31340	25	40139	51	50502	27	50955	29	51206	24
10017	45	13188	43	31343	25	40140	51	50503	27	50956	29	51207	24
10018	45	13232	38	31344	25	40141	51	50504	27	50957	29	51208	24
10019	45	13234	38	31345	25	40160	51	50505	27	50958	29	51209	24
10020	45	13238	38	31346	25	40161	51	50506	27	50959	29	51210	24
10021	45	13249	38	31347	25	40162	51	50509	27	50960	29	51211	24
10022	45	13253	42	31349	25	40163	51	50510	27	50961	29	51212	24
10023	45	13255	42	31350	25	40164	51	50511	27	50962	29	51213	24
10024	45	13256	42	31351	25	40165	51	50512	27	50963	29	51214	24
10025	44	13257	42	31352	25	40166	51	50513	27	50964	29	51215	24
10026	44	13258	42	31353	25	40177	51	50514	27	50965	29	51216	24
10027	44	13266	41	31355	25	40179	51	50515	27	51060	26	51217	24
10028	44	13276	41	31356	25	40180	51	50516	27	51061	26	51218	24
10029	44	13281	42	31357	25	40181	51	50517	27	51062	26	51219	24
10030	44	13282	42	31358	25	40182	51	50518	27	51063	26	51220	24
10031	44	13283	42	31361	25	40183	51	50519	27	51064	26	51221	24
10032	44	13284	42	31362	25	40184	51	50520	27	51065	26	51222	24
10067	44	13285	42	31363	25	40185	51	50522	27	51066	26	51223	24
10141	44	13286	42	31364	25	44053	49	50523	27	51067	26	51224	24
10142	44	13299	42	31367	25	44054	49	50524	27	51101	25	51225	24
10187	44	13406	41	31368	25	44055	49	50525	27	51102	25	51226	24
10208	44	13416	41	31369	25	44056	49	50526	27	51104	25	51227	24
10210	44	13426	41	31370	25	44057	49	50532	27	51105	25	51228	24
10211	44	13436	41	31387	26	44058	49	50533	27	51107	25	51229	24
10212	44	13456	41	31388	26	44061	49	50534	27	51108	25	51230	24
10213	44	13466	41	31389	26	44062	49	50538	24	51109	25	51231	24
10215	44	13476	41	31390	26	44063	49	50539	24	51110	25	51232	24
10216	44	13486	41	31391	26	44064	49	50540	24	51112	25	51233	24
10217	44	14016	43	31392	26	44065	49	50541	27	51113	25	51234	24
10218	44	14026	43	31401	25	44069	50	50542	27	51114	25	51237	24
10220	44	14036	43	31402	25	44075	50	50543	27	51115	25	51238	24
10301	45	14066	43	31403	25	44100	49	50544	27	51118	25	51239	24
10302	45	14076	43	31404	25	44101	49	50545	27	51119	25	51241	24
10303	45	14126	43	31407	25	44167	50	50546	27	51120	25	51242	24
10305	45	14166	43	31408	25	44189	50	50592	24	51121	25	51243	24
10306	45	14206	43	31409	25	44235	49	50593	24	51123	25	51245	20
10307	45	14216	43	31410	25	44251	50	50594	24	51124	25	51246	20
10309	45	14256	43	31414	25	44299	49	50595	24	51125	25	51250	27
10310	45	14606	43	31415	25	44432	49	50601	24	51126	25	51251	27
10311	45	15433	46	31419	25	44551	50	50606	24	51128	25	51252	27
10313	45	15453	46	31420	25	44594	49	50616	24	51129	25	51253	27
10314	45	15473	46	31421	25	44609	50	50649	24	51130	25	51254	27
10315	45	15533	46	31422	25	44619	50	50650	24	51131	25	51255	27
10317	45	15553	46	31439	26	44637	50	50651	24	51132	25	51256	27
10319	45	15573	46	31440	26	44731	50	50659	24	51133	25	51257	27
10321	45	15637	46	31441	26	44732	50	50660	24	51134	25	51300	28
10322	45	16933	46	31443	26	44733	50	50661	24	51135	25	51301	28
10323	45	16973	46	31444	26	44805	50	50693	24	51137	25	51302	28
11140	44	17609	46	31445	26	44806	50	50694	24	51138	25	51303	28
11141	44	17610	46	31447	25	44810	50	50695	24	51139	25	51304	28
12206	42	17611	46	31448	25	50002	28	50696	24	51140	25	51305	28
12256	42	17615	46	31449	25	50003	28	50699	24	51142	25	51306	28
12276	42	17616	46	31451	25	50004	28	50706	24	51143	25	51307	28
12306	42	17617	46	31452	25	50005	28	50713	24	51145	25	51308	28
12316	42	17618	46	31453	25	50006	28	50714	24	51146	25	51309	28
12326	42	17619	46										

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
51319	28	56489	15	58021	11	58300	11	59736	33	60600	33	68310	19
51320	28	56490	15	58022	11	58301	11	59737	33	60601	33	68312	19
51321	28	56491	15	58023	11	58302	11	59806	35	60602	33	68314	19
51322	28	56494	15, 29	58028	13	58303	11	59807	35	60603	33	68315	19
51323	28	56495	15, 20	58029	13	58305	11	59808	35	60604	33	68316	19
51551	29, 35	57001	12	58030	11	58306	11	59809	35	60606	33	68317	19
51552	29, 35	57010	12	58031	11	58307	11	59811	35	60610	33	68318	19
52003	30	57011	12	58032	11	58308	11	59812	35	60611	33	68319	19
52004	30	57012	12	58033	11	58309	11	59813	35	60612	33	68321	19
52005	30	57014	12	58040	20	58310	11	59814	35	60613	33	68323	19
52009	30	57015	12	58050	16	58311	11	59869	35	60614	33	68325	19
52010	30	57016	12	58051	16	58312	11	59870	35	60616	33	68327	19
52011	30	57020	11	58052	16	58315	16	59871	35	60620	33	68329	19
52015	30	57021	11	58053	16	58316	16	59874	35	60621	33	68331	19
52016	30	57022	11	58054	16	58317	16	59875	35	60622	33	68350	19
52017	30	57023	11	58055	16	58318	16	59876	35	60623	33	68353	19
52024	30	57030	13	58056	16	58319	16	59877	35	60624	33	68359	19
52025	30	57031	13	58057	16	58320	16	59901	33	60626	33	68350	18
52027	30	57032	13	58058	16	58321	16	59902	33	61501	34	68353	18
52028	30	57034	13	58064	16	58322	16	59903	33	61503	34	68356	18
52029	30	57035	13	58066	17	58323	16	59904	33	61505	34	68359	18
52366	30	57040	11	58067	17	58324	16	59905	33	61506	34	69850	32
52367	30	57041	11	58068	17	58325	14	59906	33	61507	34	69851	32
52486	30	57042	11	58069	14	58326	14	59907	33	61508	34	69852	32
52487	30	57043	11	58070	14	58327	14	59911	33	61509	34	69853	32
52601	30	57044	11	58071	14	58328	14	59912	33	61521	34	69854	32
52603	30	57045	11	58072	14	58329	14	59913	33	61523	34	69857	32
52605	30	57046	11	58073	14	58330	14	59914	33	61525	34	69858	32
52611	30	57047	11	58074	14	58331	14	59915	33	61526	34	69859	32
52613	30	57048	11	58075	14	58332	14	59916	33	61527	34	69860	32
52621	30	57049	11	58076	14	58333	14	59917	33	61528	34	69861	32
52623	30	57060	12	58077	14	58334	14	59931	33	61529	34	69864	32
56013	12	57061	12	58078	14	58335	14	59932	33	61541	34	69865	32
56015	12	57063	12	58079	14	58340	20	59933	33	61543	34	69866	32
56022	12	57064	12	58080	15	58342	12	59934	33	61545	34	69867	32
56060	12	57065	12	58081	15	58345	12	59935	33	61546	34	69868	32
56061	12	57066	12	58082	15	58348	12	59936	33	61547	34	69871	32
56062	12	57068	12	58083	15	58351	12	59937	33	61548	34	69872	32
56064	12	57069	12	58090	17	58351	12	59971	34	61549	34	69873	32
56065	12	57070	12	58092	17	58352	12	59973	34	62002	34	69874	32
56068	12	57071	12	58094	17	58353	12	59975	34	62003	34	69875	32
56070	12	57072	12	58095	17	58354	12	59976	34	62004	34	69880	32
56076	12	57073	12	58100	11	58355	12	59977	34	62005	34	69881	32
56080	12	57074	12	58101	11	58356	12	59978	34	62006	34	69882	32
56086	12	57075	12	58102	11	58357	12	59979	34	62007	34	69883	32
56099	12	57076	12	58103	11	58358	12	60040	35	62008	34	69884	32
56103	11	57077	12	58107	11	58359	12	60043	35	62012	34	69887	32
56108	11	57078	12	58109	11	58360	12	60044	35	62013	34	69888	32
56118	11	57080	11	58110	11	58361	12	60046	35	62014	34	69889	32
56128	12	57081	11	58111	11	58362	12	60053	35	62015	34	69890	32
56129	12	57082	11	58112	11	58363	12	60056	35	62016	34	69891	32
56130	12	57083	11	58113	11	58364	12	60057	35	62017	34	69894	32
56131	12	57084	13	58114	16	58365	12	60059	35	62018	34	69895	32
56163	12	57085	13	58115	16	58366	12	60118	35	62022	34	69896	32
56165	12	57086	13	58116	16	58367	12	60121	35	62023	34	69897	32
56166	12	57087	13	58117	16	58368	12	60122	35	62024	34	69898	32
56167	12	57089	13	58118	16	58369	12	60124	35	62025	34	69901	32
56230	13	57090	13	58119	16	58370	12	60131	35	62026	34	69902	32
56239	13	57091	13	58120	14	58371	12	60134	35	62027	34	69903	32
56240	13	57092	13	58121	14	58372	12	60135	35	62028	34	69904	32
56247	13	57093	13	58122	14	58373	12	60137	35	62032	34	69905	32
56271	11	57094	13	58123	14	58374	12	60150	35	62033	34	73054	18
56273	11	57097	13	58124	14	58375	12	60151	35	62034	34	73217	49
56275	11	57100	16	58125	14	58376	12	60152	35	62035	34	73218	49
56277	11	57101	16	58126	14	58377	12	60155	35	62036	34	79800	39
56278	11	57102	16	58127	14	58378	12	60156	35	62037	34	79801	39
56279	15	57103	16	58128	14	58379	12	60157	35	62038	34	79802	39
56280	15	57104	16	58129	14	58380	12	60170	35	62052	34	79803	39
56281	11	57105	16	58130	10	58381	12	60171	35	62053	34	79804	39
56282	11	57106	16	58131	10	58382	12	60172	35	62054	34	79805	39
56283	11	57107	16	58140	20	58383	12	60175	35	62055	34	79810	39
56383	11	57108	16	58200	11	58384	12	60176	35	62056	34	79811	39
56384	11	57109	16	58201	11	58385	12	60177	35	62057	34	79812	39
56385	11	57119	14	58202	11	58386	12	60378	35	62058	34	79813	39
56391	11	57120	14	58203	11	58387	12	60381	35	62062	34	79814	39
56392	11	57121	14	58205	11	58388	12	60382	35	62063	34	79815	39
56393	11	57122	14	58206	11	58389	12	60384	35	62064	34	95013	50
56423	16	57123	14	58207	11	58390	12	60391	35	62065	34	95014	50
56424	16	57124	14	58208	11	58391	12	60394	35	62066	34	95151	50
56425	16	57125	14	58209	11	58392	12	60395	35	62067	34	99383	50
56426	16	57126	14	58210	11	58393	12	60397	35	62068	34		
56427	16	57127	14	58211	11	58394	12	60400	33	62072	34		
56428	16	57128	14	58212	11	58395	12	60401	33	62073	34		
56429	16	57129	14	58215	16	58396	12	60402	33	62074	34		
56430	16	57134	15	58216	16	58397	12	60403	33	62075	34		
56449	15	57135	15	58217	16	58398	12	60404	33	62076	34		
56454	15	57136	15	58218	16	58399	12	60406	33	62077	34		
56455	15	57137	15	58219	16	58400	12	60410	33	62078	34		
56457	15	57140	20	58220	16	58401	12	60411	33	62082	34		
56464	15	57145	20	58221	16	58402	12	60412	33	62083	34		
56466	15	58000	11	58222	16	58403	12	60413	33	62084	34		
56467	15	58001	11	58225	14	58404	12	60414	33	62085	34		
56468	15	58002	11	58226	14	58405	12	60416	33	62086	34		
56469	15	58003	11	58227	14	58406	12	60420	33	62087	34		
56470	15	58005	10	58228	14	58407	12	60421	33	62088	34		
56473	15	58006	10	58229	14	58408	12	60422	33	68300	19		
56474	11	58011	12	58230	14	58409	12	60423	33	68302	19		
56475	11	58012	12	58231	14	58410	12	60424	33	68303	19		
56476	11	58013	12	58232	14	58411	12	60426	33	68305	19		
56477	11	58014	12	58233	14	58412	12	60508	29, 35	68307			

THE WEILER PROMISE

At Weiler, we passionately embrace change to improve our products and our processes to move the company and our customers forward. By bringing new ideas and creative problem solving together in an open, collaborative environment, we will improve our customers' productivity and create profitable growth.



WEILER ABRASIVES GROUP

Weiler
One Weiler Drive
Cresco, PA 18326
USA

Weiler de México
Querétaro, México

Weiler do Brasil
Vinhedo, Brazil

Weiler Germany
Bindlach, Germany

Weiler Slovenia
• Maribor (HQ)
• Zreče
• Loče

800.835.9999 / weilerabrasives.com



Reorder No. WC163 Rev. 4-21 / ©2021 Weiler Abrasives Group. All Rights Reserved.

