

## B170

Machine Centesimal Reamer



d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h9</sub> mm	e-code	USD
0.98	34	5.5	15	3	1.0	B170.98	60.40
0.99	34	5.5	15	3	1.0	B170.99	60.40
1.00	34	5.5	15	3	1.0	B1701.0	60.40
1.01	34	5.5	15	3	1.0	B1701.01	60.40
1.02	34	5.5	15	3	1.0	B1701.02	60.40
1.03	34	5.5	15	3	1.0	B1701.03	60.40
1.04	34	5.5	15	3	1.0	B1701.04	60.40
1.05	34	5.5	15	3	1.0	B1701.05	60.40
1.49	40	8.0	18	3	1.5	B1701.49	55.00
1.50	40	8.0	18	3	1.5	B1701.5	55.00
1.51	43	9.0	20	3	1.6	B1701.51	55.00
1.52	43	9.0	20	3	1.6	B1701.52	55.00
1.98	49	11.0	24	4	2.0	B1701.98	55.00
1.99	49	11.0	24	4	2.0	B1701.99	55.00
2.00	49	11.0	24	4	2.0	B1702.0	55.00
2.01	49	11.0	24	4	2.0	B1702.01	55.00
2.02	49	11.0	24	4	2.0	B1702.02	55.00
2.03	49	11.0	24	4	2.0	B1702.03	55.00
2.04	49	11.0	24	4	2.0	B1702.04	55.00
2.05	49	11.0	24	4	2.0	B1702.05	55.00
2.49	57	14.0	28	4	2.5	B1702.49	56.40
2.50	57	14.0	28	4	2.5	B1702.5	56.40
2.51	57	14.0	28	4	2.5	B1702.51	56.40
2.52	57	14.0	28	4	2.5	B1702.52	56.40
2.98	61	15.0	32	6	3.0	B1702.98	56.40
2.99	61	15.0	32	6	3.0	B1702.99	56.40



d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h9</sub> mm	e-code	USD
3.00	61	15.0	32	6	3.0	B1703.0	49.00
3.01	65	16.0	35	6	3.2	B1703.01	49.00
3.02	65	16.0	35	6	3.2	B1703.02	49.00
3.03	65	16.0	35	6	3.2	B1703.03	49.00
3.04	65	16.0	35	6	3.2	B1703.04	49.00
3.05	65	16.0	35	6	3.2	B1703.05	49.00
3.49	70	18.0	40	6	3.5	B1703.49	49.00
3.50	70	18.0	40	6	3.5	B1703.5	55.30
3.51	70	18.0	40	6	3.5	B1703.51	55.30
3.52	70	18.0	40	6	3.5	B1703.52	55.30
3.98	75	19.0	43	6	4.0	B1703.98	52.10
3.99	75	19.0	43	6	4.0	B1703.99	52.10
4.00	75	19.0	43	6	4.0	B1704.0	52.10
4.01	75	19.0	43	6	4.0	B1704.01	52.10
4.02	75	19.0	43	6	4.0	B1704.02	52.10
4.03	75	19.0	43	6	4.0	B1704.03	52.10
4.04	75	19.0	43	6	4.0	B1704.04	52.10
4.05	75	19.0	43	6	4.0	B1704.05	52.10
4.49	80	21.0	47	6	4.5	B1704.49	59.60
4.50	80	21.0	47	6	4.5	B1704.5	59.60
4.51	80	21.0	47	6	4.5	B1704.51	59.60
4.52	80	21.0	47	6	4.5	B1704.52	59.60
4.98	86	23.0	52	6	5.0	B1704.98	53.30
4.99	86	23.0	52	6	5.0	B1704.99	53.30
5.00	86	23.0	52	6	5.0	B1705.0	53.30
5.01	86	23.0	52	6	5.0	B1705.01	53.30
5.02	86	23.0	52	6	5.0	B1705.02	53.30
5.03	86	23.0	52	6	5.0	B1705.03	53.30
5.04	86	23.0	52	6	5.0	B1705.04	53.30
5.05	86	23.0	52	6	5.0	B1705.05	53.30
5.49	93	26.0	57	6	5.6	B1705.49	58.70
5.50	93	26.0	57	6	5.6	B1705.5	58.70
5.51	93	26.0	57	6	5.6	B1705.51	58.70
5.52	93	26.0	57	6	5.6	B1705.52	58.70
5.98	93	26.0	57	6	5.6	B1705.98	58.70
5.99	93	26.0	57	6	5.6	B1705.99	58.70
6.00	93	26.0	57	6	5.6	B1706.0	58.70
6.01	101	28.0	63	6	6.3	B1706.01	58.70
6.02	101	28.0	63	6	6.3	B1706.02	58.70
6.03	101	28.0	63	6	6.3	B1706.03	58.70
6.04	101	28.0	63	6	6.3	B1706.04	58.70
6.05	101	28.0	63	6	6.3	B1706.05	58.70
6.49	101	28.0	63	6	6.3	B1706.49	62.90
6.50	101	28.0	63	6	6.3	B1706.5	62.90
6.51	101	28.0	63	6	6.3	B1706.51	62.90
6.52	101	28.0	63	6	6.3	B1706.52	62.90



d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h9</sub> mm	e-code	USD
6.98	109	31.0	69	6	7.1	B1706.98	62.90
6.99	109	31.0	69	6	7.1	B1706.99	62.90
7.00	109	31.0	69	6	7.1	B1707.0	62.90
7.01	109	31.0	69	6	7.1	B1707.01	62.90
7.02	109	31.0	69	6	7.1	B1707.02	62.90
7.03	109	31.0	69	6	7.1	B1707.03	62.90
7.04	109	31.0	69	6	7.1	B1707.04	62.90
7.05	109	31.0	69	6	7.1	B1707.05	62.90
7.49	109	31.0	69	6	7.1	B1707.49	62.90
7.50	109	31.0	69	6	7.1	B1707.5	62.90
7.51	117	33.0	75	6	8.0	B1707.51	62.90
7.52	117	33.0	75	6	8.0	B1707.52	62.90
7.98	117	33.0	75	6	8.0	B1707.98	62.90
7.99	117	33.0	75	6	8.0	B1707.99	62.90
8.00	117	33.0	75	6	8.0	B1708.0	62.90
8.01	117	33.0	75	6	8.0	B1708.01	62.90
8.02	117	33.0	75	6	8.0	B1708.02	62.90
8.03	117	33.0	75	6	8.0	B1708.03	62.90
8.04	117	33.0	75	6	8.0	B1708.04	62.90
8.05	117	33.0	75	6	8.0	B1708.05	62.90
8.49	117	33.0	75	6	8.0	B1708.49	75.50
8.50	117	33.0	75	6	8.0	B1708.5	75.50
8.51	125	36.0	81	6	9.0	B1708.51	75.50
8.52	125	36.0	81	6	9.0	B1708.52	75.50
8.98	125	36.0	81	6	9.0	B1708.98	78.20
8.99	125	36.0	81	6	9.0	B1708.99	78.20
9.00	125	36.0	81	6	9.0	B1709.0	78.20
9.01	125	36.0	81	6	9.0	B1709.01	78.20
9.02	125	36.0	81	6	9.0	B1709.02	78.20
9.03	125	36.0	81	6	9.0	B1709.03	78.20
9.04	125	36.0	81	6	9.0	B1709.04	78.20
9.05	125	36.0	81	6	9.0	B1709.05	78.20
9.49	125	36.0	81	6	9.0	B1709.49	78.20
9.50	125	36.0	81	6	9.0	B1709.5	78.20
9.51	133	38.0	87	6	10.0	B1709.51	78.20
9.52	133	38.0	87	6	10.0	B1709.52	78.20
9.98	133	38.0	87	6	10.0	B1709.98	78.20
9.99	133	38.0	87	6	10.0	B1709.99	78.20
10.00	133	38.0	87	6	10.0	B17010.0	78.20
10.01	133	38.0	87	6	10.0	B17010.01	78.20
10.02	133	38.0	87	6	10.0	B17010.02	78.20
10.03	133	38.0	87	6	10.0	B17010.03	78.20
10.04	133	38.0	87	6	10.0	B17010.04	78.20
10.05	133	38.0	87	6	10.0	B17010.05	78.20
10.49	133	38.0	87	6	10.0	B17010.49	95.10
10.51	133	38.0	87	6	10.0	B17010.51	95.10



d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h9</sub> mm	e-code	USD
10.52	133	38.0	87	6	10.0	B17010.52	95.10
10.98	142	41.0	96	6	10.0	B17010.98	99.40
10.99	142	41.0	96	6	10.0	B17010.99	99.40
11.00	142	41.0	96	6	10.0	B17011.0	99.40
11.01	142	41.0	96	6	10.0	B17011.01	99.40
11.02	142	41.0	96	6	10.0	B17011.02	99.40
11.03	142	41.0	96	6	10.0	B17011.03	99.40
11.04	142	41.0	96	6	10.0	B17011.04	99.40
11.05	142	41.0	96	6	10.0	B17011.05	99.40
11.49	142	41.0	96	6	10.0	B17011.49	108.00
11.50	142	41.0	96	6	10.0	B17011.5	108.00
11.51	142	41.0	96	6	10.0	B17011.51	108.00
11.52	142	41.0	96	6	10.0	B17011.52	108.00
11.98	151	44.0	105	6	10.0	B17011.98	108.00
11.99	151	44.0	105	6	10.0	B17011.99	108.00
12.00	151	44.0	105	6	10.0	B17012.0	108.00