

## ADX

## A520

ADX Stub Drill



$d_1$ $\varnothing_{h8}$ Inch	$d_1$ $\varnothing_{h8}$ mm	$d_1$ decimal Inch	$l_2$ mm	$l_1$ mm	e-code	GBP
	3.00	0.1181	16	46	A5203.0	13.75
	3.10	0.1220	18	49	A5203.1	19.60
1/8	3.18	0.1250	18	49	A5201/8	13.85
	3.20	0.1260	18	49	A5203.2	19.65
	3.30	0.1299	18	49	A5203.3	13.50
	3.40	0.1339	20	52	A5203.4	23.35
	3.50	0.1378	20	52	A5203.5	15.90
9/64	3.57	0.1406	20	52	A5209/64	15.80
	3.60	0.1417	20	52	A5203.6	22.50
	3.70	0.1457	20	52	A5203.7	22.35
	3.80	0.1496	22	55	A5203.8	23.00
	3.90	0.1535	22	55	A5203.9	23.95
5/32	3.97	0.1563	22	55	A5205/32	17.80
	4.00	0.1575	22	55	A5204.0	17.65
	4.10	0.1614	22	55	A5204.1	17.65
	4.20	0.1654	22	55	A5204.2	20.60
	4.30	0.1693	24	58	A5204.3	28.10
11/64	4.37	0.1719	24	58	A52011/64	21.05
	4.40	0.1732	24	58	A5204.4	28.65
	4.50	0.1772	24	58	A5204.5	21.10
	4.60	0.1811	24	58	A5204.6	26.85
	4.70	0.1850	24	58	A5204.7	28.65
3/16	4.76	0.1875	26	62	A5203/16	21.05
	4.80	0.1890	26	62	A5204.8	28.65
	4.90	0.1929	26	62	A5204.9	22.70
	5.00	0.1969	26	62	A5205.0	21.45

d <sub>1</sub> Øh <sub>8</sub> Inch	d <sub>1</sub> Øh <sub>8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	GBP
	5.10	0.2008	26	62	A5205.1	34.05
13/64	5.16	0.2031	26	62	A52013/64	23.15
	5.20	0.2047	26	62	A5205.2	33.15
	5.30	0.2087	26	62	A5205.3	34.05
	5.40	0.2126	28	66	A5205.4	36.55
	5.50	0.2165	28	66	A5205.5	27.20
7/32	5.56	0.2188	28	66	A5207/32	28.35
	5.60	0.2205	28	66	A5205.6	36.10
	5.70	0.2244	28	66	A5205.7	36.45
	5.80	0.2283	28	66	A5205.8	34.85
	5.90	0.2323	28	66	A5205.9	44.60
15/64	5.95	0.2344	28	66	A52015/64	32.70
	6.00	0.2362	28	66	A5206.0	26.60
	6.10	0.2402	31	70	A5206.1	45.80
	6.20	0.2441	31	70	A5206.2	46.00
	6.30	0.2480	31	70	A5206.3	46.45
1/4	6.35	0.2500	31	70	A5201/4	34.35
	6.40	0.2520	31	70	A5206.4	45.55
	6.50	0.2559	31	70	A5206.5	34.75
	6.60	0.2598	31	70	A5206.6	47.40
	6.70	0.2638	31	70	A5206.7	46.90
17/64	6.75	0.2656	34	74	A52017/64	46.95
	6.80	0.2677	34	74	A5206.8	49.45
	6.90	0.2717	34	74	A5206.9	57.80
	7.00	0.2756	34	74	A5207.0	37.50
	7.10	0.2795	34	74	A5207.1	62.80
9/32	7.14	0.2813	34	74	A5209/32	38.70
	7.20	0.2835	34	74	A5207.2	62.40
	7.30	0.2874	34	74	A5207.3	61.30
	7.40	0.2913	34	74	A5207.4	62.40
	7.50	0.2953	34	74	A5207.5	44.40
19/64	7.54	0.2969	37	79	A52019/64	67.30
	7.60	0.2992	37	79	A5207.6	67.20
	7.70	0.3031	37	79	A5207.7	68.50
	7.80	0.3071	37	79	A5207.8	66.00
	7.90	0.3110	37	79	A5207.9	75.60
5/16	7.94	0.3125	37	79	A5205/16	46.10
	8.00	0.3150	37	79	A5208.0	46.40
	8.10	0.3189	37	79	A5208.1	77.10
	8.20	0.3228	37	79	A5208.2	79.90
	8.30	0.3268	37	79	A5208.3	79.80
21/64	8.33	0.3281	37	79	A52021/64	79.80
	8.40	0.3307	37	79	A5208.4	79.90
	8.50	0.3346	37	79	A5208.5	60.40
	8.60	0.3386	40	84	A5208.6	83.70
	8.70	0.3425	40	84	A5208.7	81.70

d <sub>1</sub> Øh <sub>8</sub> Inch	d <sub>1</sub> Øh <sub>8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	GBP
11/32	8.73	0.3438	40	84	A52011/32	64.70
	8.80	0.3465	40	84	A5208.8	80.00
	8.90	0.3504	40	84	A5208.9	91.10
	9.00	0.3543	40	84	A5209.0	59.50
	9.10	0.3583	40	84	A5209.1	102.00
23/64	9.13	0.3594	40	84	A52023/64	102.00
	9.20	0.3622	40	84	A5209.2	107.00
	9.30	0.3661	40	84	A5209.3	108.00
	9.40	0.3701	40	84	A5209.4	102.00
	9.50	0.3740	40	84	A5209.5	79.10
3/8	9.52	0.3750	43	89	A5203/8	79.10
	9.60	0.3780	43	89	A5209.6	104.00
	9.70	0.3819	43	89	A5209.7	102.00
	9.80	0.3858	43	89	A5209.8	110.00
	9.90	0.3898	43	89	A5209.9	113.00
25/64	9.92	0.3906	43	89	A52025/64	113.00
	10.00	0.3937	43	89	A52010.0	74.90
	10.10	0.3976	43	89	A52010.1	106.00
	10.20	0.4016	43	89	A52010.2	105.00
	10.30	0.4055	43	89	A52010.3	114.00
13/32	10.32	0.4063	43	89	A52013/32	125.00
	10.40	0.4094	43	89	A52010.4	125.00
	10.50	0.4134	43	89	A52010.5	106.00
	10.60	0.4173	43	89	A52010.6	127.00
	10.70	0.4213	47	95	A52010.7	146.00
27/64	10.72	0.4219	47	95	A52027/64	146.00
	10.80	0.4252	47	95	A52010.8	155.00
	10.90	0.4291	47	95	A52010.9	154.00
	11.00	0.4331	47	95	A52011.0	103.00
	11.10	0.4370	47	95	A52011.1	145.00
7/16	11.11	0.4375	47	95	A5207/16	106.00
	11.20	0.4409	47	95	A52011.2	153.00
	11.30	0.4449	47	95	A52011.3	153.00
	11.40	0.4488	47	95	A52011.4	153.00
	11.50	0.4528	47	95	A52011.5	126.00
29/64	11.51	0.4531	47	95	A52029/64	158.00
	11.60	0.4567	47	95	A52011.6	153.00
	11.70	0.4606	47	95	A52011.7	153.00
	11.80	0.4646	47	95	A52011.8	153.00
	11.90	0.4685	51	102	A52011.9	153.00
15/32	11.91	0.4688	51	102	A52015/32	120.00
	12.00	0.4724	51	102	A52012.0	121.00
	12.10	0.4764	51	102	A52012.1	190.00
	12.20	0.4803	51	102	A52012.2	183.00
	12.30	0.4843	51	102	A52012.3	196.00
31/64	12.30	0.4844	51	102	A52031/64	196.00

d <sub>1</sub> Øh <sub>8</sub> Inch	d <sub>1</sub> Øh <sub>8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	GBP
	12.40	0.4882	51	102	A52012.4	201.00
	12.50	0.4921	51	102	A52012.5	158.00
	12.60	0.4961	51	102	A52012.6	206.00
	12.70	0.5000	51	102	A52012.7	122.00
1/2	12.70	0.5000	51	102	A5201/2	122.00
	12.80	0.5039	51	102	A52012.8	194.00
	12.90	0.5079	51	102	A52012.9	206.00
	13.00	0.5118	51	102	A52013.0	140.00