



**MCR  
SAFETY**

**DC1 RG**

**FR Gear**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The DC1 coverall features a comfortable 88% cotton 12% Nylon blend that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular or Tall Sizes, Red and Gray**

**Sizes available: 34-66**



**FEATURES:**

- **Available in Regular and Tall sizes, Red and Gray**
- Silver reflective tape on legs, sleeves and shoulders
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard / Risk Cat HRC2 / 9.3 cal/cm<sup>2</sup>
- Max Comfort™ 7 oz. 88% cotton / 12% nylon FR twill fabric
- Sewn with Nomex® Flame Resistant thread
- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets – left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg
- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

# DC1RG FR Gear

## Specification Sheet

### APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,  
Mining

### TECHNICAL DATA FOR: DC1RG40

<b>Series</b>	Max Comfort	<b>Front Closure</b>	YKK 2-Way Zipper & Triple Snap
<b>Category</b>	FR Gear	<b>NFPA 2112 Cert.</b>	Yes
<b>Color</b>	Gray	<b>NFPA 70E Cert.</b>	Yes
<b>Material</b>	Flame Resistant, 88% Cotton / 12% Nylon - Max Comf	<b>ASTM 1930 Cert.</b>	Yes
<b>Material Weight</b>	7.0 oz.	<b>ASTM F1506 Cert.</b>	Yes
<b>Components</b>	1 pc Coverall	<b>Hazard Risk Category</b>	HRC2
<b>Flame Resistant</b>	Flame Resistant		

Item No:	Chest	Sleeve	Back Length	Waist	Inseam	Color	Case Weight
DC1RG34	34	N/A	N/A	N/A	30	Gray	49.600
DC1RG36	36	N/A	N/A	N/A	30	Gray	25.630
DC1RG36T	36	N/A	N/A	N/A	32	Gray	25.700
DC1RG38	38	N/A	N/A	N/A	30	Gray	21.784
DC1RG38T	38	N/A	N/A	N/A	32	Gray	19.344
DC1RG40T	40	N/A	N/A	N/A	32	Gray	22.060
DC1RG40	40	N/A	N/A	N/A	30	Gray	22.030
DC1RG42	42	N/A	N/A	N/A	30	Gray	22.664
DC1RG42T	42	N/A	N/A	N/A	32	Gray	23.440
DC1RG44	44	N/A	N/A	N/A	30	Gray	23.224
DC1RG44T	44	N/A	N/A	N/A	32	Gray	23.560
DC1RG46T	46	N/A	N/A	N/A	32	Gray	24.840
DC1RG46	46	N/A	N/A	N/A	30	Gray	23.000
DC1RG48	48	N/A	N/A	N/A	30	Gray	24.304
DC1RG48T	48	N/A	N/A	N/A	32	Gray	23.952
DC1RG50	50	N/A	N/A	N/A	30	Gray	25.424
DC1RG50T	50	N/A	N/A	N/A	32	Gray	25.720
DC1RG52	52	N/A	N/A	N/A	30	Gray	25.824
DC1RG52T	52	N/A	N/A	N/A	32	Gray	25.210
DC1RG54T	54	N/A	N/A	N/A	32	Gray	24.160
DC1RG54	54	N/A	N/A	N/A	30	Gray	26.584
DC1RG56	56	N/A	N/A	N/A	30	Gray	45.640

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**DC1RG**

**FR Gear**

**Specification Sheet**

<b>Item No:</b>	<b>Chest</b>	<b>Sleeve</b>	<b>Back Length</b>	<b>Waist</b>	<b>Inseam</b>	<b>Color</b>	<b>Case Weight</b>
DC1RG56T	56	N/A	N/A	N/A	32	Gray	26.710
DC1RG58	58	N/A	N/A	N/A	30	Gray	25.384
DC1RG58T	58	N/A	N/A	N/A	32	Gray	29.520
DC1RG60T	60	N/A	N/A	N/A	32	Gray	25.700
DC1RG60	60	N/A	N/A	N/A	30	Gray	27.960
DC1RG62T	62	N/A	N/A	N/A	32	Gray	29.984
DC1RG64T	64	N/A	N/A	N/A	32	Gray	25.700
DC1RG66T	66	N/A	N/A	N/A	32	Gray	25.700

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved